For KCC Use:	8-12-07
Effective Date:	3
District #	<u> </u>

# KANSAS CORPORATION COMMISSION RECEIVED OIL & GAS CONSERVATION DIVISION COMMISSION

Form C-1

NOTICE OF INTENT TO DRILL AUG. 0 7 2007

	December 2002
	Form must be Typed
	Form must be Signed
All	blanks must be Filled

	CONSERVATION DIVISION	East
Expected Spud Date August 12, 2007	3pot 9 24 19	West
month day year	SENW NE NW Sec. Twp. S. R. 495 feet from VN / S Line of Sect	-
OPERATOR: License# 30370	1785 feet from E / W Line of Sect	
Alama: Russel Rickerson and Arckerson Carotinpany	Is SECTION Regular Irregular?	
P.O. Box 3		
Address:	(Note: Locate well on the Section Plat on reverse side)	
Contact Darcon, Jill Nickelson	County: Allen Lesse Name: Trester Well #: 7	
Phone: (660) 596-4551		
	Field Name: lola  Is this a Provated / Spaced Field?  Yes	Z No
CONTRACTOR: License# -	is this a frontice, opinion from	<b>W</b>
Name: Ensminger-Kimzey EK Energy LLC	Target Formation(s): Tucker 495	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 495'	et MSL
	Ground Sunace Elevation.	✓ No
Air Poton	FFACE WOR WILLIAM COLD COLD	✓ No
Gas Storage Pool Ext. All Hotaly  OWNO Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 50+	Z.,
Seismic;# of Holes Other	Depth to bottom of usable water: 100+	
Other	Surface Pipe by Alternate: 1 1 2	
Other	Length of Surface Pipe Planned to be set: 20'	<u>.</u>
If OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 1,030'	
Well Name:	Formation at Total Depth: Tucker	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	<b>√</b> No
KCC-DK1#		
AFF	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	If Yes, proposed zone:	<i>iging;</i> late. menting
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of	If Yes, proposed zone:  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug length or production casing is cemented in;  led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate if ce be plugged. In all cases, NOTIFY district office prior to any cementer.	<i>iging;</i> late. menting
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the specific control of the pest of the specific certification.	If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug length or production casing is cemented in;  led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate 11 ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.	<i>iging;</i> late. menting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of th	If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug length or production casing is cemented in;  led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate \$1 ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.  Title: Agent	<i>iging;</i> late. menting
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the analyse and to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 29620-0000  Conductor pipe required 1962 feet per Alt. 1962 feet per	If Yes, proposed zone:  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate if ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-en-  Submit plugging report (CP-4) after plugging is completed;	ging; late. menting ting.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of welt;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of	IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in;  ged from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate if ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-en	ging; late. menting ting.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of welt;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a specified before well is either plus through all unconsolidated materials plus a specified before well to end the first through all unconsolidated materials plus a specified before well to end through all unconsolidated materials plus a specified before well to end the first through all unconsolidated materials plus a specified before well to end through all unconsolidated materials plus a specified before well to end through all unconsolidated materials plus a specified before well to end the first through all unconsolidated materials plus a specified before well to end through all unconsolidated materials plus a spe	If Yes, proposed zone:  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  listrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate if ce be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-en-  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	aging; late. menting ting.

Date:

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29620-0000	Location of Well: County: Allen					
Operator: Russel Rickerson dea Rickerson Oil Company	495 feet from VN / S Line of Section					
Lease: Trester	1785 feet from E / V W Line of Section					
Well Number: 7 Field: lola	Sec. 8 Twp. 24 S. R. 19					
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular					
QTR / QTR / QTR of acreage: SENW - NE - NW	If Section is irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW					

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1								-																		
1								1	-				1				_	_								
1						•		1	•				1			•				•			٠			
1		•						i.					i													
ı								1					ļ							-						
1		•				•		Î	•				1			•				•						
													1													
١.										_	_		Ι.													
1 -	• -		-	٠	•	-	-	•		•	•	•	٠.	٠	•			•	•	•	•	•		•	٠	
		•																								
1																										
ì		•			•	•			•							•							•			
!																										
Ι.						_			٠.				Į			•							•			
1	• -		•	•	•	•	•	•		•	•	•		•	•		•	•	•	•	•	•			•	
													Ì													
									٠							٠							٠			
1									•				1			•							•			
1													1													
													l			•				•			•			
١.													Ι.	_				_	_							
1								-		-		-		•	•		•	•	•	•	٠	•		•	•	٠.
į.		-							•				-			-				-						
1						•																	_			
																-				•			•			
		•							•				ı			٠										
1		•							•							•				•			•			
-																										
										_				_	-			_								
1		٠					•																			
										_						•							•			
		-											,			:							:			
		-														•			•				•			
		-														•			•				:			
		-														•			•				:			-
		-									_					•			•				:			
		-		•							_	•			•	•		•	•	•			:	. ,		
		-		•							•					•	•			•	٠		:			
		:							•			•		•		•	•			•	٠		:	. ,		
		:							•		•	•		•		•	٠	•		•				. ,		
•		:						•	•		_	•		-		•	٠	•		•			•	. ,		
•		:						•	•		•	•		•	•	•	٠	•		•			•			
		:						•	•							•	٠	•		•			•			
									•		•	•		-		•	٠	•		•						
									•		•	•				•	٠	•		•						
•									•		•		•			•	٠	•		•						
		:						-	•		•		•			•	٠	•		•						
		:						-	•		•		•		-	•	٠	•		•						
		:						-	•		•	•	•			•	٠	•		•						
		:						-	•		•					•	٠	•		•						
		:						-	•		•					•	٠	•		•						
		:						-	· · ·		•					•	٠	•		•						
		:						-	· · ·		•					•	٠	•		•						
		:						-	· · ·		•					•	٠	•		•						
		:						-	· · ·		•		•			•	٠	•		•						
		:						-	· · ·		•					•	٠	•		•						
	• •	:						-	· · ·		•				•	•	٠	•		•						



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# RECEIVED KANSAS CORPORATION COMMISSION

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 0 7 2007 must be Typed

#### APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Russel Rickerson d	ba Rickerson O	License Number: 30370							
Operator Address: P.O. Box 3, Iola, KS 66749									
Contact Person: Jim Rickerson		Phone Number: ( 660 ) 596 - 4551							
Lease Name & Well No.: Trester #7		Pit Location (QQQQ):							
Type of Pit:	Pit is:	SE NW NE NW							
Emergency Pit Burn Pit	√ Proposed	Existing	Sec. 8 Twp. 24 R. 19						
Settling Pit	If Existing, date co	onstructed:	495 Feet from 🗸 North / 🗌 South Line of Section						
Workover Pit Haul-Off Pit	Pit capacity:		1785 Feet from East / 🗸 West Line of Section						
(If WP Supply API No. or Year Drilled)	200	(bbls)	Allen County						
Is the pit located in a Sensitive Ground Water	Area?	No	Chloride concentration: mg/l						
			(For Emergency Pits and Settling Pits only)						
is the bottom below ground level?	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?  native clay						
Pit dimensions (all but working pits):5		_							
Depth fr	om ground level to de	epest point: 5	(feet)						
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:						
<i>N/A</i> feet Depth of water well	feet	measu	redwell owner electric logKDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:						
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling mud						
Number of producing wells on lease:			rking pits to be utilized: 1 - divided						
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	be closed within 365 days of spud date.							
I hereby certify that the above state	ements are true and o	correct to the best	t of my knowledge and belief.						
August 7, 2007 Date		nna	Manda ignature of Applicant or Agent						
	ксс	OFFICE USE O	NLY						
Date Received: 8/1/07 Permit Num	ber:	Permi	it Date: 8/1/07 Lease Inspection: Yes 🗷 No						