# For KCC Use: 8-13-D7 Effective Date: 4 District # Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 8-13-07	Spot
month day year	W/2 - W/2 - SW Sec. 22 Twp. 15 S. R. 14 West
OPERATOR: License# 5259	1430 feet from N / VS Line of Section
Name: Mai Oil Operations, Inc.	330 feet from E / W Line of Section
Address: P.O. Box 33	is SECTION - Regular Irregular?
City/State/Zip: Russell, Ks. 67665	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Allen Bangert	County: Russell
Phone: 785-483-2169	Lease Name: Howard Mai Well #: 1
	Field Name: Wildcat
CONTRACTOR: License# 33350	is this a Prorated / Spaced Field? Yes VNo
Name: Southwind Drilling, Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
	Ground Surface Elevation: 1881 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water; 220'
Seismic;# of Holes Other	Depth to bottom of usable water: 360'
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3405'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle /
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(At A - A - A - A - A - C - C - A - A - A -
	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	Will Cores be taken?
KCC DKT #:	Will Cores be taken?   ☐ Yes ✓ No  If Yes, proposed zone:   KANSAS CORPORATION COMMIS
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMIS  CANSAS CORPORATION COMMIS
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT  Ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHTA KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be se through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  with the drilling rig;  WICHITA, KS  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on ead  3. The minimum amount of surface pipe as specified below <i>shall</i> be se through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the driven and the driven are the surface properties of the surface properties are t	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.  istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMIS  RECEIVED  KANSAS CORPORATION COMMIS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION WICHITA, KS  to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMIST  RECEIVED  KANSAS CORPORATION COMMIST  Unugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION WICHITA, KS  to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMISTANTS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Prod. Supt.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: 8-6-07  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMIST  RECEIVED  KANSAS CORPORATION COMMIST  Unugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: 8-6-07  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  CANSAS CORPORATION COMMIS  RECEIVED  KANSAS CORPORATION COMMIS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Prod. Supt.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: 8-6-07  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 167 - 23451-0000	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION  the drilling rig;  WICHITA, KS  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a specified below shall be received as a specified below shall be receive	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION  the drilling rig;  WICHITA, KS  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be coment Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: 8-6-07  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107 - 23451-0000  Conductor pipe required 1900 feet Minimum surface pipe required 1900 feet per Alt 1900	Will Cores be taken?  If Yes, proposed zone:  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION  the drilling rig;  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Prod. Supt.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second to the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a specified below shall be received as a specified below shall be receive	Will Cores be taken?  If Yes, proposed zone:  KANSAS CORPORATION COMMIS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notity appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be coment Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: 8-6-07  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107 - 23451-0000  Conductor pipe required 1900 feet per Alt 1	Will Cores be taken?  If Yes, proposed zone:  KANSAS CORPORATION COMMIS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  In eunderlying formation.  In istrict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Prod. Supt.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decompleted is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the second of the pipe required to the pipe required feet the per Alt (1) Approved by:    Put 8 - 8 - 07	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMIS  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 8 2007  CONSERVATION DIVISION WICHITA, KS with by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Prod. Supt.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set	Will Cores be taken?  If Yes, proposed zone:  KANSAS CORPORATION COMMIS  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  In eunderlying formation.  In istrict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Prod. Supt.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23451-0000	Location of Well: County: Russell	
Operator: Mai Oil Operations, Inc.		
Lease: Howard Mai	1430 feet from N / ✓ S Line of Section 330 feet from E / ✓ W Line of Section	
Well Number: 1	Sec. 22 Twp. 15 S. R. 14 ☐ East ✓ Wes	
Field: Wildcat		
Number of Acres attributable to well:	Is Section:   ✓ Regular or Irregular	
QTR / QTR / QTR of acreage: W/2 - W/2 - SW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

AUG 0 8 2007

#### In plotting the proposed location of the well, you must show.

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section of the sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Mai Oil Operations, Inc.		License Number: 5259		
Operator Address: P.O. Box 33, Ri	ussell, Ks. 67	7665		
Contact Person: Allen Bangert		Phone Number: ( 785 ) 483 - 2169		
Lease Name & Well No.: Howard Mai #1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W/2</u> _ <u>W/2</u> _ <u>SW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 15 R. 14 East  West	
Settling Pit	If Existing, date constructed:		1430 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	500	(bbls)	Russell County	
Is the pit located in a Sensitive Ground Water	is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Drilling Mud	
Pit dimensions (all but working pits):	25 Length (fe	eet) 75	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to d	eepest point: 3	(feet)	
material, thickness and installation procedure			ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		owest fresh waterfeet.		
N/A feet Depth of water well feet mea		measu	redwell owner electric logKDWR	
		Drilling, Workover and Haul-Off Pits ONLY:		
			al utilized in drilling/workover: Drilling Mud	
		king pits to be utilized; 3		
		Abandonment	procedure: Let Dry and Backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMIS		
l hereby certify that the above state  8-6-07  Date	ements are true and	Aller		
KCC OFFICE USE ONLY				
Date Received: 8 8 07 Permit Num	ber:	Permi	it Date:	