## For KCC Use: Effective Date:

#### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 14, 2007	Spot East
month day year	NW NW Sec. 26 Twp. 27 S. R. 19 West
OPERATOR: License# 33344	660 feet from E / W Line of Section
Name, Quest Cherokee LLC	Teet from E / Y W Line of Section
9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Barriger, Eldon W. Well #: 26-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 1050 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other  Other Coalbed Methane	Depth to bottom of usable water:
✓ Other Coalbed Welliams	Surface Pipe by Alternate:     1     2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🗍 )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
4.55	RECEIVED
	IDAVIT KANSAS CORPORATION COMMISSIN
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with N.S.A. 33 et. seq.
	ATH 21 U 78017
It is agreed that the following minimum requirements will be met:	AUG 0 9 2007
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the control of the set o</li></ol>	ch drilling rig;  CONSERVATION DIVISION  of by circulating cement to the top; in all cases surface pipe Statil Add Set  ne underlying formation.  listrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig;  CONSERVATION DIVISION  of by circulating cement to the top; in all cases surface pipe standards set  ne underlying formation.  listrict office on plug length and placement is necessary prior to plugging;  need or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of th</li></ol></li></ol>	CONSERVATION DIVISION by by circulating cement to the top; in all cases surface pipe state of the underlying formation.  Illistrict office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of th</li></ol></li></ol>	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe stant posset one underlying formation.  Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and helief.  Title: VP
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe stations of by circulating cement to the top; in all cases surface pipe stations of the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; upper or production casing is cemented in; and the second of the control of t
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the surface of the surface of the surface casing order of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be remembered or the surface casing order must be completed within 30 days of the spud date or the well shall be reported to the surface of	ch drilling rig;  CONSERVATION DIVISION  It by circulating cement to the top; in all cases surface pipe stations of the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; it ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  It it is the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the set into the trough all through all the well is district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or Date:  August 7, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27113 - 0000  Conductor pipe required  Minimum surface pipe required  Minimum surface pipe required  Approved by: 448 9 07	ch drilling rig;  CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe stantages set the underlying formation.  Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and helief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe stantages are underlying formation.  Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the set into the trough all through all the well is district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or Date:  August 7, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27113 - 0000  Conductor pipe required  Minimum surface pipe required  Minimum surface pipe required  Approved by: 448 9 07	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe standards set the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and helief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	ch drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cases surface pipe Statil Add Set  the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27113-0000	Location of Well: County: Neosho		
Operator: Quest Cherokee LLC	800 feet from VN/ S Line of Section		
Lease: Barriger, Eldon W.	660 feet from ☐ E / ✓ W Line of Section		
Well Number: 26-1	Sec. 26 Twp. 27 S. R. 19 ✓ East Wes		
Field: Cherokee Basin CBM			
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular		
QTR / QTR / QTR of acreage: NW NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	dahoma City, Oklah	noma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880			
Lease Name & Well No.: Barriger, Eldon W. #26-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed		Sec. 26 Twp. 27 R.	19 🗸 East 🗌 West	
Settling Pit	If Existing, date constructed:		800	North / South Line of Section	
Workover Pit Haul-Off Pit			660 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Neosho		
Is the pit located in a Sensitive Ground Water			Chloride concentration:	mg/l  Pits and Settling Pits only)	
Is the bottom below ground level?  Yes  No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plast		
Pit dimensions (all but working pits):	BO Length (fe	eet) 10	Width (feet)	N/A: Steel Pits	
	om ground level to de				
		Air Drilling	Operation lasting app	orox 3 days	
Distance to nearest water well within one-mile of pit  Depth to shall Source of info		west fresh water	feet.		
	feet	measu	uredwell owner	electric log KDWR	
		Drilling, Work	over and Haul-Off Pits ONL	<b>f</b> :	
Producing Formation: Type of mater			rial utilized in drilling/workover: Air Drilled		
		working pits to be utilized: One			
Barrels of fluid produced daily: Abandonmen		procedure: Air Dry, Back Fill a	and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMMISSI	
August 7, 2007  Date	5	· Gard	Marlin Signature of Applicant or Agent	AUG 0 9 2007  CONSERVATION DIVISION	
KCC OFFICE USE ONLY					
Date Received: $\sqrt[5]{9/07}$ Permit Num	nber:	Perm	it Date: 8/9/07 Leas	se Inspection: Yes 🗷 No	