For KCC Use: Effective Date: District #_

KANSAS CORPORATION COMMISSION OIL & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date August 14, 2007	Spot
,	660 Section N / S Line of Section
OPERATOR: License# 33344	660 feet from VE / W Line of Section
Name: Quest Cherokee LLC	Is SECTION Regular Irregular?
Address: 9520 North May Avenue, Suite 300	· · · · · · · · · · · · · · · · · · ·
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Diediker Living Trust Well #: 34-1
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
W. II. Dalling J. Community	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 900feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200 150
✓ Other Coalbed Methane	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Depth:	Formation at lotal Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED KANSAS CORPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	AUG 0 9 2007
1. Notify the appropriate district office prior to spudding of well;	CC LIDED COM
through all unconsolidated materials plus a minimum of 20 feet into the second	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and best of	of my knowledge and belief.
Date: August 7, 2007 Signature of Operator or Agent: Kicks	Waln Title: VP
1 .	1
	Remember to:
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 133-27125-000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15 - 133-27125-2000 Conductor pipe required None feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 133-27125-2000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2)	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
API # 15 - 133-27125-2000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2)	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 133-27125-0000 Conductor pipe required None feet Minimum surface pipe required 30 feet per Alt. (2) Approved by: 648-9-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
API # 15 - 133-27125-2000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 648-9-07 This authorization expires: 2-9-08	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
API # 15 - 133-27125-0000 Conductor pipe required None feet Minimum surface pipe required 30 feet per Alt. (2) Approved by: 648-9-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 133-27125-2000 Conductor pipe required Norw feet Minimum surface pipe required 30 feet per Alt. (2) Approved by: 648-9-07 This authorization expires: 2-9-08 (This authorization void if drilling not started within 6 months of approval date.)	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 133-27125-0000 Conductor pipe required None feet Minimum surface pipe required 30 feet per Alt. (2) Approved by: 648-9-07 This authorization expires: 2-9-08	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 133-27125-2000 Conductor pipe required Norw feet Minimum surface pipe required 30 feet per Alt. (2) Approved by: 648-9-07 This authorization expires: 2-9-08 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired Signature of Operator or Agent: - Signature of Operator or Agent: - Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /33-27/250000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Diediker Living Trust	660 feet from E / E / W Line of Section
Well Number: 34-1 Field: Cherokee Basin CBM	Sec. 34 Twp. 30 S. R. 19 Fast Wes
Number of Acres attributable to well: NE NE NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	klahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Diediker Liv	ing Trust #34	. - 1	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 30 R. 19	
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			660 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neosho Coun	
ls the pit located in a Sensitive Ground Water			Chloride concentration: mg/ (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	BO Length (fe	et)10	Width (feet)N/A: Steel Pits	
Depth from ground level to deepest point:(feet)				
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	edures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days	
		Depth to shallo Source of infor	owest fresh waterfeet.	
NA feet Depth of water well	feet	measu	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:			cover and Haul-Off Pits ONLY:	
_			Type of material utilized in drilling/workover:	
, -			umber of working pits to be utilized: One	
Barrels of fluid produced daily: Abandonm		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must	Drill pits must be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. AUG 0 9 2007 August 7, 2007 Date CONSERVATION DIVISION WICHTA, KS				
KCC OFFICE USE ONLY				
Date Received: 8/9/c7 Permit Num	nber:	Perm	nit Date: $8/9/c7$ Lease Inspection: Yes No	