For KCC Use:	8-14-07
Effective Date: _	01707
District #	<u> </u>
SGA? Yes	<b>⋉</b> No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date August 14, 2007  month day year	Spot East  NWNW - SW - NE Sec. 27 Twp. 7 S. R. 20   West
OPERATOR: License# 31569	1430 feet from N / S Line of Section
Name: Jason Bach dba Bach Oil Production	2630 feet from F L / W Line of Section
Address P.O. Box 723	Is SECTION Regular Irregular?
City/State/Zip: Alma, NE 68920	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Jason Bach	County: Rooks
Phone: (785) 476-5254	Lease Name: Eugene Unit Well #: 1
	Field Name: Cocinera
CONTRACTOR: License# 33237 / Name: Anderson Drilling	Is this a Prorated / Spaced Field?
Name: Anderson Drawing	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1436 330
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 1991 feet MSL
Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water.
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Sunace Lipe Flathed to be set.
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,600'
Original Completion Date:Original Total Depth:	Formation at Total Deptili.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
•	(Note: Apply for Permit with DWR ✓)  Will Cores be taken?
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR 🚺
Bottom Hole Location:  KCC DKT #:  On / It of 1 and a Aldreched:	(Note: Apply for Permit with DWR ✓)  Will Cores be taken? ✓ No
Bottom Hole Location:  KCC DKT #:  Daclaration of Unitization Attached  AFF	(Note: Apply for Permit with DWR ✓)  Will Cores be taken?  If Yes, proposed zone:  IDAVIT
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR ✓)  Will Cores be taken?  If Yes, proposed zone:  IDAVIT
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the constitution of the strict office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date or the well shall.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  In the plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the constitution of the strict office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date or the well shall.	Will Cores be taken?  If Yes, proposed zone:    DAVIT
Bottom Hole Location:  KCC DKT #:  Daclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the strict office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plate:  August 9, 2007  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    Part
Bottom Hole Location:  KCC DKT #:  Daclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of  Date: August 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:    DAVIT
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached.  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the paterned to the paterned to the plus of the paterned to the plus of the paterned to the plus of the paterned to the paterned to	Will Cores be taken?  If Yes, proposed zone:    DAVIT
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the constitution of the set of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the plant of the plant.  For KCC Use ONLY  API # 15 - 163-23634-0000  Conductor pipe required Nore feet	Will Cores be taken?  If Yes, proposed zone:    Post   No
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached.  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the well shall be paterned to the plus of the spud date or the paterned to the paterned to the plus of the paterned to the plus of the paterned to the plus of the paterned to the paterned to	Will Cores be taken?  If Yes, proposed zone:    Post   No
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the constitution of the set of the well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be ceremined or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  August 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - //03-23/034-0000  Conductor pipe required Norle feet  Minimum surface pipe required feet per Alt. (2)  Approved by: Left 8-907	Will Cores be taken?  If Yes, proposed zone:    DAVIT
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 103-23634-0000  Conductor pipe required Nore feet  Minimum surface pipe required 200 feet per Alt. (2)  Approved by: Left 8-9-07  This authorization expires: 2-9-08	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the proposed zone in the top; in all cases surface pipe shall be set to the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
Bottom Hole Location:  KCC DKT #:  Daclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of  Date: August 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - //03-23/034-0000  Conductor pipe required Nory feet  Minimum surface pipe required feet per Alt. (2)  Approved by: Latt 8-9-07	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and read or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Bottom Hole Location:  KCC DKT #:  Doclaration of Unitization Attached  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 9, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 103-23634-0000  Conductor pipe required Nore feet  Minimum surface pipe required 200 feet per Alt. (2)  Approved by: Left 8-9-07  This authorization expires: 2-9-08	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the proposed zone in the top; in all cases surface pipe shall be set to the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23634-0000	Location of Well: County: Rooks
Operator: Jason Bach dba Bach Oli Production	1430feet from V N / S Line of Section
Lease: Eugene Unit	
Well Number: 1	Sec. 27 Twp. 7 S. R. 20 ☐ East ✓ Wes
Field: Cocinera	_
Number of Acres attributable to well:	ls Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-			. ,
•			:
	· ·	: :	
:	: :	Ö :	
	•		
-			
			•
	•		• •
:	· · · ·	; ;	
	: :		: :
		: :	· ·
l ·	• •		· ·
		-	
	_	i	



NOTE: in all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Jason Bach dba Bach Oil Production			License Number: 31569		
Operator Address: P.O. Box 723, Alma, NE 68920					
Contact Person: Jason Bach		Phone Number: ( 785 ) 476 - 5254			
Lease Name & Well No.: Eugene Uni	 L#1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NW SW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 7 R. 20 ☐ East 🗸 West		
Settling Pit	If Existing, date constructed:		1430 Feet from 📝 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ▼ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	l	(bbls)	Rooks County		
Is the pit located in a Sensitive Ground Water	Area? Yes √		Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?  ☐ Yes  ☐	No	How is the pit lined if a plastic liner is not used?		
			Clay type soil		
Pit dimensions (all but working pits):6			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	sepest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure	<b>).</b>	liner integrity, ii	ncluding any special monitoring.		
		Depth to shallo Source of infor	west fresh waterfeet. mation:		
NA feet Depth of water wellfeet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: Let fluid evaporate and fill with			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		excavated dirt  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
August 9, 2007  Date  Oursia Thanda  Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 8/9/c7 Permit Num	ber:	Perm	it Date: 8 9 0 Lease Inspection: Yes 5 No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISSION