For KCC Use: Effective Date: SGA? X Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

pected Spud Date August 18, 2007	Spot
ERATOR: License# 33074	
Dart Cherokee Basin Operating Co. LLC	leet from V Line of Section
dress: 211 W. Myrtle	is SECTION Regular Irregular?
dress: 211 W. Myrtle y/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Tony Williams	County: Wilson
one: 620-331-7870	Lease Name: G Neill Trust Well #: D4-23
	Field Name: Cherokee Basin Coal Gas Area
ONTRACTOR: License# 5675	
me: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No Target Information(s): Mississippian
MIIIO,	larget Information(s): 660 Feet
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 Feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 848 feet MSL
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water welt within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
	Depth to bottom of fresh water: 175'+-
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1407 Feet
	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	_
	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:RECEIVED
4 ====	DAVIT KANSAS CORPORATION COMM
AFFI	
	ugging of this well will comply with K.S.A. 55 et. seg
ne undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 9 2007
the undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 9 2007
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 9 2007 CONSERVATION DIVISION
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se	ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 9 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe WHATIPE REF
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface pipe with the region of the condensation.
the undersigned hereby affirms that the drilling, completion and eventual plicks agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe WINTING Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plicing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe WINTER Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe WINTER, Ret ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual pli is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe WINTER Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
he undersigned hereby affirms that the drilling, completion and eventual plicing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials pl	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe William, Ref. the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second of the minimum amount of surface pipe as specified below shall be second through all unconsolidated materials plus a minimum of 20 feet into the second of the se	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe WINTING Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and profes.
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through the same true and to the best of the spud date or the well shall the three properties of the statements made herein are true and to the best of the spud three properties of the statements made herein are true and to the best of the spud statements that the statements made herein are true and to the best of the spud statements made herein are true and to the best of the spud statements made herein are true and to the best of the spud statements made herein are true and to the best of the spud statements made herein are true and to the spud statements made herein are true and to the spud statements are true and to the best of the spud statements are true and to the best of the spud statements are true and to the spud statements are true and t	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe WINTING Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and profes.
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second of the minimum amount of surface pipe as specified below shall be second through all unconsolidated materials plus a minimum of 20 feet into the second of the se	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION by by circulating cement to the top; in all cases surface pipe WINTING Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and pref. Title: Safety & Environmental Manager
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of it is an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shally thereby certify that the statements made herein are true and to the best of that: August 8, 2007	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe WHATIDE Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Title: Safety & Environmental Manager Remember to:
he undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the same and the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY For KCC Use ONLY	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe WINTING Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the posted on each of the minimum amount of surface pipe as specified below <i>shall be second</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe WINTER Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the seen the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the same and the district of the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe Wiehling region to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Title: Safety & Environmental Manage Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
ne undersigned hereby affirms that the drilling, completion and eventual plips agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the sate: August 8, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27273-0000 Conductor pipe required And the district office prior to spudding of well; Signature of Operator or Agent: Conductor pipe required And the district office prior to spudding of well; Signature of Operator or Agent: Conductor pipe required And the district office prior to spudding of well; Signature of Operator or Agent: Conductor pipe required	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe Wiehling region to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Title: Safety & Environmental Manage Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
ne undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of late: August 8, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 272 73 - 0000 Conductor pipe required 190 feet per Alt. 12	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe Wiehling region to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Title: Safety & Environmental Manage Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed the well is dry hole, an agreement between the operator and the seed to the seed the seed to t	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe With the Ref the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and reflef. Title: Safety & Environmental Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
ne undersigned hereby affirms that the drilling, completion and eventual plicits agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of late: August 8, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 272 73 - 0000 Conductor pipe required 190 feet per Alt. 12	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe Wiening rest in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and prief. Title: Safety & Environmental Manager File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed the well is dry hole, an agreement between the operator and the seed to the seed the seed to t	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe With the Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and reflef. Title: Safety & Environmental Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> posted on each at the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specified state. August 8, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 272 73 0000 Conductor pipe required	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe With the Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and reflef. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
ne undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second to the well is dry hole, an agreement between the operator and the dropens of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shally the energy certify that the statements made herein are true and to the best of the same and the statements of the operator of Agent: For KCC Use ONLY API # 15 - 205 - 272 73-000 Conductor pipe required	AUG 0 9 2007 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe With the Ref ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and reflef. Title: Safety & Environmental Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27273-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	660 FSLfeet fromN / ✓ S Line of Section
Lease: G Neill Trust	660 FEL feet from 📝 E / 🔲 W Line of Section
Well Number: D4-23	Sec. 23 Twp. 29 S. R. 14 Vest
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: C - SE - SE	Is Section: ✓ Regular or ☐ Irregular
QIN/QIN/QIN of acleage.	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T29S

			1	
		•		
	•	•		
•	•	•	! !	
			:	
•		•	!	
•	•	•	!	
•	•	•		
•	,	•		
•	•		D445	
			R14E	
•		•	!	
•		• • •		
•		•	EXAMPLE	
	23	• •		
	· ·			
· · · · · · · · · · · · · · · · · · ·				
			3390	
		222 551		
		660 FEL		
		•		
		· · · · · · · • <	ļ l · · · · · l	
	1	· •		
		660 FSL		
		. 600 F3L	SEWARD CO. RECEIVED	į
			SEWARD CO. RECEIVED	: ^\464
			" PANGAS CORPORATION CU	JININ

Wilson Co.

AUG 0 9 2007

In plotting the proposed location of the well, you must show:

- CONSERVATION DIVISION

 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, KS

 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074	
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301	
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870	
Lease Name & Well No.: G Neill Trust D4-23			Pit Location (QQQQ):	
Type of Pit: □ Emergency Pit □ Burn Pit □ Settling Pit □ Drilling Pit □ Workover Pit □ Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Wate Is the bottom below ground level? □ Yes □ No Pit dimensions (all but working pits):	Pit is: Proposed If Existing, date continued Pit capacity: 926 Artificial Liner? Yes Image: State Image: State	Existing onstructed: (bbls) No No Pet) 30 Peepest point: 5	C SE SE Sec. 23 Twp. 29 R 14	on ty
material, thickness and installation procedure. Distance to nearest water well within one-mi	le of pit	Depth to shallo		13959
			uredwell owner electric log KDWR	<i> 6</i> ′
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materi	kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Air orking pits to be utilized: One t procedure: Air dry, fill	12/50
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits r		Drill pits must	be closed within 365 days of spud date.	000
I hereby certify that the above sta August 8, 2007 Date		Jon	Signature of Applicant or Agent KANSAS CORPORATION COM AUG 0 9 2007 CONSERVATION DIVISION OF THE PROPERTY O	7
Date Received: 8/9/07 Permit Nu		OFFICE USE O	nit Date: $\sqrt{2/02}$ Lease Inspection: Yes No	