# For KCC Use: Effective Date

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateAugust 14, 2007	Spot ✓ East
Expected Spud Date	NE NW Sec. 25 Twp. 27 S. R. 19 West
	450 feet from $\sqrt{N}$ N / S Line of Section
OPERATOR: License# 33344	1830 feet from E / ✓ W Line of Section
Name. Quest Cherokee LLC	
Address: 9520 North May Avenue, Suite 300	is SECTION Regular Irregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Reinhardt, Richard R. Well #: 25-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 450
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 978feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Hales Other	Depth to bottom of usable water: 200- /50
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Sandarter Pipe Plantied to be set.
Operator:	Length of Conductor Pipe required:  Projected Total Depth: 1300
Well Name:	St. 1. O. I
Original Completion Date:Original Total Depth:	Formation at Total Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes   ✓ No
	If Yes, proposed zone:
AFF	If Yes, proposed zone:  KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:  KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  KANSAS CORPORATION COMMISSION  Ugging of this well will comply with K.S.A. 55 et. SAUG 0 9 2007
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. SAUG 0 9 2007  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:    RECEIVED     KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. SAUG 0 9 2007  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the constant of the surface price	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. SAGG 0 9 2007  CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the desired of the well is dry hole, an agreement between the operator and the constitution of the surface plus and the surface pl	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAUG 0 9 2007  CONSERVATION DIVISION WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAUG 0 9 2007  CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. iistrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total total the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plus that I the surface district office will be notified before well is either plus that I the surface is the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION  WICHITA KS  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  iistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well; 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each of the minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set o	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. iistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION  WICHITA KS  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  iistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well; 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each of the minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set o	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface of the set of the surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the test of the surface casing order.  Date: August 7, 2007  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAUG 0 9 2007  CONSERVATION DIVISION WICHITA KS  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. iistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sadd 0 9 2007  CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the state of the set of the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sAGG 0 9 2007  CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the desired to the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sadd 0 9 2007  CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the drill shall be posted on each of the minimum amount of surface pipe as specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be second</i> and the control of the second of the surface of the surfac	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. sau 0 0 2007  CONSERVATION DIVISION WICHITA, KS  It by circulating cement to the top; in all cases surface pipe snall be set in eunderlying formation. Itsirict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the well is dry hole, an agreement between the operator and the constitution of the state of the well is dry hole, an agreement between the operator and the constitution of the post of the spurious surface district office will be notified before well is either plug of the appropriate of the state of the state of the state of the spurious of the spurious surface casing order must be completed within 30 days of the spurious date or the well shall.  I hereby certify that the statements made herein are true and to the test of the state of t	IDAVIT  Washas Corporation commission  Lugging of this well will comply with K.S.A. 55 et. sAUG 0 9 2007  Conservation division  Wichita Ks  In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Inistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit proport (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second to the second to the second to the shall be second to the	IDAVIT  Washas Corporation Commission  Lugging of this well will comply with K.S.A. 55 et. sau 0 9 2007  Conservation division  Wichita ks  In by circulating cement to the top; in all cases surface pipe shall be set  The underlying formation.  Instrict office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  In the Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the desired properties. The appropriate district office will be notified before well is either plug to If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the dest of Date: August 7, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27112 - OCCO  Conductor pipe required	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  RUGging of this well will comply with K.S.A. 55 et. sAUG 0 9 2007  CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. iistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second to the second to the second to the shall be second to the	IDAVIT  Washas Corporation commission  Conservation division  Wichita ks  In by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  Inistrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	IDAVIT  WANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA KS  In the by circulating cement to the top; in all cases surface pipe shall be set  The underlying formation.  In this production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	IDAVIT  Wansas Corporation Commission  Conservation Division  Wichita ks  Wich

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27112 0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Reinhardt, Richard R.	450 feet from ✓ N / ☐ S Line of Section  1830 feet from ☐ E / ✓ W Line of Section
Well Number: 25-2	Sec. 25 Twp. 27 S. R. 19 ✓ East Wes
Field: Cherokee Basin CBM	·
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  - NE - NW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line,
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Reinhardt, Richard R. #25-2		5-2	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 25 Twp. 27 R. 19 🗸 East 🗌 West	
Settling Pit	If Existing, date constructed:		450 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ☐ East / ✓ West Line of Section Neosho	
Is the pit located in a Sensitive Ground Water	ater Area? Yes No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet)				
		Air Drilling	Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit  Depth to shalk		west fresh water		
Source of in Sourc		1	measuredwell owner electric log KDWR	
			over and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Air Drilled	
		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Air Dry, Back Fill and Cover	
,		· '	be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
August 7, 2007  Date	7	gard <sub>s</sub>	AUG 0 9 2007  CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: \[ \frac{\sqrt{q\cop}}{\sqrt{q\cop}} \] Permit Number: \[ Permit Date: \[ \frac{\sqrt{q\cop}}{\sqrt{q\cop}} \] Lease Inspection: \[ Yes \[ \frac{\cqrt{q\cop}}{\sqrt{q\cop}} \] No				