RECEIVED

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION D OIL & GAS CONSERVATION DIVISION

AUG 1 0 2007

Form C-1 December 2002 Form must be Typed

Form must be Signed

NOTICE OF INTENT TO DRILL

For KCC Use:

Effective Date:

| | WICHITA, KS | |
|---|---|--------------------------------------|
| 5 8/9/07 | Spot [| / East |
| Expected Spud Date month day year | NE SW Sec. 16 Twp. 24 S. R. 16 | West |
| OPERATOR: License# 30345 | 1500' feet from N / ✓ S Line of Sec 1480' feet from E / ✓ W Line of Sec | |
| Name: Piqua Petro., Inc. | Is SECTION Regular Irregular? | Juon |
| Address: 1331 Xylan Road | | |
| Address: Piqua, KS 66761 City/State/Zip: Great air | (Note: Locate well on the Section Plat on reverse side) | |
| Contact Person, Gley Lall | County: Woodson Lease Name: Wingrave Well #: 22-07 | |
| Phone: 620-433-0099 | Lease Name: Wingrave Well #. 22-07 Field Name: Vernon | |
| CONTRACTOR: License# 32079 | | ✓ No |
| Name: John E. Leis | Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Yes | . ₹_i40 |
| railly, | Nearest Lease or unit boundary: 180' | |
| Well Drilled For: Well Class: Type Equipment: | | eet MSL |
| ✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary ✓ | Water well within one-quarter mile: | |
| Gas Storage Pool Ext. Air Rotary | 7 | √ No |
| OWWO Disposal Wildcat Cable | Depth to bottom of fresh water: 125' | 1 |
| Seismic;# of Holes Other | Depth to bottom of usable water: 200 - 150 | |
| Other | Surface Pipe by Alternate: 1 2 | |
| If CARRIED and the office was followed. | Length of Surface Pipe Planned to be set: | |
| If OWWO: old well information as follows: | Length of Conductor Pipe required: none | |
| Operator: | Projected Total Depth: 1150' | |
| Well Name:Original Total Depth: | Formation at Total Depth: Squirrel | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Well ✓ Farm Pond Other | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #: | Will Cores be taken? | √ No |
| | If Yes, proposed zone: | |
| AEE | IDAVIT | |
| The undersigned hereby affirms that the drilling, completion and eventual pl | | |
| The undersigned neteby animis mar me diffind, completion and eventual pr | agging of this wen win comply with No.A. 55 or sed. | |
| | | |
| It is agreed that the following minimum requirements will be met: | | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | ch drilling rig; | set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> | ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be | set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the drift is dry hole. | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Iistrict office on plug length and placement is necessary prior to plu g | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. In this control is necessary prior to plugged or production casing is cemented in; | gging; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the state of the second | ch drilling rig; •It by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of | gging; date. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the second of the sec | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce | gging; date. ementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the second of the sec | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen | gging; date. ementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug typed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cement the plugged of the plugged of the plugged. | gging; date. ementing |
| It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the driving of the set into the set into | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen | gging; date. ementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plug typed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cement the plugged of the plugged of the plugged. | gging; date. ementing |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of | ch drilling rig; In the process of | gging; date. ementing |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified below <i>shall be set</i> 1. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of Operator or Agents. Signature of Operator or Agents. For KCC Use ONLY API # 15 - 207 - 272 32 - 0000 | ch drilling rig; In the process of | gging; date. ementing |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the specified before well is either plug to the second of the second o | ch drilling rig; In the process of the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; It is the first office of the trict office prior to any cement in the plugged. In all cases, NOTIFY district office prior to any cement in the plugged. In all cases, NOTIFY district office prior to any cement in the plugged. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | gging; date. ementing ting. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the statements will as a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the construction of the statement of | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en | gging; date. ementing ting. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: 8/6/07 Signature of Operator or Agents: For KCC Use ONLY API # 15 - 207 - 272 32 - 0000 Conductor pipe required feet per Alt. X 2 | ch drilling rig; In the process of the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; It is the first office of the trict office prior to any cement in the plugged. In all cases, NOTIFY district office prior to any cement in the plugged. In all cases, NOTIFY district office prior to any cement in the plugged. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | gging; date. ementing ting. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of | ch drilling rig; In the property of the top; in all cases surface pipe shall be the underlying formation. It is in all cases surface pipe shall be the underlying formation. It is in the underlying formation casing is cemented in; it is in the underlying form below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II case plugged. In all cases, NOTIFY district office prior to any cement from who will be provided and belief. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ence submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | gging; date. ementing ting. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the seco | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en- | gging; date. ementing ting. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ence. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | gging; date. ementing ting. |

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 207-27232-0000 | Location of Well: County: Woodson |
|---------------------------------------|--|
| Operator: Piqua Petro., Inc. | 1500' feet from N / ✓ S Line of Section |
| Lease: Wingrave | 1480' feet from E / W Line of Section |
| Well Number: 22-07 | Sec. 16 Twp. 24 S. R. 16 ✓ East West |
| Field: Vernon | |
| Number of Acres attributable to well: | ls Section: ✓ Regular or ✓ Irregular |
| QTR / QTR / QTR of acreage: | |
| Sw- | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |
| | |
| | PLAT |
| | ributable acreage for prorated or spaced wells.) |
| (Show footage to the near | rest lease or unit boundary line.) RECEIVED |
| | KANSAS CORPORATION COMMISSION |
| | 100000 |
| | AUG 1 0 2007 |
| | |
| | CONSERVATION DIVISION WICHITA, KS |
| | WIGHIA. NO |
| | |
| | |
| | |
| | |
| | EXAMPLE |
| | |
| | |
| | 1980 |
| | |
| | |
| | 3390' |
| | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

SEWARD CO.

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil-wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

KANSAS CORPORATION COMMISSION Form CDP-1 AUG 1 0 2007 orm must be Typed

RECEIVED

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

| Operator Name: Piqua Petro., Inc. | | License Number: 30345 | | |
|---|--------------------------------|--|---|--|
| Operator Address: 1331 Xylan Road | | | | |
| Contact Person: Greg Lair | | | Phone Number: (620) 433 - 0099 | |
| Lease Name & Well No.: Wingrave | N #22-07 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | NE SW | |
| Emergency Pit Burn Pit | Proposed | Existing | Sec. 16 _{Twp.} 24 _{R.} 16 | |
| Settling Pit | If Existing, date constructed: | | 1500' Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit | Pit capacity: | · · · · · · · · | 1500 - 1480 ———Feet from ☐ East / ✓ West Line of Section | |
| (If WP Supply API No. or Year Drilled) | | (bbls) | Woodson County | |
| Is the pit located in a Sensitive Ground Water Area? Yes | | Chloride concentration: mg/l | | |
| Is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | |
| ✓ Yes No | ☐ Yes 🗸 | No | clay soil | |
| Pit dimensions (all but working pits): | 15' Length (fe | eet) 8' | Width (feet)N/A: Steel Pits | |
| Depth from ground level to deepest point: 3' (feet) | | | | |
| | | edures for periodic maintenance and determining ncluding any special monitoring. | | |
| | | clay soil is holding water. | | |
| 14/7 | | - Valor trat | Glay don to Holating Water. | |
| | | | | |
| Distance to nearest water well within one-mile of pit Depth to shallor | | west fresh water 20' feet. | | |
| N/A Source | | 1 | Source of information: measured well owner electric log KDWR | |
| leet Depth of water well leet me | | | over and Haul-Off Pits ONLY: | |
| | | Type of materia | al utilized in drilling/workover: shale and limestone | |
| | | king pits to be utilized: one | | |
| Barrels of fluid produced daily: Abandonment | | procedure: back fill back in | | |
| Does the slope from the tank battery allow all spilled fluids to | | | | |
| flow into the pit? Yes No Drill pits must be | | pe closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | |
| | | | | |
| 8/6/07 Date | | Sice | ignature of Applicant or Agent | |
| KCC OFFICE USE ONLY | | | | |
| | | | | |
| Date Received: 8/10/c 7 Permit Num | ber: | Permi | it Date: 8/10/∘7 Lease Inspection: ☐ Yes ✓ No | |