RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	8-19-07
Effective Date: _	<u> </u>
District #	<u> </u>
0040 ["]\.	[iZ] N.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 13 2007

Form C-1 December 2002 Form must be Typed

Expected Spud Date	Spot E/2 E/2	
month day year	Sec. 29 Twp. 23 S. R. 16 West	
OPERATOR: License# 32710	2640 feet from N / ✓ S Line of Section	
0.00	660 feet from E / W Line of Section	
1998 Squirrel Road	is SECTION ✓ Regular Irregular?	
Address: City/State/Zip: Neosho Falls, KS 66758	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Kenneth Laymon	County: Woodson	
Phone: 620-963-2495	Lease Name: Robison Well #: 32-07	
√	Field Name: Vernon	
CONTRACTOR: License# 32710	Is this a Prorated / Spaced Field?	
Name: company tools	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165	
	Ground Surface Elevation: n/a feet MSL	
- B	Water well within one-quarter mile:Yes ✓ No	
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No	
Seismic: # of Holes Other	Depth to bottom of fresh water: 150	
Other	Depth to bottom of usable water: 150	
[, VIIIVI	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 1200	
Weil Name:	Constant	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrei Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Water Source for Diffiling Operations. Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
AF The undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken?	
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.	
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.	
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:	
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Signa	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulation of the well is either placed. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best placed. Signature of Operator or Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Sign	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27234-0000	Location of Well: County: Woodson	
Operator: Laymon Oll II, LLC		
Lease: Robison	660 feet from N / ✓ S Line of Section Feet from ✓ E / W Line of Section	
Well Number: 32-07	Sec. 29 Twp. 23 S. R. 16 ✓ East Wes	
Field: Vernon		
Number of Acres attributable to well: QTR / QTR of acreage: C sw ne	Is Section:	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · · · ·		· · · · · · · · · · · · · · · · · · ·	RECEIVED KANSAS CORPORATION COMMISSION
		· · · · · · · · · · · · · · · · · · ·		AUG 1 3 2007
	· · · · · · · · · · · · · · · · · · ·		•	CONSERVATION DIVISION WICHITA I'S
	· · · · · · · · · · · ·			
			660	EXAMPLE
			264	1980
				3390' -
ļ				SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION

Form CDP-1 April 2004

OIL & GAS CONSERVATION DIVISION APPLICATION FOR SURFACE PIT

AUG 1 3 2007 Form must be Typed

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate License Number: 32710 Operator Name: Laymon Oll II, LLC Operator Address: 1998 Squirrel Road, Neosho Falls, KS 66758 Phone Number: (620) 963 - 2495 Contact Person: Kenneth Laymon Lease Name & Well No.: Robison #32-07 Type of Pit: ✓ Proposed Existing Burn Pit Emergency Pit 2640 If Existing, date constructed: Settling Pit Drilling Pit Feet from North / South Line of Section Haul-Off Pit Workover Pit Feet from ✓ East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Woodson 240 (bbls) Chloride concentration: n/a Is the pit located in a Sensitive Ground Water Area? Yes (For Emergency Pits and Settling Pits only) **Artificial Liner?** How is the pit lined if a plastic liner is not used? is the bottom below ground level? Yes ✓ No ✓ Yes No Native Clay 8 Width (feet) N/A: Steel Pits Length (feet) Pit dimensions (all but working pits): Depth from ground level to deepest point: 4 _ (feet) Describe procedures for periodic maintenance and determining If the pit is fined give a brief description of the liner liner integrity, including any special monitoring. material, thickness and installation procedure. Depth to shallowest fresh water Distance to nearest water well within one-mile of pit Source of information: __well owner __ electric log _ measured N/A feet Depth of water well __ Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: Type of material utilized in drilling/workover: drilling gel Producing Formation: ___ _ Number of working pits to be utilized: one Number of producing wells on lease: ___ Abandonment procedure: backfill with dirt Barrels of fluid produced daily: ___ Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date. flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 08/10/07 Signature of Applicant or Agent KCC OFFICE USE ONLY 8/13/ 07 Lease Inspection: Yes No __ Permit Date:__

Date Received: