For KCC Use: 8-21-07 District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

August 22, 2007	Spot ✓ E	ast
Expected Spud Date August 22, 2007 month day year	OW SE 3 28 10	est
22244	660 feet from N / VS Line of Section	00.
OPERATOR: License# 33344	1980 feet from VE / W Line of Section	
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTION ✓ RegularIrregular?	
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
City/State/Zip:Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name: Mih, Miriam Well #: 3-1	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓	No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Office Time Footsmank	Nearest Lease or unit boundary: 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 973 feet M	//SL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:]No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	No
OWO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Selsmic;# of Holes Other ✓ Other Coalbed Methane	Depth to bottom of usable water:	
✓ Other	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300 Cherokee Coals	
Original Completion Date:Original Total Depth:	romation at lotal Depth.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓	No
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		J
	If Yes, proposed zone:	
	If Yes, proposed zone: RECEIVED	
AFFIC	DAVIT KANSAS CORPORATION CON	 MMISSI
The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT KANSAS CORPORATION COM aging of this well will comply with K.S.A. 55 et. seg.	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION CON	
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	pavit Kansas corporation congriging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 Conservation division of conservation divisions conservation divisions conservation divisions conservation divisions conservations and conservations divisions divis	7
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	pavit Kansas corporation congging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.	7 HON
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface plus and the distance of the surface plus and the distance of the surface plus and the surface plus and the distance of the surface plus and the su	pavit Segretary and the segre	7 HON
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 Aug 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Strict office on plug length and placement is necessary prior to plugging led or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 Aug 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging led or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	CONSERVATION CONSERVATION DIVIS In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Strict office on plug length and placement is necessary prior to plugging fed or production casing is cemented in; deform below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	CONSERVATION CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS To drilling rig; CONSERVATION DIVIS To underlying formation. Strict office on plug length and placement is necessary prior to plugging led or production casing is cemented in; In drilling rig; CONSERVATION DIVIS To underlying formation. Strict office on plug length and placement is necessary prior to plugging led or production casing is cemented in; If it is necessary prior to plugging led or production casing is cemented in; If it is necessary prior to plugging led or production casing is cemented in; If it is necessary prior to plugging led or production casing is cemented in; If it is necessary prior to plugging led or prior to supplies to the KCC District 3 area, alternate II cemented in plugged. In all cases, NOTIFY district office prior to any cementing. The implication of the implicatio	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging eled or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the set of intent to drill shall be posted on each and the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the Date: August 15, 2007 Signature of Operator or Agent:	CONSERVATION CONSERVATION DIVIS In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the intention	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. strict office on plug length and placement is necessary prior to plugging led or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: **P** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill;	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27131-DODD	CONSERVATION CONSERVATION DIVIS In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:	7 HON 3;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27131-DODO Conductor pipe required Nove feet	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. strict office on plug length and placement is necessary prior to plugging ted or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: 1	gging of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. strict office on plug length and placement is necessary prior to plugging ted or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27131-DODO Conductor pipe required Minimum surface pipe required Approved by: Feet Park 15 - 123 - 27131-DODO	CONSERVATION DIVIS In drilling rig; In drillin	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27131-DODO Conductor pipe required Minimum surface pipe required Approved by: Feet Park 15 - 123 - 27131-DODO	CONSERVATION CONSERVATION CONSERVATION CONSERVATION CONSERVATION DIVISOR OF CO	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: 1	CONSERVATION DIVIS AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS CONSERVATION DIVIS Description of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 CONSERVATION DIVIS CONSERVATION DIVIS CONSERVATION DIVIS CONSERVATION DIVIS Description of the top; in all cases surface pipe shall be set of underlying formation. Strict office on plug length and placement is necessary prior to plugging and or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing. Title: Price Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27131-DODD Conductor pipe required Minimum surface pipe required Approved by: Feet Minimum surface pipe required This authorization expires: 2-16-08 (This authorization void if drilling not started within 6 months of approval date.)	CONSERVATION CONSERVATION CONSERVATION CONSERVATION CONSERVATION DIVISOR OF CO	7 GION g; ting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: August 15, 2007 Signature of Operator or Agent: 1 For KCC Use ONLY API # 15 - 133 - 27131-DODD Conductor pipe required	CONSERVATION DIVIS AUG 1 6 2007 AUG 1 6 2007 AUG 1 6 2007 CONSERVATION DIVIS CONSERVATION DIVIS Description of this well will comply with K.S.A. 55 et. seq. AUG 1 6 2007 CONSERVATION DIVIS CONSERVATION DIVIS CONSERVATION DIVIS CONSERVATION DIVIS Description of the top; in all cases surface pipe shall be set of underlying formation. Strict office on plug length and placement is necessary prior to plugging and or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing. Title: Price Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	7 GION g; ting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 - 27131-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660feet fromN / ✓ S Line of Section
Lease: Mih, Miriam	1980 feet from 🗸 E / 🗌 W Line of Section
Well Number: 3-1	Sec. 3 Twp. 28 S. R. 19 V East Wes
Field: Cherokee Basin CBM Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage:SWSE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Mih, Miriam #3-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW _ SE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 3 Twp. 28 R. 19 ✓ East West	
Settling Pit	If Existing, date constructed:		660 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit			1080	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
	300	(bbls)	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes V No	☐ Yes 🗸	No		
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: (feet)				
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
			ncluding any special monitoring.	
Air Drilling		Air Drilling	operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.		
		ured well owner electric log KDWR		
		Drilling, Work	over and Haul-Off Pits ONLY:	
		Type of materia	al utilized in drilling/workover: Air Drilled	
			rking pits to be utilized: One	
			procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to		KANSAS CORPORATION COMM		
		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
CONSERVATION DIVISION WICHITA, KS				
August 15, 2007	- 19 th	War Wart	Signature of Applicanty or Agent Action 1997	
Date		S	Signature of Applicanty or Agent K. J.	
KCC OFFICE USE ONLY				
Date Received: 8/16/07 Permit Number: Permit Date: 8/16/07 Lease Inspection: Yes No				
Date Received: 3/16/07 Permit Nun	nber:	Perm	it Date: 8/16/07 Lease Inspection: Yes No	