

For KCC Use: 8-22-07 SGA? XYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL e approved by KCC five (5) days prior to commencing well

Must be approved by NOO me	(a) days prior to commencing wor
Expected Spud Date: 08/22/2007	Spot Description;
month day year	
OPERATOR: License# 5278	(QQQQQQ) 2,310 feet from N / S Line of Section
Name: EOG Resources, Inc.	2,310 feet from E / W Line of Section
Address 1: 3817 NW EXPRESSWAY STE 500	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: OKLAHOMA CITY State: OK Zip: 73112 + 1483	County: Seward
Contact Person: Melissa Sturm Phone: 405-246-3234	Lease Name: Charlotte Well #: 14 #1
FROIR.	Field Name: EVALYN-CONDIT WEST
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: G & F Resources, Inc.	Target Formation(s): Chester C, Chester A, St. Louis B, St. Louis C
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660
⊠Oil Enh Rec ⊠Infield ⊠Mud Rotary	Ground Surface Elevation: 2822 feet MSL Water well within one-quarter mile: Yes X No
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 640
Seismic;# of HolesOther	Depth to bottom of usable water: 640
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700
Operator:	Length of Conductor Pipe (if any): 40
Well Name:	Projected Total Depth: 6650
Original Completion Date: Original Total Depth:	Formation at Total Depth: St. Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Figie Eccation.	/Note: Apply for Permit with DWR L 1)
KCC DKT #:	
PRORATED & SPACED: HUGOTON	Will Cores be taken?
PRORATED & SPACED: HUGOTON	Will Cores be taken? If Yes, proposed zone:
PRORATED & SPACED: HUGOTON	Will Cores be taken? If Yes, proposed zone: RECEIVED
PRORATED & SPACED: HUGOTON	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
PRORATED & SPACED: HUGOTON AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe sMidinaryers
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shell have as underlying formation.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 Conservation division y circulating cement to the top; in all cases surface pipe shift harms underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 Audiling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shifting formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 Auging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shift harders underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shell the rest office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shell literages underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate Il cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shell literages underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate Il cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief.
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Diging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION To consider the construction of the construct
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: B-16-07 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shifting and sunderlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Title:
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: B-16-07 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shell the rest of tice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
PRORATED & SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent Signature of Operat	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shifting sets underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 6. For KCC Use ONLY API # 15 - 175 - 22 101 - 0000 Conductor pipe required 0 feet	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Biging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION By circulating cement to the top; in all cases surface pipe shifting and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. Basel-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Whowledge and belief. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plusting report (CR 4) After plugging in pompleted (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the intention of the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shift the seq. conservation division conservation division by circulating cement to the top; in all cases surface pipe shift the seq. conservation division conservation division conservation division py circulating cement to the top; in all cases surface pipe shift the seq. conservation division conservation division production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: B-16-07	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 Auging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 Auging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Auging formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. Bay,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ye knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the intention of the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUG 1 7 2007 drilling rig; CONSERVATION DIVISION On y circulating cement to the top; in all cases surface pipe shall have as underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Y knowledge and belief. Title: Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: B-16-07 Signature of Operator or Agent: For KCC Use ONLY API #15-175-22101-0000 Conductor pipe required 0 feet per ALT. I III Approved by: Will \$17-07 This authorization expires: 2-17-08	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. AUG 1 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall have as underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUG 1 7 2007 drilling rig; CONSERVATION DIVISION Or converted to the top; in all cases surface pipe shall have as underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ye knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /75-22101-0000	
Operator: EOG Resources, Inc.	Location of Well: County: Seward
Lease: Charlotte	2,310 feet from N / S Line of Section
Well Number: 14 #1	2,310 feet from $X \to I$ W Line of Section
Field: EVALYN-CONDIT WEST	Sec. 14 Twp. 34 S. R. 33 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SW SW NE	13 decembri.
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

2310 ft.					RECEIVED			
:	:				:			KANSAS CORPORATION COMMISSION
								AUG 1 7 2007
								C onservation di vision Wichita, Ks
			1	│ ु — 4 —		<u>.</u>		- 2310 ft.
			*********			 !		1980
	 :							3390,
			**********	,	,,,,,,,,,			
								SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

011440

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.			License Number: 5278	
Operator Address: 3817 NW EXPRESSWAY STE 500			OKLAHOMA CITY OK 73112	
Contact Person: Melissa Sturm		Phone Number: 405-246-3234		
Lease Name & Well No.: Charlotte	14	#1	Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date complete capacity: 12,500	Existing onstructed:	Sec. 14 Twp. 34 R. 33 East West 2,310 Feet from North / South Line of Section 2,310 Feet from East / West Line of Section Seward County	
Is the pit located in a Sensitive Ground Water	Area? Yes]No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Soil compaction	
	25 Length (fe		Width (feet) N/A: Steel Pits 5 (feet) No Pit RECEIVED	
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic maintenance and AMSAS CORPORATION COMMISSION including any special monitoring. AUG 1 7 2007 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile 1936 feet Depth of water well	200	Depth to shallo Source of infor measu		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY: al utilized in drilling/workover: O O O O O O O O O O O O O	
Producing Formation: Type of r			al utilized in drilling/workover: Gel	
l l				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Abandonment procedure: Evaporation / dewater and backfilling of reserve pit Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
B-16-07 Welcon Attum Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: $8/7/07$ Permit Num	ber:	Perm	it Date: 8/17/c7 Lease Inspection: X Yes No	