

For KCC Us	e: 0-11-57
Effective Dat	8-22-07
District #	1
SGA?	Yes XNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011405

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 09/15/2007	Spot Description: 10W of C-	
month day year	<u>NW</u> _ <u>SE</u> _ Sec. <u>31</u> _ Twp. <u>32</u> _ S. R. <u>10</u>	
OPERATOR: License#	(2/2/2/0/0) 1,650 feet from N / X S	Line of Section
Name: R & B Oil & Gas, Inc.	1,700 feet from E / W	Line of Section
Address 1: 904 N. LOGAN	Is SECTION: Regular Irregular?	
Address 2: PO BOX 195	(Note: Locate well on the Section Plat on reverse sid	ie)
City: ATTICA State: KS Zip: 67009 + 0195	County: Barber	
Contact Person: Randy Newberry	Lease Name: VICKERY 'B' Well	#: <u>2</u>
Phone: 620-254-7251	Field Name: Wildcat	
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?	Yes XNo
Name: Duke Drilling Co., Inc.	Target Formation(s): Simpson	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1650	
	Ground Surface Elevation: 1523	feet MSL
XOil ☐ Enh Rec ☐ Infield X Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 120	
Seismic ; # of Holes Other Other:	Depth to bottom of usable water: 180	
Ollei.	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260	
Operator:	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 4950	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Simpson	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	CEIVED
		RATION COMMISSION
AFFI	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plug-	ging of this well will comply with K.S.A. 55 et. seq.	1 7 2007
It is agreed that the following minimum requirements will be met:	7.00	1 2007
 Notify the appropriate district office prior to spudding of well; 	CONSERV	ATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each of	frilling rig; WIC	
3. The minimum amount of surface pipe as specified below shall be set by	circulating cement to the top; in all cases surface pipe shall be	HITA, KS
	, ,	
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	set
4. If the well is dry hole, an agreement between the operator and the district	underlying formation. ct office on plug length and placement is necessary <i>prior to plu</i>	set
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger 	underlying formation. ct office on plug length and placement is necessary <i>prior to plu</i> d or production casing is cemented in;	gging;
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	underlying formation. ct office on plug length and placement is necessary prior to plu d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II ce	e set gglng; d date. ementing
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	underlying formation. ct office on plug length and placement is necessary prior to plu d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II ce	e set gglng; d date. ementing
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	underlying formation. It office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme	e set gglng; d date. ementing
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II colugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief.	e set gglng; d date. ementing
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p 	underlying formation. It office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme	e set gglng; d date. ementing
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II colugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief.	e set agging; d date. ementing nting.
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pluster between the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY	underlying formation. ct office on plug length and placement is necessary prior to plu d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II co plugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title:	e set gglng; d date. ementing
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II co plugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title: T	e set egging; d date. ementing nting.
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD7 - 23 186-0000	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II co plugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title: Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	e set egging; d date. ementing nting.
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API #15 - OD7 - 23 186-0000 Conductor pipe required 0 feet	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-	e set egging; d date. ementing nting. 32
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API #15 - OD 7 - 23 186-0000 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT.	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme is knowledge and belief. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting to the surface of the plugging report (CP-4) after plugging is completed (with	e set egging; d date. ementing nting. 32 e-entry; bin 60 days):
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD 7 - 23 IBIS - OOO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I III	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme is knowledge and belief. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or results. Submit plugging report (CP-4) after plugging is completed (with a continuous plat water)	e set egging; d date. ementing nting. 31 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted in the statements made herein are true and to the best of my Date: Signature of Operator or Agent: Signature of Operator or Agent	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme is knowledge and belief. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting to the surface of the plugging report (CP-4) after plugging is completed (with	e set egging; d date. ementing nting. 31 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD 7 - 23 IBIS - OOO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I III	underlying formation. It office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme is knowledge and belief. Title: Title: Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or results. Submit plugging report (CP-4) after plugging is completed (with obtain written approval before disposing or injecting salt water if this permit has expired (See: authorized expiration date) plead check the box below and return to the address below.	e set egging; d date. ementing nting. 31 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted in the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD7 - 23 186-000 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I III Approved by: PHF-17-07 This authorization expires: 2-17-08 (This authorization void if drilling not started within 6 months of approval date.)	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II collugged. In all cases, NOTIFY district office prior to any ceme is knowledge-and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (with Obtain written approval before disposing or injecting salt water if this permit has expired (See: authorized expiration date) please.	e set egging; d date. ementing nting. 31 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged in the production of the statements made herein are true and to the best of my Date: Signature of Operator or Agent: Signature of Op	underlying formation. ct office on plug length and placement is necessary prior to plud or production casing is cemented in; from below any usable water to surface within 120 DAYS of spu 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any ceme is knowledge and belief. Title: Title: Title: Title: Title: Title: Title: Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or result of this permit plugging report (CP-4) after plugging is completed (with obtain written approval before disposing or injecting salt water if this permit has expired (See: authorized expiration date) plead check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	e set egging; d date. ementing nting. 31 e-entry; hin 60 days);



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23186-0000						
Operator: R & B Oil & Gas, Inc.	Location of Well: County: Barber					
Lease: VICKERY 'B'	1,650 feet from N / X S Line of Section					
Well Number: 2	1,700 feet from X E / W Line of Section					
Field: Wildcat	Sec. 31 Twp. 32 S. R. 10 E X W					
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NW - SE	Is Section: Regular or Irregular					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW					

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		~~~~		•				<b>n</b>
	:	:	:	1	:	:	:	
	:	:	:	1	:	:	:	
		:	•		:	•	:	
	:	:	:	1	:	:	:	
	•	:	-		•	•	:	
	•	•	•		•	•	•	
	:	•	:		:	<u>:</u>	:	1
	:	:	;		:	:	:	
	•		:		:	:	:	
	:	:	:	1	;	:	:	I.
			•	1				
								i e
				i				
	:	:	:	1	:	:	:	la control de la
	;	:		ì		:		
	:		:	I	:	•	:	
	:	:		i	:	:		
			•	i		•	•	
	:	:	:	1	:	:	:	<u> </u>
		•		ļ		•		
						******		1
				ì				
	•	-	:	į.	:	•	<u>:</u>	
	:	:	;		:	:	:	
;	•		•	l				
	:	:	:	ŀ	:	:	:	
		:				:		EXAMPLE
	:	:	:		:	•	:	L/VAIIII LL :
		•	<del>: 3</del>	1		-		J : : :
	•		. — ე					
	:	:	: -		:	:		1 · · · · · · · · · · · · · · · · · · ·
					•	i.		· · · · · · · · · · · · · · · · · · ·
	:	:	:			:		1
	;			1 ;		:		
	:	•	:	1 :		•	:	1 · · · · · · · · · · · · · · · · · · ·
•	•	•	•	Ι '	-	-		1980
								1300
	•	•			•	•	•	
	:	:	:	1 :	_	:	:	1
				1	$\sim$	·		↓ 1700.ft10
			:	1 :	(•)—			- 170p.ft 1₀
-					· Y	:		1 1 ,
			•	1 .	· I			
						• • • • • • •		3390'
				1	. 1			: 3390 ;
:			:	1		:	;	
			•	1		•		1 1 : : :
			:	1	: 1	:	:	1 · · · · · · · · · · · · · · · · · · ·
				1		:		I
		•	:	1 :	: 1	:		1
:			:	:		:		1 1
			i	i	I			
				ł				
	:	!	:			•	;	
:			<u>:</u>			:		
:			:			:		
:			:					SEWARD CO
								SEWARD CO.
								SEWARD CO.

NOTE: in all cases locate the spot of the proposed drilling locaton.

**RECEIVED** KANSAS CORPORATION COMMISSION

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc. 4 sections, etc.

1650 ft.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

CONSERVATION DIVISION WICHITA, KS

3. The distance to the nearest lease or unit boundary line (in footage).

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1011405

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: R & B Oil & Gas, Inc.			License Number: 31191				
Operator Address: 904 N. LOGAN PO I			BOX 195	ATTICA	KS	67009	
Contact Person: Randy Newberry			Phone Number: 620-254-7251				
Lease Name & Well No.: VICKERY 'B	' 2		Pit Location (C	QQQQ):			
Type of Pit:	Pit is:			<u>NW</u>		_	
Emergency Pit Bum Pit	Proposed	Existing		p. 32 R. 10	East X	West	
Settling Pit Drilling Pit	If Existing, date c	onstructed:	1,650 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		1,700 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	4,800	(bbls)	Barber County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		· · · · · · · · · · · · · · · · · · ·	or Emergency Pits and Settlin ined if a plastic liner is not			
Yes No	Yes X	No	Native clays	•			
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet)		N/A: Steel	l Pits	
Depth fro	om ground level to de	eepest point:	(fee	et)	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodi ncluding any spec	c maintenance and detern cial monitoring.	nining		
			Depth to shallowest fresh waterfeet. Source of information:				
4021 feet Depth of water well	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-O	ff Pits ONLY:			
Producing Formation:Typ			Type of material utilized in drilling/workover: Fresh				
Number of producing wells on lease:	Number of working pits to be utilized:3						
Barrels of fluid produced daily:		Abandonment	procedure: Dry	up then backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.  RECEIVED						
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge	e and belief. KANSAS COR	PORATION	COMMISSION	
8/16/07 Date	Sa	ely V.	ignature of Applica	ant or Agen) CONSE	G 1 7 20 RVATION DI	IVISION	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: $8/17/07$ Permit Numl	ber:	Perm	it Date: 8/17/	Lease Inspection	: X Yes	No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

August 16, 2007

Randy Newberry R & B Oil & Gas, Inc. 904 N. LOGAN PO BOX 195 ATTICA, KS67009-0195

Re: Drilling Pit Application
VICKERY 'B' Lease Well No. 2
SE/4 Sec.31-32S-10W
Barber County, Kansas

### Dear Randy Newberry:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

RECEIVED KANSAS CORPORATION COMMISSION

AUG 1 7 2007