

For KCC Use:  Effective Date: _	8-25-07
District #3	
SGA? XYes	s No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011403

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	NE . NW - SW - NW Sec. 1 Twp. 23 S. R. 16 XE W
5150	(Q/Q/Q/Q) 1,580 feet from N / S Line of Section
OPERATOR: License#	620 feet from E / X W Line of Section
Address 1: PO BOX 388	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: IOLA State: KS Zip: 66749 + 0388	County: Coffey
Contact Person: DENNIS KERSHNER	Lease Name: BEARD Well #: 1-24
Phone: 620-365-3111	Field Name: NEOSHO FALLS-LEROY
CONTRACTOR: License# 5989	Is this a Prorated / Spaced Field?
Name: Finney, Kurt	Target Formation(s): LOWER SQUIRREL
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 620
	Ground Surface Elevation: 1011 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 40
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: UPPER CHEROKEE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Welt Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes No
KCC DK1 #:	If Yes, proposed zone: LOWER SQUIRREL
	If Yes, proposed zone: LOWER SQUIRREL  RECEIVED  KANSAS CORPORATION COMMISSI
AFF	If Yes, proposed zone: LOWER SQUIRREL  RECEIVED  KANSAS CORPORATION COMMISSION  KANSAS CORPORATION COMMISSION  RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: LOWER SQUIRREL  RECEIVED  KANSAS CORPORATION COMMISSION Of this well will comply with K.S.A. 55 et. seg.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: LOWER SQUIRREL  RECEIVED  KANSAS CORPORATION COMMISSION  KANSAS CORPORATION COMMISSION  RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:    COMER SQUIRREL
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:    COMER SQUIRREL
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone:    COMER SQUIRREL
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone:    Compared Note
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	If Yes, proposed zone:    CONSERVATION DIVISION WICHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE IL COMPLETION production pipe shall be cemented.	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSI  gging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSI  gging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33.891-C, which applies to the KCC District 3 area, alternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  aging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be	IDAVIT  Graph of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be	IDAVIT  Graph of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  aging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Yellow Title: Published Click  Title: Published Cli
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the specific or Agent:  Signature of Operator or Agent:	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Y-knowledge and belief.  Title: Lutture Cluth  Remember to:
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of materials.  Signature of **Parator or Agent*:  **The Alternation of **Parator or Agent*:  **The United Statements	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  aging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Y-knowledge and belief.  Title: Publication Commission  ACO 1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of modern and the completed within 30 states are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements made herein are true and to the best of modern and the statements modern and the statements and the statements and the statements are true and to the statements and the statements are true and to the statements and the statements	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Yeknowledge and belief.  Title:  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of modern to the completed within and the plant of the p	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  aging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Y-knowledge and belief.  Title: Publication Commission  ACO 1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be be inhereby certify that the statements made herein are true and to the best of module:  Signature of **Parator or Agent*:  For KCC Use ONLY  API # 15 - O31 - 22323 - OCCOO  Conductor pipe required 0 feet  Minimum surface pipe required 40 feet per ALT. I **III*	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  aging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  OF CONSERVATION DIVISION  WICHITA, KS  OF CONSERVATION DIVISION  WICHITA, KS  WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be be inhereby certify that the statements made herein are true and to the best of module:  Signature of **Parator or Agent*:  For KCC Use ONLY  API # 15 - O31 - 22323 - OCCOO  Conductor pipe required 0 feet  Minimum surface pipe required 40 feet per ALT. I **III*	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y-knowledge and belief.  Title:  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the production pipe required Signature of	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSI  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Y-knowledge and belief.  Title:  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module:    For KCC Use ONLY	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  Griging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Yeknowledge and belief.  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the production pipe required Signature of	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  Griging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ict office on plug length and placement is necessary prior to plugging;  ict of production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Yeknowledge and belief.  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  TONSERVATION COMMISSE  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  WICHITA, KS  WICHITA, KS  BURG 2 0 2007  CONSERVATION DIVISION  BURCH 174, KS  BURC 174, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of module:    For KCC Use ONLY	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  Griging of this well will comply with K.S.A. 55 et. seq.  AUG 2 0 2007  CONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Yeknowledge and belief.  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 031 - 22323-0000	
Operator: Colt Energy Inc	Location of Well: County: Coffey
Lease: BEARD	1,580 feet from N / S Line of Section
Well Number: 1-24	620 feet from E / X W Line of Section
Field: NEOSHO FALLS-LEROY	Sec. 1 Twp. 23 S. R. 16 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NE - NW - SW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

CONSERVATION DIVISION WICHITA, KS

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

011403

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Colt Energy Inc			License Number: 5150		
Operator Address: PO BOX 388			IOLA	KS 66749	
Contact Person: DENNIS KERSHN	IER		Phone Number: 620-365-311	1	
Lease Name & Well No.: BEARD 1-24		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NE _ NW _ SW _ NW</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 1 Twp. 23 R. 16	East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,580 Feet from North /		
Workover Pit Haul-Off Pit	Dit enneity:	<u> </u>	620 Feet from East /	West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 80	(bbls)	Coffey	County	
Is the pit located in a Sensitive Ground Water	r Area? Yes		Chloride concentration:	mg/l	
			(For Emergency Pits and Sett		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is n	ot used?	
		45	<u> </u>		
Pit dimensions (all but working pits):	30 Length (fe	eet)	Width (feet)	N/A: Steel Pits	
Depth f	from ground level to de	<del>, ,</del> , , ,		No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	liner integrity, i	edures for periodic maintenance and dete including any special monitoring.	sittiming	
material, mismose and metallication p					
		_	20		
Distance to nearest water well within one-mi	le of pit		Depth to shallowest fresh waterfeet. Source of information:		
1286feet Depth of water well40feet		Depth to shallowest fresh water 20 feet. Source of information: measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: NATIVE SOIL			
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: NATIVE SOIL			
Number of producing wells on lease:		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: PUMP FLUID OUT - I	PUSHED PIT IN	
Does the slope from the tank battery allow a	II spilled fluids to	D-111 - 12	be closed within 365 days of spud date.		
flow into the pit? Yes No				RECEIVED	
I hereby certify that the above star	tements are true and	correct to the bes	st of my knowledge and belief.	CANSAS CORPORATION CON	
		71 - 12	(A +los	AUG 2 0 2007	
_ 8-16-07	1	bully ?	Signature of Applicant or Agent	COMSCRUATION DIVIS	
Date			Organization of Application of Application	16/01/01/197	
	KCC	OFFICE USE C	ONLY Steel Pit RFA	.c⊠ RFAS□	
Date Received: 8/20/07 Permit Nu	and an	Daen	nit Date: 8/20/07 Lease Inspect	ion: X Yes No	
Date Received: 8/20/07 Permit Nu	mber:	FeII	int Date	·-·· (23 · )	