

For KCC Use:	8-25-07
Effective Date:	8201
District #4	
SGA? Yes	I XI _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011361

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

09/15/2007	Spot Description:	
pected Spud Date:	SE _ SW _ NE _ SE _ Sec 11 _ Twp 15 _ S. R 21	□
5399	(0/0/0/0) 1,600 feet from N / X S	S Line of Section
PERATOR: License#	680 feet from X E / V	V Line of Section
me. American Energies Corporation	is SECTION: Regular Irregular?	
dress 1: 155 N MARKET STE 710		
	(Note: Locate well on the Section Plat on reverse si	de)
dress 2: ty: WICHITA	County: Trego	
ntact Person. Karen Houseberg	Lease Name: Brenner Trust Well	l #: <u>1-11</u>
one: 316-263-5785	Field Name: Wildcat	
1050		Yes X No
NTRACTOR: License#4958	Is this a Prorated / Spaced Field?	
me: Mallard, J. V., Inc.	Target Formation(s): Cherokee	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 680	
View British 7 Cit.	Ground Surface Elevation: 2109	feet MSL
⊠Oil	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic ; # of Holes Other	Depth to bottom of usable water: 560	100
Other:	Depth to bottom of usable water.	
	Surface Pipe by Alternate: I I II II 200	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
	Length of Conductor Pipe (if any):	
Operator:		
Well Name:	Formation at Total Depth: Cherokee	
Original Completion Date: Original Total Depth:	Motor Source for Drilling Operations:	
estional Deviated or Horizontal wellbore?	Well Farm Pond Other: Creek	
ectional, peviated of Florizonian Memoria		
fes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR)	
It-t- Leastings		
nttom Hole Location;		□vas ☑No
ottom Hole Location:	- Will Cores be taken?	Yes No
DCC DKT #:		
DC DKT #:	Will Cores be taken? If Yes, proposed zone:	RECEIVED
CC DKT #:	Will Cores be taken? If Yes, proposed zone: KANSAS C	RECEIVED
CC DKT #:	Will Cores be taken? If Yes, proposed zone: **FIDAVIT** Ungging of this well will comply with K.S.A. 55 et. seg.	RECEIVED CORPORATION COMMI
C DKT #:	Will Cores be taken? If Yes, proposed zone: **FIDAVIT** Ungging of this well will comply with K.S.A. 55 et. seg.	RECEIVED CORPORATION COMMI
AF The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: **FIDAVIT** Ungging of this well will comply with K.S.A. 55 et. seg.	
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A, 55 et. seq. A	RECEIVED COMPORATION COMMINICATION OF 2 0 2007
AF The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A CON	RECEIVED CORPORATION COMMINICATION DIVISION SERVATION DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A, 55 et. seq. A Ch drilling rig; If Yes, proposed zone: CON CON If Yes, proposed zone: CON CON If Yes y circulating cement to the top; in all cases surface pipe shall	RECEIVED CORPORATION COMMINICATION DIVISION SERVATION DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each account of the minimum amount of surface pipe as specified below <i>shall be set</i> .	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A CON the by circulating cement to the top; in all cases surface pipe shall be underlying formation.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis-	Will Cores be taken? If Yes, proposed zone: KANSAS Control of this well will comply with K.S.A. 55 et. seq. A control of this well will comply with K.S.A. 55 et. seq. CONTROL of the virtual complete of the control of the underlying formation. Strict office on plug length and placement is necessary prior to provide the control of	RECEIVED CORPORATION COMMINICATION COMMINICATION DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone: KANSAS Control of this well will comply with K.S.A. 55 et. seq. A control of this well will comply with K.S.A. 55 et. seq. A control of this well will comply with K.S.A. 55 et. seq. CON control of this well will comply with K.S.A. 55 et. seq. CON control of this well will comply with the control of this control of this well will control of the control of this well will be control of this well will	RECEIVED CORPORATION COMMINICATION COMMINICATION DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone: KANSAS Company of this well will comply with K.S.A. 55 et. seq. Con drilling rig; It by circulating cement to the top; in all cases surface pipe shall the underlying formation. Strict office on plug length and placement is necessary prior to paged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of set 123 201. Complies to the KCC District 3 area, alternate lies.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: KANSAS Company of this well will comply with K.S.A. 55 et. seq. Con drilling rig; It by circulating cement to the top; in all cases surface pipe shall the underlying formation. Strict office on plug length and placement is necessary prior to paged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of set 123 201. Complies to the KCC District 3 area, alternate lies.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to pluged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of simple shall cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere	RECEIVED CORPORATION COMMINICATION COMMINICATION DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of signal and surface within 120 DAYS of signal and surface plugged. In all cases, NOTIFY district office prior to any center my knowledge and belief.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the province of intent to drill <i>shall be</i> posted on each and the search of the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of signal and surface within 120 DAYS of signal and surface plugged. In all cases, NOTIFY district office prior to any center my knowledge and belief.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the spund date or the well shall the complete of the statements made herein are true and to the best of the complete of the complete of the complete of the spund date or the well shall the complete of the spund date or the well shall the complete of the complete of the spund date or the spund to the best of the complete of the complete of the spund date or the spund the complete of the complete of the spund date or the spund the complete of the spund date or the spund the complete of the spund date or the spund the complete of the spund date or the spund date or the spund date of the spund date or the spund dat	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A CON the by circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to production casing is cemented in; led from below any usable water to surface within 120 DAYS of significant surfaces. Which applies to the KCC District 3 area, alternate life to plugged. In all cases, NOTIFY district office prior to any certain when we have the complete and belief.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. A Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of signal and surface within 120 DAYS of signal and surface plugged. In all cases, NOTIFY district office prior to any center my knowledge and belief.	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF The undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the state of	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. A ch drilling rig; they circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of significant in the KCC District 3 area, alternate light plugged. In all cases, NOTIFY district office prior to any cert in whomeledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill;	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF the undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the second of t	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. A ch drilling rig; they circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of significant in the KCC District 3 area, alternate light plugged. In all cases, NOTIFY district office prior to any cert in whomeledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill;	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF the undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the second of t	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. A ch drilling rig; they circulating cement to the top; in all cases surface pipe shall he underlying formation. strict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of significant in the surface within 120 DAYS of significant in the surface prior to any certain when the surface in the surface prior to any certain when the surface in the surface prior to any certain the surface pri	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 20483-0000	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. **Ansas of the drilling rig; condition of the c	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order of must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the place. Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. **Ansas of the drilling rig; CON or the underlying formation. Strict office on plug length and placement is necessary prior to plug ded from below any usable water to surface within 120 DAYS of sexion plugged. In all cases, NOTIFY district office prior to any cere if my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover in the contract of the completion of the contract of the contract of the completion of the contract of the contr	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF ne undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the part of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29483-000 Conductor pipe required Minimum surface pipe required 200 feet per ALT.	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. **ANSAS Company of this well will comply with K.S.A. 55 et. seq. And the drilling rig; the proposed zone: **CON The proposed zone: **CON **	RECEIVED CORPORATION COMMINICATION DIVISION DIVI
AF the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen the operator and the displaces. The appropriate district office will be notified before well is either plus of the seen and to see the complete of the specified within 30 days of the spud date or the well shall be the seen the completed within 30 days of the spud date or the well shall be the specified before well in the shall be seen that the statements made herein are true and to the best of the specified seen the specified before well shall be seen that the statements made herein are true and to the best of the specified before well shall be seen that the statements made herein are true and to the best of the specified before well shall be seen that the statements made herein are true and to the best of the specified before well shall be seen that the statements made herein are true and to the best of the specified before well shall be seen that the statements made herein are true and to the best of the specified before well is either plus statements. For KCC use ONLY API # 15	If Yes, proposed zone: **FIDAVIT** lugging of this well will comply with K.S.A. 55 et. seq. **Ansas of the drilling rig; condition of the c	RECEIVED CORPORATION COMMINICATION DIVISION DIVISIONI DIVISIONI DI
AF the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t	If Yes, proposed zone: **FIDAVIT** Lugging of this well will comply with K.S.A. 55 et. seq. **ANSAS Control of the complete	RECEIVED CORPORATION COMMINICATION DIVISION DIVISIONI DIVISIONI DI
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	If Yes, proposed zone: **FIDAVIT** Lugging of this well will comply with K.S.A. 55 et. seq. **Condition of this well will comply will all cases surface pipe shall had cases surfa	RECEIVED CORPORATION COMMINICATION COMMINICATION DIVISION DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI
AF the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t	If Yes, proposed zone: **FIDAVIT** Lugging of this well will comply with K.S.A. 55 et. seq. **ANSAS Control of the complete	RECEIVED CORPORATION COMMINICATION COMMINICATION DIVISION DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22483-0000	
Operator: American Energies Corporation	Location of Well: County: Trego
Lease: Brenner Trust	1,600 feet from N / X S Line of Section
Well Number: 1-11	680 feet from X E / W Line of Section
Field: Wildcat	Sec. 11 Twp. 15 S. R. 21 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



1600 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011361

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Energies Corporation		License Number: 5399			
Operator Address: 155 N MARKET	STE 710		WICHITA KS 67	202	
Contact Person: Karen Houseberg		Phone Number: 316-263-5785			
Lease Name & Well No.: Brenner Trust 1-11		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE SW NE SE		
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed [Existing onstructed:	Sec. 11 Twp. 15 R. 21 East Wes 1,600 Feet from North / South Line of Se		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of S		
Is the pit located in a Sensitive Ground Water Area? Yes No Is the bottom below ground level? Artificial Liner?		Chloride concentration:(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	mg/l		
Yes No	Yes No		Clay and bentonite on bottom of pit		
Pit dimensions (all but working pits).	Length (fe		Width (feet) N/A: Steel Pits No Pit		
Will n		Will monito	ner integrity, including any special monitoring. /ill monitor location and crowd pit if necessary before estoring location		
Source of inf			VR C		
feet			measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		t .	terial utilized in drilling/workover: Chemical mud		
Number of producing wells on lease: Number of		Number of wo	mber of working pits to be utilized: 3 andonment procedure: Pump to reserve pit, allow to dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must	be closed within 365 days of spud date. RECEIVE ANSAS CORPORATION RECEIVE	D COMMISSI	
I hereby certify that the above state $8/14/07$ Date	4	arench	AUG 2 0 2 OUSE CONSERVATION Signature of Applicant or Agent	007	
Date Received: 8/20/01 Permit Nu		OFFICE USE 0	nit Date: 8/20/67 Lease Inspection: Yes	JN0	