

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 24, 2007	Spot NE SW
month day year	NE Sec. 34 Twp. 27 S. R. 15 West
22720 . /	1950 feet from VN / S Line of Section
OPERATOR: License# 33739	1875 feet from VE / W Line of Section
Name: SEK Energy, LLC	Is SECTION Regular Irregular?
Address: P.O. Box 55	-
City/State/Zip: Benedict, KS 66714	(Note: Locate well on the Section Plat on reverse side)
Contact Person: George Slaughter	County: Wilson Lease Name: Burghart Well #: 2-34
Phone. (620) 698-2150	Lease Name: Burghart Well #: 2-34
CONTRACTOR: License# Will be licensed by KCC	Field Name: Buffalo-Vilas
Name: Will advise on ACO-1	Is this a Prorated / Spaced Field?
Name: Trin davise of 71.00 1	Target Formation(s): Bartlesville Sand
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 690
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 841' feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
	Depth to bottom of fresh water: 250 /001
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Curfosa Dina bu Altarnata: 1 / 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: Tonic
Well Name:	Projected Total Depth: 1050'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville Sand
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION COMMISSION
· · · · · · · · · · · · · · · · · · ·	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	uaging of this well will comply with K.S.A. 55 et. seq atic 1 7 7nn7
	AUU 1 / 2007
It is agreed that the following minimum requirements will be met:	AUG 17 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	conservation division th drilling rig; Wichita, Ks
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	CONSERVATION DIVISION ch drilling rig; WICHITA, KS t by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	CONSERVATION DIVISION th drilling rig; WICHITA, KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the definition.	CONSERVATION DIVISION th drilling rig; WICHITA, KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office.	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ; Iged or production casing is cemented in; and placement is necessary prior to plugging ; Iged or production casing is cemented in; and placement is necessary prior to plugging ; Iged or production casing is cemented in; and placement is necessary prior to plugging ; Iged or production casing is cemented in; and placement is necessary prior to plugging ; Iged or production casing is cemented in; and placement is necessary prior to plugging ; Iged or production casing is cemented in; Iged or production casing is cemented in its case is ca
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of the surface of the plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; and placement is necessary prior to plugging; tigged or production casing is cemented in; and the set of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of the surface of the plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION ch drilling rig; WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging ; iged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall leading to the surface of the shall lead to the shall	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ; tigged or production casing is cemented in; the deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; tiged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall leading to the surface of the shall lead to the shall	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ; tigged or production casing is cemented in; the deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In initiation of the
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of the surface of the spud through all the set into the description of the surface district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the spud through the statements made herein are true and to the best of the spud through the statements made herein are true and to the best of the spud through the statements made herein are true and to the best of the spud through through the spud through the spud through through the spud through through the spud through through the spud through the spud through through the spud through through the spud through through through through the spud through through through the spud through through through the spud through through through through through through through through through the spud through th	conservation division wichita. Ks with the top; in all cases surface pipe shall be set the underlying formation. In the top is all cases surface pipe shall be set the underlying formation. In the underlying formation is necessary prior to plugging; and or production casing is cemented in; and the description of the top is sufface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the transportation of the specific plus and the description of the specific plus and the description of the specific plus settled that the statements was surface casing order must be completed within 30 days of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus that the statements made herein are true and to the best of the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the well shall be the specific plus of the spud date or the specific plus of the specific plus of the specific plus of the specific plus of the spud	conservation division with drilling rig; with the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trivial to the through a minimum of 20 feet into the trivial to the test of the spund to a minimum of 20 feet into the trivial to the properties of the spund to the post of the spund to the spund to the trivial through the statements made herein are true and to the best of the spund to the spund to the best of the spund to the spund to the spund to the best of the spund to the spund to the spund to the best of the spund to the spund to the spund to the best of the spund to th	conservation division with drilling rig; with the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description. The appropriate district office will be notified before well is either plug of the analyse of the appropriate district office will be notified before well is either plug of the analyse of the appropriate district office will be notified before well is either plug of the analyse of the appropriate of the spud date or the well shall of the best of the spud date or the well shall of the best of the spud date or the well shall of the best of the spud date or the spud date or the best of the spud date or the spud date	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug to the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the second of the surface of th	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of th	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the transport of the well is dry hole, an agreement between the operator and the description of the spud to the person of the spud before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the well shall be represed to the spud date or the spud date or the well shall be represed to the spud date or the spud date or the spud date or the well shall be represed to the spud date or	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the transaction of the well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remembered to the spud date or the well shall be remembered to the spud date or the well shall be remembered. I hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall be remembered. Signature of Operator or Agant: Approved by: **Latting** **	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27279-0000	Location of Well: County: Wilson
Operator: SEK Energy, LLC	1950 feet from V N / S Line of Section
Lease: Burghart	1875 feet from 🗸 E / W Line of Section
Well Number: 2-34 Field: Buffalo-Vilas	Sec. 34 Twp. 27 S. R. 15 ✓ East West
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE NE SE NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	·	(Show lootage to the fie	farest lease of unit bo	nualy inc.
		·		
	· · · · · · · · · · · · · · · · · · ·	n4		
				1875
		· · · · · · · · · · · · · · · · · · ·		EXAMPLE : :
				1980
			· · · · · · · · · · · · · · · · · · ·	1980
			: : :	
				RECEIVED SEWARD CO. KANSAS CORPORATION COMMISSION
	•		•	SEWARD CO. KANSAS CORPORATION COMMISSIO

NOTE: In all cases locate the spot of the proposed drilling locaton.

AUG 1 7 2007

CONSERVATION DIVISION WICHITA, KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SEK Energy, LLC		License Number: 33739			
Operator Address: P.O. Box 55					
Contact Person: George Slaughter		Phone Number: (620) 698 - 2150			
Lease Name & Well No.: Burghart #2-34		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW SE NE _		
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 _{Twp.} 27 _{R.} 15 ✓ East		
Settling Pit	If Existing, date constructed:				
Workover Pit Haul-Off Pit	Pit capacity:		1875 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No.	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No			
Pit dimensions (all but working pits):2	5 Length (fe	eet)12	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 6	(feet)		
ii die pii le iiiie grie d'altre d'alt			edures for periodic maintenance and determining ncluding any special monitoring.		
material, thickness and installation procedure	•	inter integrity, i	noticing any special months.		
Distance to nearest water well within one-mile of pit Depth to shall		owest fresh water ? 78 feet.			
1 NA 4237		Source of info	Source of information: measuredwell owner electric log KDWR		
			over and Haul-Off Pits ONLY:		
		1	Type of material utilized in drilling/workover: Air		
		working pits to be utilized: Allow pit to air dry, then backfill with original dirt			
Barrels of fluid produced daily: Abandonment					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits n		Drill pits must	Drill pits must be closed within 365 days of spud date.		
hereby certify that the above state	ements are true and	correct to the bes	RECEIVED st of my knowledge and belief. KANSAS CORPORATION COMMISSION		
	_	1.	AUG 1 7 2007		
8-14-07		Mu	21W//W		
Date			Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
	KCC OFFICE USE ONLY				
Date Received: 8/17/c7 Permit Num	nber:	Perm	nit Date: 8/30/07 Lease Inspection: Yes X No		