Effective Date: _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

September 15 2007	Spot	East
		West
5000	foot from N / X S. Line of Sec.	ion
OPERATOR: License# 5263	760 660 feet from K E / W Line of Sec	
N MIUWESCEIN EXPIDIACION OO.	Is SECTION X Regularirregular?	
3500 S. Boulevard, Suite 2B		
Civil Charter Zin. Edmond, Oklahoma 73013	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Dale J. Lollar	County: Stevens	
Phone: 405-340-4300	Lease Name: Merriloy Well #: 2-1	<u> </u>
	Field Name: Wildcat	
CONTRACTOR: License# 5147	Is this a Prorated / Spaced Field?	X No
Name: Beredco, Inc.	Target Formation(s): Mississippian Chester	
	Nearest Lease or unit boundary:	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2970fe	et MSL
X Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	X No
X Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	X No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 550'	
Seismic;# of Holes Other	Depth to bottom of usable water: 680'	
Other	Surface Pine by Alternate: X 1 2	
	Length of Surface Pipe Planned to be set: 1650'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: 40'	
Operator:	Projected Total Depth: 6750'	
Well Name:	Formation at Total Depth: St. Louis	
Original Completion Date:Original Total Depth:		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: X Well Farm Pond Other Use water from e well.	<u>xist</u> in
	122 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	DWR Permit #	
If Yes, true vertical depth:	DWR Permit #	
If Yes, true vertical depth:	DWR Permit #: *** (Note: Apply for Permit with DWR **)	
If Yes, true vertical depth:	DWR Permit #: ** (Note: Apply for Permit with DWR **) Will Cores be taken? Yes	x No
If Yes, true vertical depth:	DWR Permit #: ** (Note: Apply for Permit with DWR	x No
If Yes, true vertical depth:	DWR Permit #: ** (Note: Apply for Permit with DWR	x No
If Yes, true vertical depth:	DWR Permit #: **(Note: Apply for Permit with DWR Yes Will Cores be taken? If Yes, proposed zone: **RECEIV KANSAS CORPORATIO Discription of this well will comply with K.S.A. 55 et. seq.	X No ED N COMMISS
If Yes, true vertical depth:	DWR Permit #: ** (Note: Apply for Permit with DWR	X No ED N COMMISS
If Yes, true vertical depth:	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Dlugging of this well will comply with K.S.A. 55 et. seq. AUG 17	⊠No ED N COMMISS 2007
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROBATED : SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. AUG 17	ED COMMISS
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROBATED : SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. AUG 17	ED COMMISS
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PRORATED * SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the prior intent to drill shall be posted on each of the prior intent of surface pipe as specified below shall be second to the prior into a prior to the prior into the pr	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION ach drilling rig; ref by circulating cement to the top; in all case's surface pipe with the underlying formation.	ED COMMISS
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROPATED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sufficiently in dry hole an agreement between the operator and the	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Dlugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION ach drilling rig; eet by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plug	ED COMMISS
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROBATED † SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operation and the	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The the underlying formation. district office on plug length and placement is necessary prior to plugging of production casing is cemented in:	ED N COMMISS 2007 DIVISION
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROBATED † SPACED: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is dry hole. AFF AFF AFF AFF AFF AFF AFF A	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugging or production casing is cemented in; and the placement of the plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in; and the placement is necessary prior to plugging or production casing is cemented in;	ED COMMISS 2007 DIVISION Set ging; ate.
If Yes, true vertical depth:	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Solugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION ach drilling rig; set by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plug legged or production casing is cemented in; and the drown below any usable water to surface within 120 days of spud or #133 891-C. which applies to the KCC District 3 area, alternate II ce	ED COMMISS 2007 DIVISION St ate. menting
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PRORATED * SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; et by circulating cement to the top; in all cases surface pipe with be to underlying formation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; attendary from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen	ED COMMISS 2007 DIVISION St ate. menting
If Yes, true vertical depth:	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling rig; ach production casing is cemented in; ach drilling formation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; and form below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief.	ED COMMISS 2007 DIVISION St ate. menting
Bottom Hole Location: RCC DKT #: AFF Roanted Space Hugottom AFF The undersigned hereby affirms that the drilling, completion and eventual is it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be surfaced that the well is dry hole, an agreement between the operator and the statements of the plus of the properties of the plus of the properties of the plus	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach	ED COMMISS 2007 DIVISION St ate. menting
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PRORATED * SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in: The plugged or production casing is cemented in: The plugged of this well will comply with K.S.A. 55 et. seq. CONSERVATION The plugged or production casing is cemented in: The plugged or production c	ED COMMISS 2007 DIVISION St ate. menting
Bottom Hole Location: RCC DKT #: AFF Roanted Space Hugottom AFF The undersigned hereby affirms that the drilling, completion and eventual is it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be surfaced that the well is dry hole, an agreement between the operator and the statements of the plus of the properties of the plus of the properties of the plus	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President Title: President	ED COMMISS 2007 DIVISION St ate. menting
Bottom Hole Location: ROCATED SPACEO : HUGOTON	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in: anted from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Drill Pit Application (form CDP-1) with Intent to Drill;	ED COMMISS 2007 DIVISION St ate. menting
Bottom Hole Location: ROCATED SPACEO : HUGOTON	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in: anted from below any usable water to surface within 120 days of spud or ##133,891-C, which applies to the KCC District 3 area, alternate II ce ##15 be plugged. In all cases, NOTIFY district office prior to any cemen for my knowledge and belief. ### President ###################################	ED COMMISS 2007 DIVISION Set ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluce. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8-15-07 Signature of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION CON	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 8-15-07 Signature of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required Nore feet	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO Plugging of this well will comply with K.S.A. 55 et. seq. AUG 17 CONSERVATION The underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ce the plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROBATED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the summan of 20 feet into the well is district office will be notified before well is either plus in the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best the plants of the plants of the plants of the plants of the post of the spuddate or the well shall hereby certify that the statements made herein are true and to the best the plants of the plants	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling rig; ach drilling formation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud or # #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed;	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to a surface district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be sufficiently to the surface of the surface of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described before the surface price of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required Nore feet Minimum surface pipe required teet per Alt. 1 Approved by: WHH 8-20-07	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling romation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud or ##133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to a surface district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be sufficiently to the surface of the surface of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described before the surface price of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required Nore feet Minimum surface pipe required teet per Alt. 1 Approved by: WHH 8-20-07	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATION CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling romation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud or ## 133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. ## Title: President ## President ## Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED i Spaceo: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual if it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best Date: 8-15-07 Signature of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required None feet Minimum surface pipe required feet per Ait 1 Approved by: 144 8-20-07 This authorization expires: 22008	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling romation. district office on plug length and placement is necessary prior to plug agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud or ## 133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED † SPACEO: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual plants to a surface district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be sufficiently to the surface of the surface of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described before the surface price of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required Nore feet Minimum surface pipe required teet per Alt. 1 Approved by: WHH 8-20-07	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling romation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	ED COMMISS 2007 DIVISION ate. menting ing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: PROARTED i Spaceo: HUGOTON AFF The undersigned hereby affirms that the drilling, completion and eventual if it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best Date: 8-15-07 Signature of Operator or Agent; For KCC Use ONLY API # 15 - 189-22607-0000 Conductor pipe required None feet Minimum surface pipe required feet per Ait 1 Approved by: 144 8-20-07 This authorization expires: 22008	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATIO CONSERVATION ach drilling rig; ach drilling rig; ach drilling rig; ach drilling romation. district office on plug length and placement is necessary prior to plug agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud or ## 133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cemen of my knowledge and belief. Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISS 2007 DIVISION ate. menting ing.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 189-22607-0000	Location of Well: County:
Operator:	feet from N / S Line of Section
Lease:	feet from N / S Line of Sectionfeet from E / W Line of Section
Well Number:	Sec Twp S. R East Wes
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 		NE-	
	10		EXAMPLE
		SE ON THE STATE OF	1980
SW		(660)	3390'
		560	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Midwestern Exploration Co.			License Number: 5263		
Operator Address: 3500 S. Boulevard, Suite 2B, Edmond, Oklahoma 73013					
Contact Person: Dale J. Lollar		Phone Number: (405) 340 - 4300			
Lease Name & Well No.: Merriloy	#2-10		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE/4SE/4		
Emergency Pit Burn Pit	X Proposed Existing		Sec. 10 Twp. 35S R 35 East X West		
Settling Pit X Drilling Pit	If Existing, date of n/a	onstructed:	Feet from North / X South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit			Feet from X East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 14,000	(bbls)	Stevens county		
Is the pit located in a Sensitive Ground Water		(DDIS)	Chloride concentration: n/a mg/l		
is the pit located in a definitive dround videor	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
x Yes No	Yes X	No	Pit is self-sealing with drilling mud.		
	Pit dimensions (all but working pits): 125 Length (feet) 125 Width (feet)				
Depth fr	om ground level to de	eepest point:			
			edures for periodic maintenance and determining including any special monitoring.		
n/a			n/a		
11/ a			11, 4		
Distance to nearest water well within one-mile of pit 380		Depth to shallowest fresh water130feet. Source of information: Website			
3,690 feet Depth of water well 365 feet		measured well owner electric logX_ KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Hauf-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:Drilling_mud			
Number of producing wells on lease:		Number of working pits to be utilized: One (1)			
Barrels of fluid produced daily: Aba		Abandonment procedure: Evaporation to atmosphere until			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		completely dry-side walls pushed in & leveled.			
		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
8-15-07 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
r					