For KCC Use: 8-25-07
Effective Date: 3 SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

**NOTICE OF INTENT TO DRILL** 

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 8/16/07	Spot Wiw/LE/2 WZ .✓ Ea	ct
month day year	30 25 14	
20245	Sec. Twp. S. R. 17 We 2640' Section	:ST
OPERATOR: License# 30345	1480' feet from E / / W Line of Section	
Name. Piqua Petro., Inc.	Is SECTION ✓ Regularirregular?	
Address: 1331 Xylan Road	·	
City/State/Zip: Piqua, KS 66761	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Greg Lair	County: Woodson	
Phone: 620-433-0099	Lease Name: Nordmeyer Well #: 25-07	
CONTRACTOR: License#_32079	Field Name: Quincy	—
Name: John E. Leis	Is this a Prorated / Spaced Field?	No
Maillo.	Target Formation(s): Cattlemen	—
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1480'	
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary ✓	Ground Surface Elevation: N/A feet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	-
OWO Disposal Wildcat Cable	Public water supply well within one mile:	NO
Seismic;# of Holes Other	Depth to bottom of fresh water: 80'+	_
Other	Depth to bottom of usable water:	_
<del>_</del>	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 1350'	_
Well Name:	Formation at Total Depth: Cattlemen 1280'	_
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drining Operations.  ☐ Well	
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR	_
KCC DKT #:	Will Cores be taken?	Nο
	If Yes, proposed zone:	
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p		
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISS	SION
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	AUC 4.7 coom	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea		
	et by circulating cement to the top; in all cases surface pipe shall be set	
4. If the well is dry hole, an agreement between the operator and the o	he underlying formation.  CONSERVATION DIVISION BUT STATE OF THE CONSERVATION BUT ST	:
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;	
	ted from below any usable water to surface within 120 days of spud date.	
	#133,891-C, which applies to the KCC District 3 area, alternate II cementi	ng
•	be plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and to the best o	f my knowledge and belief.	
Date: 8/13/07 Signature of Operator or Agent:	Uta Karaman Title: Secretary/Agent	
Date: Signature of Operator of Agent:	Tide.	_
	Remember to:	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	}_
API # 15 - 207-27252-0000	- File Completion Form ACO-1 within 120 days of spud date;	Ĺ,
Conductor pipe required None feet	<ul> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>	Q
Minimum surface pipe required 40 feet per Alt. 2	Submit plugging report (CP-4) after plugging is completed;	1
Approved by: Lut 8-3007	- Obtain written approval before disposing or injecting salt water.	
ו מה-תב-כ- ו	- If this permit has expired (See: authorized expiration date) please	بري
) his double leader to the control of the control o	check the box below and return to the address below.	ጣ
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired	
Spud date: Agent:	Signature of Operator or Agent:	
	Date:	3

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-207-27252-0000	Location of Well: County: Woodson
Operator: Piqua Petro., Inc.	2640' feet from VN / S Line of Section
Lease: Nordmeyer	1480' feet from E / ✓ W Line of Section
Well Number: 25-07	Sec. 30 Twp. 25 S. R. 14 ✓ East Wes
Field: Quincy	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - SWSE - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

•		·	
• • • • •		• <del>• • • • • • • • • • • • • • • • • • </del>	
	•		
-			
	· · · · · · · · · · · · · · · · · · ·	,	
1			
		• • • •	
i .			
1 .			
1 '	•		
	-		
_			
	•		
	<u> </u>		
		•	
1	•	· · · · ·	
1			
1			
		·	
	•		
1			٠.
1 .			
]			
1			
	-		
1			

RECEIVED KANSAS CORPORATION COMMISSION

AUG 1 7 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show.

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

erator Name: Piqua Petro., Inc.			License Number: 30345	
erator Address: 1331 Xylan Roa	d			
ntact Person: Greg Lair			Phone Number: ( 620 ) 433 - 009	9
ase Name & Well No.: Nordmeyer	#25-07		Pit Location (QQQQ):	
pe of Pit:	Pit is:		<u>NW - SW - SE - NW</u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 300' Twp. 24 R. 14	ast West
Settling Pit	If Existing, date co	onstructed:	2640' Feet from 🗸 North / 🔝 So	outh Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1480' Feet from	est Line of Section
NP Supply API No. or Year Drilled)	-it capacity.	(bbis)	Woodson	County
he pit located in a Sensitive Ground Water A	Area? Yes ✓	No	Chloride concentration:	
			(For Emergency Pits and Settling F	
the bottom below ground level?  Ves No	Artificial Liner?  ☐ Yes  ✓ I	No	How is the pit lined if a plastic liner is not us	sed?
			clay soil	
dimensions (all but working pits): 15			Width (feet) N/	A: Steel Pits
Depth fro	om ground level to de		(feet)	RECEIVED
he pit is lined give a brief description of the literial, thickness and installation procedure.		Describe proce liner integrity, in	edures for periodic maintenance and determin	SAS CORPORATION COM
terial, thickness and installation procedure.		inici integrity, ii	modeling any operation monitoring.	SAS CORPORATION COM
		inici integrity, ii	edures for periodic maintenance and determining any special monitoring.  clay soil is holding water.	SAS CORPORATION COM AUG 17 2007
terial, thickness and installation procedure.		inici integrity, ii	modeling any operation monitoring.	SAS CORPORATION COM
terial, thickness and installation procedure.		Watch that	clay soil is holding water.  west fresh water 20' feet.	AUG 1 7 2007  CONSERVATION DIVISION
terial, thickness and installation procedure.  A  stance to nearest water well within one-mile	of pit	Watch that  Depth to shallo Source of infor	clay soil is holding water.  west fresh water 20' feet. mation:	AUG 1 7 2007  CONSERVATION DIVISE WICHITA, KS
stance to nearest water well within one-mile	of pit	Watch that  Depth to shallo Source of infor	clay soil is holding water.  west fresh water 20' feet. mation: ured well owner electric log	AUG 1 7 2007  CONSERVATION DIVISE WICHITA, KS
terial, thickness and installation procedure.  A  stance to nearest water well within one-mile	of pit	Depth to shallo Source of infor measu Drilling, Work	clay soil is holding water.  west fresh water 20' feet. mation: ured well owner electric log over and Haul-Off Pits ONLY:	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS
terial, thickness and installation procedure.  A  stance to nearest water well within one-mile  1000' feet Depth of water well  pergency, Settling and Burn Pits ONLY:	of pit	Depth to shallo Source of informeasu  Drilling, Work	clay soil is holding water.  west fresh water 20' feet. mation: ured well owner electric log	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS
stance to nearest water well within one-mile  1000' feet Depth of water well mergency, Settling and Burn Pits ONLY:	of pit	Depth to shallo Source of informeasu Drilling, Work Type of material	clay soil is holding water.  west fresh water 20' feet. mation: ired well owner electric log over and Haul-Off Pits ONLY: at utilized in drilling/workover: shale and limes king pits to be utilized: one	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well  nergency, Settling and Burn Pits ONLY:  oducing Formation:  mber of producing wells on lease:	of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of material	clay soil is holding water.  west fresh water 20' feet. mation:  ured well owner electric log over and Haul-Off Pits ONLY: at utilized in drilling/workover: shale and limes	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS
terial, thickness and installation procedure.  A  stance to nearest water well within one-mile  1000' feet Depth of water well  nergency, Settling and Burn Pits ONLY:  oducing Formation:  mber of producing wells on lease:	of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	clay soil is holding water.  west fresh water 20' feet. mation: ired well owner electric log over and Haul-Off Pits ONLY: at utilized in drilling/workover: shale and limes king pits to be utilized: one	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well  nergency, Settling and Burn Pits ONLY: ducing Formation: mber of producing wells on lease: mrels of fluid produced daily: es the slope from the tank battery allow all se	of pit  20' feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	clay soil is holding water.  west fresh water 20' feet. mation: well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in the closed within 365 days of spud date.	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well  nergency, Settling and Burn Pits ONLY:  ducing Formation:  mber of producing wells on lease:  mrels of fluid produced daily:  es the slope from the tank battery allow all swinto the pit? Yes No	of pit  20' feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	clay soil is holding water.  west fresh water 20' feet. mation: well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in the closed within 365 days of spud date.	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well   nergency, Settling and Burn Pits ONLY:  oducing Formation:  mber of producing wells on lease:  rels of fluid produced daily:  es the slope from the tank battery allow all so into the pit? Yes No  I hereby certify that the above statent   8/13/07	of pit  20' feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must the correct to the best	clay soil is holding water.  west fresh water 20' feet. mation: ured well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in be closed within 365 days of spud date.  t of my knowledge and belief.	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well   nergency, Settling and Burn Pits ONLY: beducing Formation:  mber of producing wells on lease:  mrels of fluid produced daily:  es the slope from the tank battery allow all so into the pit?  I hereby certify that the above stater	of pit  20' feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must the correct to the best	clay soil is holding water.  west fresh water 20' feet. mation: well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in the closed within 365 days of spud date.	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well   nergency, Settling and Burn Pits ONLY:  oducing Formation:  mber of producing wells on lease:  rels of fluid produced daily:  es the slope from the tank battery allow all so into the pit? Yes No  I hereby certify that the above statent   8/13/07	of pit  20' feet  spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must the correct to the best	clay soil is holding water.  west fresh water 20' feet. mation: well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in be closed within 365 days of spud date.  t of my knowledge and belief.	AUG 1 7 2007 CONSERVATION DIVISK WICHITA, KS  KDWR
stance to nearest water well within one-mile  1000' feet Depth of water well  nergency, Settling and Burn Pits ONLY:  ducing Formation:  mber of producing wells on lease:  mrels of fluid produced daily:  es the slope from the tank battery allow all swinto the pit? Yes No	of pit  20' feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	clay soil is holding water.  west fresh water 20' feet. mation: well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: shale and limes king pits to be utilized: one procedure: back fill back in the closed within 365 days of spud date.	AUG 1 CONSERVATI WICHI