For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

PERATOR: License# 31302 / Jones & Buck Development		East	
Iones & Ruck Development	NW SW Sec. 5 Twp. 34 S. R. 12	West	
Iones & Ruck Development	975 feet from N / V S Line of Section	on	
	4790feet from F W Line of Secti	on	
P.O. Roy 68	is SECTION ✓ Regular Irregular?		
Codes Venera 67264	-		
	(Note: Locate well on the Section Plat on reverse side) County: Chautauqua		
ontact Person: Thomas H. Oast hone: (620) 725 - 3636	Lease Name: Capps Well #: JBD-05	5/6	
10ne: (020) 723 - 3030	Field Name: Peru-Sedan Olf & Gas		
ONTRACTOR: License# 5831			
ame: MOKAT Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Wayside Sandstone Yes	√ No	
inio.	larget Formation(s): 490'		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 490'		
Oil Finh Rec Infield Mud Rotary	, , , , , , , , , , , , , , , , , , ,	MSL	
Gas Storage Pool Ext. ✓ Air Rotary		✓ No	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	√ No	
Seismic; # of Holes Other	Depth to bottom of fresh water:		
Other	Depth to bottom of usable water:	···········	
	Surface Pipe by Alternate: 1 2		
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'		
Operator:	Length of Conductor Pipe required: none		
Well Name:	Projected Total Depth: 1100'		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Altamont Limestone		
	Water Source for Drilling Operations:		
rectional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other		
Yes, true vertical depth:	DWR Permit #:		
ottom Hole Location:	(Note: Apply for Permit with DWR)		
CC DKT #:	Will Cores be taken?	√ No	
_	If Yes, proposed zone:		
acos 15-019-26715-, expired 2/7/07 AF	FIDAVIT	En	
SEED IN TULL OF I'V / VERY TO TO YET	KANSAS CORPORATIO	ᆫ	
ne undersigned hereby affirms that the drilling completion and eventual	plugging of this well will comply with K.S.A. 55 et sed."	N COM	
ne undersigned hereby affirms that the drilling, completion and eventual		N COM	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:		N COM	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	AUG 2 0 2	N COM	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e	AUG 2 0 2	м сом 2007	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e	AUG 2 0 2 each drilling rig; set by circulating cement to the top; in all cases surface pipe STEMATION	N COM 2007 ₽IVISIO	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into	AUG 2 0 2 each drilling rig; set by circulating cement to the top; in all cases surface pipe STEMATION	N COM 2007 DIVISIONS SS	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu	ach drilling rig; set by circulating cement to the top; in all cases surface pipe SFEMATICAL the underlying formation. WICHITA, it district office on plug length and placement is necessary prior to plugg- ugged or production casing is cemented in;	N COM 2007 Qivisio (s Ing;	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	ach drilling rig; set by circulating cement to the top; in all cases surface pipe SFEMATICAL the underlying formation. WICHITA Is district office on plug length and placement is necessary prior to plugg ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date	N COM 2007 VIVISION Selvision Ing;	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ach drilling rig; set by circulating cement to the top; in all cases surface pipe SFEMATICAL the underlying formation. WICHITA Is district office on plug length and placement is necessary prior to plugg ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II ceme	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surface pipe STEMATIONS the underlying formation. WICHITA, it district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemill be plugged. In all cases, NOTIFY district office prior to any cementing	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ach drilling rig; set by circulating cement to the top; in all cases surface pipe STEMATIONS the underlying formation. WICHITA, it district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemill be plugged. In all cases, NOTIFY district office prior to any cementing	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best	ach drilling rig; set by circulating cement to the top; in all cases surface pipe statistically be the underlying formation. WICHITA. It district office on plug length and placement is necessary prior to plugguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate It cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surface pipe STEMATIONS the underlying formation. WICHITA, it district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemill be plugged. In all cases, NOTIFY district office prior to any cementing	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best	ach drilling rig; set by circulating cement to the top; in all cases surface pipe statistically be the underlying formation. WICHITA. It district office on plug length and placement is necessary prior to plugguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate It cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY	ach drilling rig; set by circulating cement to the top; in all cases surface pipe statistically be the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Geologist	N COM 2007 QIVISIO (S Ing; ie.	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY	AUG 2 0 2 sect by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. In district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate It cement in the complex of the complex of the complex of the kind of the complex of the kind of th	2007 PIVISIC (S Ing; ee. enting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the properties of the properties of the properties of the spund date or the well shall need to complete the statements made herein are true and to the best hate: August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY April # 15 - O19 - 2082 b-O000	AUG 2 0 2 set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate It cement in the complex of the kind of th	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the. 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best. August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 2682 6-0000 Conductor pipe required MONL	AUG 2 0 2 ach drilling rig; set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugguaged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemell be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best ale: August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	AUG 2 0 2 ceach drilling rig; set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. In district office on plug length and placement is necessary prior to plugguaged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cemell be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry submit plugging report (CP-4) after plugging is completed;	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best. The appropriate of the spud date or the well shall neereby certify that the statements made herein are true and to the best. For KCC Use ONLY API # 15 - 20826-0000 Conductor pipe required	AUG 2 0 2 ach drilling rig; set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugguaged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemell be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best. The appropriate of the spud date or the well shall neereby certify that the statements made herein are true and to the best. For KCC Use ONLY API # 15 - 20826-0000 Conductor pipe required	AUG 2 0 2 set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best ale: August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	AUG 2 0 2 sect by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate It cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	2007 PIVISIC S Ing; ee. eenting	
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best. The August 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26826-0000 Conductor pipe required Mone feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: Minimum surface pipe required feet per Alt. This authorization expires: 2-21-08	AUG 2 0 2 set by circulating cement to the top; in all cases surface pipe Michital to the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemil be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	2007 PIVISIC S Ing; ee. eenting	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 019-26826-0000	Location of Well: County: Chautauqua
Operator: Jones & Buck Development	
Lease: Capps	975 feet from N / ✓ S Line of Section 4790 feet from ✓ E / W Line of Section
Well Number: JBD-05/6	Sec. 5 Twp. 34 S. R. 12 ✓ East Wes
Field: Peru-Sedan Oll & Gas	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NW - SW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			· · · · · · · · · · · · · · · · · · ·
	•	•	
	· ·] :	
	•	,	•
		· · · · · · · · · · · · · · · · · · ·	
		l ·	
	•		•
	•		
	•		•
	·	· ·	· · · · · · · · · · · · · · · · · · ·
		•	
	•	•	
	•	•	•
,	•		•
			• • • • • • • • •
	•	•	•
0-	•	4790 -	
X		-, , ₍ , 0 —	
' ' ' . ' ' ' .	, , , , , , , ,		
975			
';	•		
<u> </u>	•		•



NOTE: in all cases locate the spot of the proposed drilling locaton.

AUG 2 0 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jones & Buck Development		License Number: 31302			
Operator Address: P.O. Box 68					
Contact Person: Thomas H. Oast		Phone Number: (620) 725 - 3636			
Lease Name & Well No.: Capps JBD - 05/6		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE _ NW _ SW _ SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 34 R. 12 ✓ East West		
Settling Pit	If Existing, date constructed:		975 Feet from North / South Line of Section 4790 Feet from East / West Line of Section		
Workover Pit Haul-Off Pit					
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Chautauqua	County	
Is the pit located in a Sensitive Ground Water	1	No	Chloride concentration:		
is the pit located in a Sensitive Ground water	Mear les V	1 10		and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	Native Clays		
Pit dimensions (all but working pits):	Length (fe	eet) 8	Width (feet)	N/A: Steel Pits	
Depth fi	rom ground level to de				
Source of infor		owest fresh water 35 feet.			
			measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
		Drilling, Work			
		Type of materia	of material utilized in drilling/workover: Air, fresh & salt water		
Number of producing wells on lease: Number of wor		orking pits to be utilized: ONE			
Barrels of fluid produced daily:			procedure: Allow fluids to eva	electric log KDWR ir, fresh & salt water porate, cover pits,	
Does the slope from the tank battery allow all spilled fluids to			restore location		
		Drill pits must I	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the been	t of my knowledge and belief.	RECEIVED	
		//	11 01	KANSAS CORPORATION CO	
August 16, 2007	··	1hm	- NJ Oasp	AUG 2 0 2007	
Date		S	ignature of Applicant or Agent	21 Marsh 1 1 40 mm	
	KCC	OFFICE USE OI	NLY	MACHIAN KS	
		J. 1 102 002 01	,		
Date Received: 8/20/07 Permit Num	ıber:	Permi	it Date: 8/20/07 Lease I	nspection: Yes No	