For KCC	Use:	9.27.07
Effective	Date:	8-27-07
District #		
SGA?	Yes	X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five		
Expected Spud Date 8/26/2007 month day year	Spot SE SE NE Sec. 30 Twp. 26S	S. R. 20E East
OPERATOR: License#	2280feet from X N /	S Line of Section
Name: Carroll Energy, LLC		W Line of Section
Address: 200 Arco Place, Suite 230, Box 149	Is SECTIONRegularX irregular?	
City/State/Zip: Independence, KS 67301	(Note: Locate well on the Section Plat or	ravarea cirla)
Contact Person: Terry Carroll Jr.	County: Allen	, , , , , , , , , , , , , , , , , , , ,
Phone: (620) 332-1600	Lease Name: BECKER	Well #: 30-D2
	Field Name: HUMBOLDT-CHANUTE	
CONTRACTOR: License# 33374	Is this a Prorated / Spaced Field?	Yes X No
Name: L & S Well Service, LLC	Target Formation(s): Cherokee Coals	January Sanarah
Made Dalland Community Officers Construction	Nearest Lease or unit boundary: 360°	uning das de glippina depire despris de la companio de principa de principa de la companio de la companio de l
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 960	feet MSL
X Oil X Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
x Gas Storage Pool Ext. x Air Rotary ✔	Public water supply well within one mile:	Yes X No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'-	Lunus Lunus
Seismic; # of Holes Other	Depth to bottom of usable water: 3 00 →/00	· · · · · · · · · · · · · · · · · · ·
Other	Surface Pipe by Alternate: 1 X 2	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1100'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond - Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWI	3 [7]
KCC DKT #:	Will Cores be taken?	Yes X No
	if Yes, proposed zone:	Manager Manage
	•	ISAS CORPORATION COMMISS
	IDAVII	
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq	AUG 2 1 2007
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the superopriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	of by circulating cement to the top; in all cases surfaine underlying formation. Illistrict office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are	eary prior to plugging; 20 days of spud date. 22 attemate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the surface of t	et by circulating cement to the top; in all cases surfaine underlying formation. Illistrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are the plugged. In all cases, NOTIFY district office pro-	ce pipe MCHIDA SS t eary prior to plugging ; 20 days of spud date. ea, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the properties of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the surface and the district office will be notified before well is either pluging the surface and the district office will be notified before well be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the complete of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the complete of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the complete of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the complete of the surface casing order must be completed within 30 days of the spud date or the surface casing order must be completed. 	et by circulating cement to the top; in all cases surfaine underlying formation. district office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put my knowledge and be 13.	ce pipe MEHITA SEt ary prior to plugging; O days of spud date. Ea, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	et by circulating cement to the top; in all cases surfaine underlying formation. district office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put my knowledge and be 13.	ce pipe when the set sary prior to plugging; co days of spud date. ea, alternate II cementing for to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the se	et by circulating cement to the top; in all cases surfame underlying formation. listrict office on plug length and placement is necessinged or production casing is cemented in; seed from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put my knowledge and being. Title: Lancement of the Lancement o	ce pipe and baset cary prior to plugging; co days of spud date. ca, alternate II cementing for to any cementing. d Manager o Drill; spud date; bration orders; workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the se	et by circulating cement to the top; in all cases surfame underlying formation. Illistrict office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put in the plugged of my knowledge and being. Title: Lancemember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the propriet of the property of the propriet of the property of the propriet of the pr	ce pipe and be set cary prior to plugging; 20 days of spud date. 20 and set can alternate II cementing for to any cementing. d Manager o Drill; spud date; pration orders; workover or re-entry; ompleted;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall if the intensity of the spud date or the well shall be completed. For KCC the ONLY and the intensity of the spud date or the well shall be completed. For KCC the ONLY and the intensity of the spud date or the well shall be set into the date or the spud date or the spud date or the well shall be completed. For KCC the ONLY and the intensity of the spud date or the spu	et by circulating cement to the top; in all cases surfame underlying formation. Ilistrict office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put in the plugged of my knowledge and being. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the property of the Submit plugging report (CP-4) after plugging is considered to be considered on the plugging of the considered disposing or inject. If this permit has expired (See: authorized expiration)	ce pipe when the set cary prior to plugging; to days of spud date. a, alternate II cementing for to any cementing. d Manager o Drill; spud date; bration orders; workover or re-entry; ompleted; ting salt water. tion date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough and the well is either plug and the drough and the dro	et by circulating cement to the top; in all cases surfame underlying formation. Illistrict office on plug length and placement is necessinged or production casing is cemented in; ed from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put if my knowledge and be of finding the production of	ce pipe shariba set cary prior to plugging; co days of spud date. ca, alternate II cementing for to any cementing. d Manager o Drill; spud date; bration orders; workover or re-entry; ompleted; ting salt water. tion date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the intensity of the spud date or the well shall in the production of the best of the set of the s	et by circulating cement to the top; in all cases surfame underlying formation. Ilistrict office on plug length and placement is necessinged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put in the plugged of my knowledge and being. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the property of the Submit plugging report (CP-4) after plugging is considered to be considered on the plugging of the considered disposing or inject. If this permit has expired (See: authorized expiration)	ce pipe when the set cary prior to plugging; to days of spud date. aa, alternate it cementing for to any cementing. d Manager o Drill; spud date; bration orders; workover or re-entry; ompleted; ting salt water. tion date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough all unconsolidated materials plus a minimum of 20 feet into the drough and the well is either plug and the drough and the dro	et by circulating cement to the top; in all cases surfaine underlying formation. Illistrict office on plug length and placement is necessiged or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office plugged in all cases, NOTIFY district office plugged. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field production. Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is continuation. Obtain written approval before disposing or inject. If this permit has expired (See: authorized expirations of the box below and return to the address to the second of the continuation.	ce pipe when the set cary prior to plugging; to days of spud date. aa, alternate it cementing for to any cementing. d Manager o Drill; spud date; bration orders; workover or re-entry; ompleted; ting salt water. tion date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - O	01-29634-0000	Location of Well: County: Allen
Operator:	Carroll Energy, LLC	
Lease:	BECKER	360 feet from X E / W Line of Section
Well Number:	30-D2	Sec. 30 Twp. 26S S. R. 20E X East Wes
Field:	HUMBOLDT-CHANUTE	
Number of Acres	attributable to well:	Is Section: Regular or X Irregular
QTR / QTR / QT!	R of acreage: <u>SE</u> - <u>SE</u> - <u>NE</u>	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carroll Energy,	LLC		License Number: 32912
O	, Suite 230, Box 14	49, Independer	nce, KS 67301
Contact Person: Terry Carroll Jr.	·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Phone Number: (620) 332-1600
Lease Name & Well No.: BECKER 30-D2			Pit Location (QQQQ):
Type of Pit:	Pit is:		_CSESENE
Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 26S R. 20E X East West
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	280 _ Feet from [X] North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		360 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Allen County
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: NA mg/l
			(For Emergency Pits and Settling Pits only)
is the bottom below ground level? X Yes No	Artificial Liner? Yes X	No	How is the pit lined if a plastic liner is not used? CLAY
Pit dimensions (all but working pits):	20 Length (fe	eet)8	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	eepest point:	5 (feet) RECEIVED
			AUG 2 1 2007 CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil	e of pit	Depth to shalld Source of info	CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil NA feet Depth of water well _	·	Source of infor	CONSERVATION DIVISION WICHITA, KS
t t	feet	Source of informeasu	CONSERVATION DIVISION WICHITA, KS
NA feet Depth of water well_	feet	Source of informeast Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS owest fresh water
NA feet Depth of water well_ Emergency, Settling and Burn Pits ONLY	feet	Source of information measurements Drilling, Work Type of materian Number of work	CONSERVATION DIVISION WICHITA, KS Division with the second of the secon
NA feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	feet	Source of information measurements Drilling, Work Type of materian Number of work	CONSERVATION DIVISION WICHITA, KS Dowest fresh water 20 feet. Transition: Lired well owner electric log KDWR Lover and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH WATER Eking pits to be utilized: 1 AIR DRY
NA feet Depth of water well_ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	feet	Source of information measurement measurem	CONSERVATION DIVISION WICHITA, KS Division with the second of the secon
NA feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	feet:	Source of information Drilling, Work Type of materian Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Division with the second secon
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	feet:	Source of information Drilling, Work Type of materian Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Division with the second secon
NA feet Depth of water well_ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	feet:	Source of informeast Drilling, Work Type of materian Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION WICHITA, KS Division with the second secon
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above stat 08/20/2007	feet:	Source of informeast Drilling, Work Type of materian Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION WICHITA, KS Dowest fresh water