For KCC Use:

Effective Date: 8-27-07

District #

SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot ✓ East
Expected Spud Date August 28, 2007 month day year	NE SW Sec. 28 Twp. 27 S. R. 19 West
OPERATOR: License#_33344	1980 feet from N / VS Line of Section
Name: Quest Cherokee LLC	
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name; Ellis, James E. Well #: 28-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
M. II D. III. a Farm Mail Classes Tree Farmanes	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 943 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to hottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200 150
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2
of Outline Control of	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu	igging of this well will comply with K.S.A.KONSASSEQ.RPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	AUG 2 2 2007
2. A copy of the approved notice of intent to drill shall be posted on each	h drilling rig;
	· · · · · · · · · · · · · · · · · · ·
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	o anaonymy romanom
4. If the well is dry hole, an agreement between the operator and the dis	strict office on plug length and placement is necessary prior to plugging;
If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order from the most be completed within 30 days of the spud date or the well shall be 	strict office on plug length and placement is necessary <i>prior to plugging</i> ; and of production casing is cemented in; and from below any usable water to surface within 120 days of spud date. at 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: August 21, 2007	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The many knowledge and belief. **Title: VP** **Remember to: **Light **Title: VP** **Remember to: **Light **Ligh
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: Title: VP File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27133-0000	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27133-0000 Conductor pipe required Feet	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27133-0000 Conductor pipe required 1906 Conductor pipe required 1906 Signature of Operator or Agent: 1907 Feet	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: WP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order if must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27133-000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27133-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 2 Approved by: 448-32-07	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27133-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 2 Approved by: 13-2-07 This authorization expires: 2-23-08	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order it must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27133-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 2 Approved by: 448-32-07	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: **P** **Remember to: ** Title: VP** **Remember to: ** Title: VP** **Remember to: ** Title: VP** **File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27133-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 2 Approved by: 13-2-07 This authorization expires: 2-23-08	strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27133-0000	Location of Well: County: Neosho	
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section	
Lease: Ellis, James E.	1980 feet from E / 🗸 W Line of Section	
Well Number: 28-1 Field: Cherokee Basin CBM	Sec. 28 Twp. 27 S. R. 19 ✓ East Wes	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Ellis, James D. #28-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NESW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. <u>28</u> Twp. <u>27</u> R. <u>19</u>	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1980 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	ensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:(feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determ liner integrity, including any special monitoring.				
			Operation lasting approx 3 days	
		, Diniii.ig	operation learning approx 5 days	
		west fresh water		
Source of inf 4024 feet Depth of water well 200 feet mea		1	mation: iredwell owner electric log	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
		Type of materia	al utilized in drilling/workover: Air Drilled	
			king pits to be utilized: One	
Barrels of fluid produced daily: Abandonment		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		RECEIVED De closed within 365 days of spud KANSAS CORPORATION COMMISSION		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. AUG 2 2 2007				
CONSERVATION DIVISION				
August 21, 2007 Date		<u>Jenard</u> s	ignature of Applicant or Agent F_{ij} , f_{ij} , f_{ij} , f_{ij}	
KCC OFFICE USE ONLY				
Date Received: 8/32/07 Permit Number: Permit Date: 8/22/07 Lease Inspection: Yes No				