For KCC Use: Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateAugust 28, 2007	
	Spot ✓ East
month day year	NE SE Sec. 30 Twp. 28 S. R. 19 West
OPERATOR: License# 33344	1980 feet from N / ✓ S Line of Section
Name: Quest Cherokee LLC	teet from ✓ E / _ w Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Neely, William GWell #: 30-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class; Type Equipment:	Nearest Lease or unit boundary: 525
	Ground Surface Elevation: 944 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200 /50
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 1 2
If OMBMO, and well information as follows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Denth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	TYPES, proposed zone: RECEIVED KANSAS CORPORATION COMMISSI
	JAVII
The undersigned hereby affirms that the drilling, completion and eventual place.	igging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	A00 2 2 2001
 Notify the appropriate district office prior to spudding of well; 	CONSERVATION DIVISION
O A server of the annual action of intent to drill shall be neeted on one	h drilling rig; CONSERVATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se 	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the di 	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district office will be notified before well is either plug. 	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	th drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	th drilling rig; WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the followed that the statements made herein are true and to the best of the spud date. 	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; def from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the followed that the statements made herein are true and to the best of the spud date. 	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; def from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the followed that the statements made herein are true and to the best of the spud date. 	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the Date: August 21, 2007 Signature of Operator or Agent:	wichtra KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY	wichtra KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: If the content of the content of	wichtra KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plugication of 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27139-DOOD Conductor pipe required None feet	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27139-DOOD	th drilling rig: Wichtra KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: **P **Remember to: ** **Little** **Little** **File Drill Pit Application (form CDP-1) with Intent to Drill; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plugication of 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1.33 - 27139-DOOD Conductor pipe required 100 feet per Alt. 120	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of Intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plugion of 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1.33 - 2.713 9 - DOOD Conductor pipe required None feet per Alt. (2) Approved by: WW-8-22-07	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diest of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27139 - DOOD Conductor pipe required None feet Minimum surface pipe required 10 feet per Alt. 12 Approved by: Math 8-22-07 This authorization expires: 2-22-08	wichtra ks by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of Intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plugion of 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1.33 - 2.713 9 - DOOD Conductor pipe required None feet per Alt. (2) Approved by: WW-8-22-07	wichtraks by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hote, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27139-DOOD Conductor pipe required Minimum surface pipe required Approved by: Wall-8-23-07 This authorization expires: 2-22-08 (This authorization void if drilling not started within 6 months of approval date.)	h drilling rig: by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diest of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27139 - DOOD Conductor pipe required None feet Minimum surface pipe required 10 feet per Alt. 12 Approved by: Math 8-22-07 This authorization expires: 2-22-08	wichtraks by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27139-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from N / 📝 S Line of Section
Lease: Neely, William G.	feet from 🗸 E / W Line of Section
Well Number: 30-2	Sec. 30 Twp. 28 S. R. 19 ✓ East West
Field: Cherokee Basin CBM	AMAZINA
Number of Acres attributable to well: OTB / OTB / OTB of corrego; NE SE	ls Section: ✓ Regular or ☐ Irregular —
QTR / QTR / QTR of acreage: NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880	
Lease Name & Well No.: Neely, William G. #30-2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE</u> <u>SE</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 30 Twp. 28 R. 19
Settling Pit	If Existing, date co	onstructed:	1980 Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ✓ East / West Line of Section
	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes 🔽	- No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	0 Length (fe	et) 10	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	epest point:	10 (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	dures for periodic maintenance and determining Including any special monitoring. KANSAS CORPORATION COMMIS AUG 2 2 2007
			CONSERVATION DIVISION WICHITA KS
	of pit	Depth to shallo Source of infor	west fresh waterfeet.
N_Afeet Depth of water well_		Source of infor	west fresh waterfeet.
NAfeet Depth of water well Emergency, Settling and Burn Pits ONLY:		Source of infor measu Drilling, Worke	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
leet Departer water were	feet	Source of infor measu Drilling, Worke Type of materia	west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: Il utilized in drilling/workover: Air Drilled
Emergency, Settling and Burn Pits ONLY:	feet	Source of infor measu Drilling, Worke Type of materia Number of wor	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Air Drilled king pits to be utilized: One
Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of infor measu Drilling, Worke Type of materia Number of wor	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Air Drilled king pits to be utilized: One Air Dry, Back Fili and Cover
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of infor measu Drilling, Worke Type of materia Number of wor Abandonment	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Air Drilled king pits to be utilized: One Air Dry, Back Fili and Cover
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow after	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Air Drilled king pits to be utilized: One Air Dry, Back Fili and Cover
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must becorrect to the best	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One orocedure: Air Dry, Back Fill and Cover oe closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state August 21, 2007	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must becorrect to the best	west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: Il utilized in drilling/workover: Air Drilled king pits to be utilized: One orocedure: Air Dry, Back Fill and Cover oe closed within 365 days of spud date. of my knowledge and belief.