For KCC Use: SGA? Yes X No

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 28, 2007	Spot ✓ East
month day year	<u>NE</u> - <u>NE</u> Sec. 33 Twp. 27 S. R. 19 Wes
OPERATOR: License# 33344	500 feet from N / S Line of Section
Name: Quest Cherokee LLC	660 feet from VE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person; Richard Martin	County: Neosho
Phone: (405) 463-6880	Lease Name: Reinhardt, Richard R. Well #: 33-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 500
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 915 feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate:   1   √   2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Original Total Bopsis	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?Yes 🗸 No	Well Farm Pond Other Air
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🔲 )
KCC DKT #:	Will Cores be taken? Yes   ✓ No
	If Yes, proposed zone: RECFIVED
A FF	KANSAS CORPORATION COMMI
	IDAVIT KANSAS CORPORATION COMMI
The undersigned hereby affirms that the drilling, completion and eventual pl	
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. seq. AUG 2 2 2007
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of	lugging of this well will comply with K.S.A. 55 et. seq.  AUG 2 2 2007  CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of	lugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHITA KS WICHITA KS WICHITA KS WICHITA KS HE by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the standard below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of the statements made herein are true and to the best of the set of th	CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the standard below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of the statements made herein are true and to the best of the set of th	CONSERVATION DIVISION WICHITA KS
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the standard below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of the statements made herein are true and to the best of the set of th	CONSERVATION DIVISION WICHITA KS
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug to the appropriate district office will be notified before well is either plug to figure and the description of the specific plug to the specified before well is either plug to figure and to the property of the specified before well is either plug to figure and to the plug to figure and to the plug to figure and to the best of the specific plug to figure and to the best of the plug to figure and to the best of the plug to figure and to figure and the description and the de	CONSERVATION DIVISION with the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  **Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well is dry hole, an agreement between the operator and the drown of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the provided date of the well shall be completed.  For KCC Use ONLY  API # 15 - 133 -27/3 5-0000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt.  Approved by:	AUG 2 2 2007  CONSERVATION DIVISION WICHITA KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  f my knowledge and belief.  Title:  **P**  **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the description of the surface propriate district office will be notified before well is either plug of the surface appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the well shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the propriate of the well shall be the statements made herein are true and to the best of the propriate of the well shall be provided to the statements of the propriate of the well shall be provided to the provided of the propriate of the well shall be provided to the provided to the well shall be provided to	AUG 2 2 2007  CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  **P**  **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the decrease of the well is either plug for the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall a hereby certify that the statements made herein are true and to the best of Date: August 21, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27/3 5-000  Conductor pipe required	CONSERVATION DIVISION WICHITA KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  **P**  **Remember to: **  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or shall be cement of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the production of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 133 -27/35 -000  Conductor pipe required	AUG 2 2 2007  CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  **P**  **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27135-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	500 feet from 🗸 N / 🔲 S Line of Section
Lease: Reinhardt, Richard R.	660 feet from 🗸 E / W Line of Section
Well Number: 33-1	Sec. 33 Twp. 27 S. R. 19 ✓ East West
Field: Cherokee Basin CBM  Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	550	
		Odo
 33	· · · · · · · · · · · · · · · · · · ·	EXAMPLE
		1980
		3390
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May	Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120			
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880				
Lease Name & Well No.: Reinhardt, Richard R. #33-1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>NE</u> <u>NE</u>			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 33 Twp. 27 R. 19 ✓ East West			
Settling Pit	If Existing, date constructed:		500 Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit	Dit conseitur		660 Feet from 🗸 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neosho County			
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l			
is the pic located in a definitive croama visiter	, wed	<u></u>	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Congth (fe	eet) 10	Width (feet)N/A: Steel Pits			
	om ground level to de					
		Air Drilling	Operation lasting approx 3 days  AUG 2 2 2007  CONSERVATION DIVISION			
Distance to nearest water well within one-mile of pit  Depth to shallo Source of information in the control of		west fresh water 22 feet. mation:				
		measu	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of ma			al utilized in drilling/workover: Air Drilled			
			king pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.			
August 21, 2007 Date			ignature of Applicant or Agent / i / K. I. ((())			
	KCC OFFICE USE ONLY					
Date Received: 8/22/07 Permit Num	nber:	Perm	it Date: 8/22/c7 Lease Inspection: ☐ Yes 仅 No			