

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 5480 Valmont Rd., Ste. 350
City/State/Zip: Boulder, CO 80301
Purchaser: Plains/OneOK
Operator Contact Person: Sherry Glass
Phone: (303) 444-8881
Contractor: Name: Cheyenne
License: 33375
Wellsite Geologist: Austin Garner

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>9-11-05</u>	<u>9-20-05</u>	<u>11-12-05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 081-21614-0000

County: Haskell

SW SE NE NW SW Sec. 30 Twp. 30 S. R. 33 East West

652 feet from S N (circle one) Line of Section

1989 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Stalker Etal Well #: 29-O30-30-33

Field Name: Victory

Producing Formation: St. Louis

Elevation: Ground: 2951.5 Kelly Bushing: 2956.5

Total Depth: 5525 Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 1658 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

ACT I WFM 3-9-07

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content 6000 ppm Fluid volume 1800 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. S. R. 2005 East West

County: _____

RECEIVED

DEC 12 2005

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Richard McCl...


Title: COO

Subscribed and sworn to before me this 9 day of December

2005

Notary Public: Sherry E. Glass

Date Commission Expires: 10-8-2006 or 8, 2006



KCC Office Use ONLY

YES Letter of Confidentiality Received

If Denied, Yes Date: _____

_____ Wireline Log Received

_____ Geologist Report Received

_____ UIC Distribution

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Presco Western, LLC Lease Name: Stalker Etal Well #: 29-O30-30-33
Sec. 30 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)
List All E. Logs Run:
Log Formation (Top), Depth and Datum
Sample
Name St. Louis Top 5500 Datum

CASING RECORD
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)
Depth
4 4124-4132'(non producing zone); 5429-5435' Acidize w/ 240 acid and 220 flush 2% 4124-4132; 5429-5435

TUBING RECORD
Size 2 7/8" Set At 5520 Packer At
Liner Run Yes No
Date of First, Resumerd Production, SWD or Enhr. 11-19-05
Producing Method Flowing Pumping Gas Lift Other (Explain)
Estimated Production Per 24 Hours Oil Bbls. 40 Gas Mcf 0 Water Bbls. 90 Gas-Oil Ratio 0 Gravity 37.5

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
Other (Specify)

RECEIVED
DEC 12 2005
KCC WICHITA

COPY

Mud-Co / Service Mud Inc.

RECEIVED
DEC 12 2005
KCC WICHITA

Operator **Presco Western** County Haskell State Kansas Pump 6 X 16 X 64 SPM Casing Program 8 5/8 " @ 184 ft.
Well 29-0 Stalker Etal Location _____ GPM _____ 9.9 BPM _____ " @ _____ ft.
Contractor Abercrombie RTD #3 Sec 30 TWP 30S RNG 33W D.P. 4 1/2 in. _____ 207 FT/MIN R.A. _____ " @ _____ ft.
Stockpoint Pratt, KS Date 9/10/2005 Engineer Tony Maestas Collar 6 1/4 in. _____ 560 ft. _____ 378 FT/MIN R.A. Total Depth 5525' ft.

DATE	DEPTH feet	WEIGHT lb/gal	VISCOSITY			GELS 10 sec / 10 min.	pH Strip _ Meter _	FILTRATION ANALYSIS					SAND %	RETORT			L.C.M	Pump Press. PSI	CUMULATIVE COST	REMARKS AND TREATMENT		
			Sec API @ _ F	PV @ _ F	Yp			mi API	Cake 32nds	Pres. #/BBL	Cl ppm	Ca ppm		%	Solids %	Oil %					Water %	
9/10	0																		0	Rig up.		
9/13	507	8.9	36	6	13	6/22	7.0	nc				200	120		4.2		95.8	16		3,862	Drlg surface. Hole taking fluid w/ 10# LCM sample box. Lost 320 bbls fluid from 383-470'.	
9/14	1570	10.3	36	6	15	5/24	7.0	nc				400	720	10		14	76.0	10		5,317	TIH after working on pump.	
9/16	2615	9.2	27				7.0	nc				35m	Hvy		4.3		95.7			6,402	Drlg.	
9/17	3315	9.3	33	4	9	4/14	7.0	nc				15m	Hvy		6.2		93.8	1		9,612	Drlg. Stuck pipe @ 3062' on connection. Spot 80 bbls of oil.	
9/18	4093	8.7	51	14	19	12/40	9.5	8.0	1			1,800	40		2.8		97.2	3		12,455	Drlg.	
9/19	4723	8.9	45	13	17	12/36	9.0	8.0	1			1,800	80		4.1		95.9	4		14,224	Drlg.	
9/20	5237	9.2	39	11	15	11/30	9.0	8.8	1			1,800	60		6.3		93.7	3		15,931	Drlg.	
9/21	5525	9.1	64	16	24	15/49	9.5	7.6	1			1,500	60		5.6		94.4	4		18,247	Trip for logs.	
9/22																					Final: RTD - 5525'. LTD - 5524'. Run casing.	
																						Reserve Pit: 6000 ppm. Chloride 1800 bbls. Volume

CONFIDENTIAL

MUD-CO / SERVICE MUD INC.

100 S. Main Suite #310
Wichita, Ks. 67202
316/264-2814 Fax: 316/264-5024

DRILLING MUD RECAP

Materials	Sacks	Amount	Materials	Sacks	Amount		Amount
C/S HULLS	570	6,697.50					
CAUSTIC SODA	21	1,060.71					
DRILL PAK	8	2,440.00					
LIME	10	82.50					
PREMIUM GEL	690	7,072.50				Total Mud Cost	18,246.71
SODA ASH 50#	28	534.80				Trucking Cost	3,135.86
SUPER LIG	17	358.70				Trucking Surcharge	470.38
						Taxes	
						TOTAL COST	21,852.95

ALLIED CEMENTING CO., INC. 21861

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

CONFIDENTIAL

COPY

DATE <u>9-14-05</u>	SEC <u>30</u>	TWP <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>3:00 PM</u>	JOB START <u>7:00 PM</u>	JOB FINISH <u>8:00 PM</u>
LEASE <u>3 Tail Key</u>	WELL # <u>29-0</u>	LOCATION <u>597anta 2³4s</u>			COUNTY <u>Haskell</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="checkbox"/> NEW (Circle one)							

CONTRACTOR <u>Abercrombie Drlg Rly 3</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Surface</u>	
HOLE SIZE <u>12 1/4</u>	T.D. <u>1658'</u>
CASING SIZE <u>8 7/8</u>	DEPTH <u>1658'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>42.20'</u>
CEMENT LEFT IN CSG. <u>42.20'</u>	
PERFS.	
DISPLACEMENT <u>103 Bbls</u>	
EQUIPMENT	

PUMP TRUCK CEMENTER <u>Dean</u>	
# <u>373-291</u> HELPER <u>Andrew</u>	
BULK TRUCK	
# <u>394</u> DRIVER <u>Alan</u>	
BULK TRUCK	
# <u>347</u> DRIVER <u>Max</u>	

CEMENT		
AMOUNT ORDERED	<u>150 sks com 3rd cc</u>	
	<u>575 sks Lite 3rd cc 5th Gilsomite</u>	
	<u>1/2nd Plo Seal</u>	
COMMON	<u>150 sks @ 10.00</u>	<u>1500.00</u>
POZMIX	@	
GEL	@	
CHLORIDE	<u>24 sks @ 38.00</u>	<u>912.00</u>
ASC	@	
Lite weight	<u>525 sks @ 9.30</u>	<u>5347.50</u>
	@	
Plo Seal	<u>288 # @ 1.70</u>	<u>489.60</u>
	@	
Gilsomite	<u>2875 # @ .60</u>	<u>1725.00</u>
	@	
	@	
	@	
HANDLING	<u>847 sks @ 1.60</u>	<u>1355.20</u>
MILEAGE	<u>69 BK/mile</u>	<u>1524.60</u>
TOTAL		<u>12853.90</u>

REMARKS:

Cement did circulate 25 sks to P.11
Plug Landed,
Float Held,
Thank You

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>1320.00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>30 miles @ 5.00</u> <u>150.00</u>
MANIFOLD	@
	@
	@
TOTAL	<u>1470.00</u>

CHARGE TO: Presco Western
STREET 5480 Valmont Swt + 350
CITY Boulder STATE Co ZIP 70301

875

PLUG & FLOAT EQUIPMENT

Guide Shoe	@	<u>235.00</u>
APU Insert	@	<u>325.00</u>
4-Cen Tralizers	@ <u>59.00</u>	<u>220.00</u>
1-Basket	@	<u>180.00</u>
3/8 Rubber Plug	@	<u>100.00</u>
TOTAL		<u>1060.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzales

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAYS
PRINTED NAME Rodney Gonzales

RECEIVED
DEC 12 2005
KCCWICHITA

ALLIED CEMENTING CO., INC.

21869

MAIL TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL SERVICE POINT **COPY**
Sally

DATE 9-22-05	SEC 30	TWP. 30 ₃	RANGE 33 _W	CALLED OUT	ON LOCATION 6:45 AM	JOB START 7:00 PM	JOB FINISH 11:45 PM
LEASE SFKet	WELL # 29-0	LOCATION Satan 7a 2 3/4 S 1 E N/3			COUNTY Haskell	STATE Ks	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Abercrombie Drig Rig 3 OWNER Same

TYPE OF JOB Production string

HOLE SIZE 7 7/8 T.D. 5525'

CASING SIZE 5 1/2 DEPTH 5527.98'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL Port collar DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 21.00'

CEMENT LEFT IN CSG. 21.00'

PERFS.

DISPLACEMENT 131 Bbls

CEMENT			
AMOUNT ORDERED			
<u>350 sks ASC, 29th Encl, 102 Salt</u>			
<u>500 gals WPR-2</u>			
COMMON	@		
POZMIX	@		
GEL	<u>7 sks</u>	@ <u>14.00</u>	<u>98.00</u>
CHLORIDE	@		
ASC	<u>350 sks</u>	@ <u>14.65</u>	<u>4077.50</u>
	@		
<u>WPR-2</u>	<u>500 gals</u>	@ <u>1.00</u>	<u>500.00</u>
	@		
<u>Salt</u>	<u>38 sks</u>	@ <u>15.75</u>	<u>598.50</u>
	@		
	@		
	@		
	@		
HANDLING	<u>413 sks</u>	@ <u>1.60</u>	<u>660.80</u>
MILEAGE	<u>64 / sk / mile</u>		<u>747.00</u>
			TOTAL <u>6685.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dean

373-281 HELPER Andrew

BULK TRUCK

381 DRIVER Greer

BULK TRUCK

DRIVER

REMARKS:

pump 500 gals WPR-2 down 5 1/2 csg
plug Rat Hole w/ 15 sks.
Pump 335 sks ASC down 5 1/2 csg,
wash pump & line. Disp 131 Bbls
plug handed at 1600#.
Float didn't Hole. shut in
w/ 800#

Thank you

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED
DEC 12 2005
KCC WICHITA

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SERVICE			
DEPTH OF JOB _____			
PUMP TRUCK CHARGE			<u>1510.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>30 miles</u>	@ <u>5.00</u>	<u>150.00</u>
MANIFOLD	@		
	@		
	@		
			TOTAL <u>1660.00</u>

5 1/2 PLUG & FLOAT EQUIPMENT			
<u>Guide shoe</u>			<u>160.00</u>
<u>AFU Insert</u>	@		<u>235.00</u>
<u>7 - Centralizers</u>	@ <u>50.00</u>		<u>350.00</u>
<u>1 - Bas coat</u>	@		<u>140.00</u>
<u>1 - Port collar</u>	@		<u>1750.00</u>
<u>5 1/2 Rubber Plug</u>	@		<u>60.00</u>
			TOTAL <u>2695.00</u>

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzales

Rodney Gonzales
PRINTED NAME