

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

ORIGINAL

Operator: License # 30993  
Name: M.A.E. RESOURCES, INC  
Address: P.O. BOS 304  
City/State/Zip: PARKER, KS 66072  
Purchaser: CRUDE MARKETING, INC  
Operator Contact Person: TERRY JOHNSON  
Phone: ( 913 ) 898-3221  
Contractor: Name: KIMZEY DRILLING INC  
License: 33030  
Wellsite Geologist: BRAD COOK  
Designate Type of Completion:  
☒ New Well ☐ Re-Entry ☐ Workover  
☒ Oil ☐ SWD ☐ SIOW ☐ Temp. Abd.  
☐ Gas ☐ ENHR ☐ SIGW  
☐ Dry ☐ Other (Core, WSW, Expl., Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
☐ Deepening ☐ Re-perf. ☐ Conv. to Enhr./SWD  
☐ Plug Back ☐ Plug Back Total Depth  
☐ Commingled ☐ Docket No. \_\_\_\_\_  
☐ Dual Completion ☐ Docket No. \_\_\_\_\_  
☐ Other (SWD or Enhr.?) ☐ Docket No. \_\_\_\_\_  


06/30/2005	07/05/2005	07/05/2005
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 001-29245-00-00  
County: ALLEN  
NE NE SE SW Sec. 19 Twp. 23 S. R. 20 ☒ East ☐ West  
1100 feet from S N (circle one) Line of Section  
2860 feet from E W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: JON CONLEY Well #: 1  
Field Name: IOLA  
Producing Formation: SQUIRREL  
Elevation: Ground: NA Kelly Bushing: NA  
Total Depth: 726 Plug Back Total Depth: 726  
Amount of Surface Pipe Set and Cemented at 20 Feet  
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 726  
feet depth to SURFACE w/ 75 sx cmt.  
Drilling Fluid Management Plan ALTA WITH 3-18-07  
(Data must be collected from the Reserve Pit)  
Chloride content NONE ppm Fluid volume 150 bbls  
Dewatering method used EVAPORATION  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: PRESIDENT Date: 10/3/2005  
Subscribed and sworn to before me this 3rd day of OCTOBER  
2005  
Notary Public: [Signature]  
Date Commission Expires: 09-13-08



**KCC Office Use ONLY**

K10 Letter of Confidentiality Received  
If Denied, Yes ☐ Date: \_\_\_\_\_  
☐ Wireline Log Received  
☐ Geologist Report Received  
☐ UIC Distribution

ORIGINAL

Operator Name: M.A.E. RESOURCES, INC Lease Name: JON CONLEY Well #: 1  
 Sec. 19 Twp. 23 S. R. 20 ☒ East ☐ West County: ALLEN

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☒ Yes ☐ No  
 (Submit Copy)

List All E. Logs Run:

☒ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
SOIL	0	17
SHALE/LIME	17	571
OIL SAND	571	726

RECEIVED  
 OCT 05 2005  
 KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	10 1/4"	7'	NA	20'	PORTLAND	4	NA
PRODUCTION	5 5/8"	2 7/7"	NA	734	OWC	75	FLO-SEAL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	673.5-690	500 LBS 12-20 SAND	
		5,560 GAL CITY WATER	673.5-690

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
NO TUBING				

Date of First, Resumerd Production, SWD or Enhr.	Producing Method				
	<input type="checkbox"/> Flowing	<input checked="" type="checkbox"/> Pumping	<input type="checkbox"/> Gas Lift	<input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas	METHOD OF COMPLETION		Production Interval	
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	<input type="checkbox"/> Open Hole	<input type="checkbox"/> Perf.	<input type="checkbox"/> Dually Comp.	<input type="checkbox"/> Commingled
	<input type="checkbox"/> Other (Specify) _____			

# Kimzey Drilling Co.

License #33030

Marvin Kimzey  
P.O. Box 131  
La Cygne, KS 66040

Start Date: 06/30/05  
End Date: 07/05/05

MAE Resources  
P.O. Box 257  
Parker Ks. 66072  
Conley #1 API #15-001-29245-00-00

<u>Thickness of Strata</u>	<u>Strata Formation</u>	<u>Total Depth</u>
2	soil	2
15	clay	17
2	shale	19
5	lime	24
8	shale	32
32	lime	64
28	shale	92
7	lime	99
58	shale	157
62	lime	219
4	shale	223
19	lime	242
4	shale	246
24	lime	270
181	shale	451
7	lime	458
5	shale	463
18	lime	481
64	shale	545
17	lime	562
8	shale	570
6	lime	576
24	shale	600
29	lime	629
2	shale	631
3	lime	634
1	shale	635
2	lime	637
5	shale	642
8	lime	650
21	shale	671
10	broken oil sand	681
23	oil sand	704
10	black sand	714
12	black shale	726T.D.

RECEIVED  
OCT 05 2005  
KCC WICHITA

Drilled 10 1/4" Hole 20' set 7" surface w/4 sacks of cement.  
Drilled 5 5/8 hole to 726'. Run 724' of 2 7/8 pipe.

TICKET NUMBER 4092  
LOCATION Ottawa  
FOREMAN Alan Mader

## ORIGINAL

JOB TYPE <u>longstrng</u>	HOLE SIZE <u>5 7/8</u>	HOLE DEPTH <u>726</u>	CASING SIZE & WEIGHT <u>2 1/8</u>
CASING DEPTH <u>724</u>	DRILL PIPE _____	TUBING _____	OTHER _____
SLURRY WEIGHT _____	SLURRY VOL _____	WATER gal/sk _____	CEMENT LEFT in CASING _____
DISPLACEMENT <u>4.2</u>	DISPLACEMENT PSI <u>600</u>	MIX PSI <u>200</u>	RATE <u>4 bpm</u>
REMARKS: <u>Established circulation. Mixed &amp; pumped 1/2 gal soap</u> <u>with 10 bbl clean water, followed by 74.5r DWL, 1/4# flo-seal</u> <u>Circulated cement to surface. Flushed pump clean.</u> <u>Pumped 2 1/2 rubber plugs, pin @ 724' w/ 11 held</u> <u>600 PSI. Closed valve.</u>			

Alan Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE cement casing		765.00
5406	45	MILEAGE pump truck		112.50
5402	724	casing footage		NC
5407	m.m.	ton m. lease		240.00
1138	1/2	grease		16.08
5522C	2 1/2	oil gal		295.00
1107	1	Flt seal		41.25
1126	75	DWL		962.00
4402	1	2 1/2 rubber plug		17.00
				66.20
				64.37
			SALES TAX	

## AUTHORIZTION

**TITLE**

DATE 

**ESTIMATED  
TOTAL**

66.20
<del>64.37</del>
<del>239.70</del>
3457.52

## TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

## SERVICE CONDITIONS

**Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.**

**"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."**

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.