

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

ORIGINAL

Operator: License # 30993  
Name: M.A.E. RESOURCES, INC  
Address: P.O. BOX 304  
City/State/Zip: PARKER, KS 66072  
Purchaser: CRUDE MARKETING, INC  
Operator Contact Person: TERRY JOHNSON  
Phone: ( 913 ) 898-3221  
Contractor: Name: KIMZEY DRILLING INC  
License: 33030

Wellsite Geologist: BRAD COOK  
Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>07/07/2005</u>	<u>07/08/2005</u>	<u>07/08/2005</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 001-29248-00-00  
County: ALLEN  
NE NE SW Sec. 19 Twp. 23 S. R. 20  East  West  
2420 feet from (S) N (circle one) Line of Section  
2860 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: JON CONLEY Well #: 4  
Field Name: IOLA  
Producing Formation: SQUIRREL  
Elevation: Ground: NA Kelly Bushing: NA  
Total Depth: 692 Plug Back Total Depth: 692  
Amount of Surface Pipe Set and Cemented at 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 692  
feet depth to SURFACE w/ 75 sx cmt.

**Drilling Fluid Management Plan** ALT II W/ Hm 3-13-07  
(Data must be collected from the Reserve Pit)  
Chloride content NONE ppm Fluid volume 150 bbls  
Dewatering method used EVAPORATION  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**RECEIVED  
OCT 05 2005  
KCC WICHITA**

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: PRESIDENT Date: 10/3/2005  
Subscribed and sworn to before me this 3rd day of OCTOBER  
2005  
Notary Public: [Signature]  
Date Commission Expires: 9-13-08



**KCC Office Use ONLY**

NO Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

✓

X

ORIGINAL

Operator Name: M.A.E. RESOURCES, INC Lease Name: JON CONLEY Well #: 4  
 Sec. 19 Twp. 23 S. R. 20  East  West County: ALLEN

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
	Name Top Datum	
	SOIL 0 6	
	SHALE/LIME 6 635	
	OIL SAND 635 692	

RECEIVED  
 OCT 05 2005  
 KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	10 1/4"	7'	NA	20'	PORTLAND	4	NA
PRODUCTION	5 5/8"	2 7/7"	NA	734 692	OWC	75	FLO-SEAL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid. Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	653.5-670	500 LBS 12-20 SAND	
		5,560 GAL CITY WATER	653.5-670

TUBING RECORD		Size	Set At	Packer At	Liner Run
NO TUBING					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

ORIGINAL

# Kimzey Drilling Co.

License #33030

Start Date: 07/07/05  
End Date: 07/08/05

Marvin Kimzey  
P.O. Box 131  
La Cygne, KS 66040

MAE Resources  
P.O. Box 257  
Parker Ks. 66072  
Conley #4 API #15-001-29248-00-00

<u>Thickness of Strata</u>	<u>Strata Formation</u>	<u>Total Depth</u>
2	soil	2
4	clay	6
6	shale	12
34	lime	46
21	shale	67
5	lime	72
58	shale	130
62	lime	192
5	shale	197
19	lime	216
4	shale	220
25	lime	245
177	shale	422
8	lime	430
2	shale	432
16	lime	448
70	shale	518
17	lime	535
4	shale	539
6	lime	545
24	shale	569
27	lime	596
3	shale	599
5	lime	604
5	shale	609
6	lime	615
20	shale	635
10	broken sand oil show	645
5	oil sand	650
5	broken oil sand	655
20	oil sand good	675
5	black sand	680
15	black shale	692 T.D.

RECEIVED  
OCT 05 2005  
KCC WICHITA

Drilled 10 1/4" Hole 20' set 7" surface w/4 sacks of cement.  
Drilled 5 5/8 hole to 695'. Run 693' of 2 7/8 pipe.

CONSOLIDATED OIL WELL SERVICES, INC.  
211 W. 14TH STREET, CHANUTE, KS 66720  
620-431-9210 OR 800-467-8676

TICKET NUMBER 4105  
LOCATION Ottawa  
FOREMAN Alan Mader

TREATMENT REPORT & FIELD TICKET  
CEMENT

ORIGINAL

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-8-05	5229	Conley #4	19	23	20	AL
CUSTOMER MAE						
MAILING ADDRESS P.O. Box 304						
CITY Parker	STATE KS	ZIP CODE 66072	TRUCK #	DRIVER	TRUCK #	DRIVER
			386	Alamad		
			368	Cosken		
			221	Harmil		
			122	MatMad		

JOB TYPE long string HOLE SIZE 5 5/8 HOLE DEPTH 695 CASING SIZE & WEIGHT 2 1/2  
CASING DEPTH 693 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING \_\_\_\_\_  
DISPLACEMENT 4 DISPLACEMENT PSI 600 MIX PSI 200 RATE 4 bpm

REMARKS: Established circulation. Mixed & pumped 1/2 foamer. Mixed & pumped 75 gy OWL, 1/4 # flo-seal. Circulated cement to surface. Flashed pump clean. Pumped 2 1/2 rubber plug to Pin @ 693 Well held 100 PSI. Closed valve.

*Alan Mader*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE cement casing #368		765.00
5402	45	MILEAGE #368 2nd well		NC
5402	693'	casing footage #368		NC
5407A	1	less than min 2nd well #122		145.94
5502 C.10	1 1/2	RD - vac #221		123.00
1238	1/2	foamer		16.08
1107	1	flo-seal		42.75
1126	75	OWL		975.00
4402	1	2 1/2 rubber plug		17.00
				66.20
				65.19
				249.96

RECEIVED  
OCT 05 2005  
KCC WICHITA

AUTHORIZATION \_\_\_\_\_ TITLE 198178 DATE 2150.97  
SALES TAX ESTIMATED TOTAL 6.3

## TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

## SERVICE CONDITIONS

**Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.**

**"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."**

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. **THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE.** COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and **CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION**, even if such is contributed by the COWS negligence or fault.