## . RECEIVED SEP 2 6 2005 **KCC WICHITA**

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1

#### **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

September 1999 Form Must Be Typed

Operator: License # 31430	API No. 15 - 065-22,856-0000
Name: White Eagle Resources Corp.	County: Graham
Address: P.O. Box 270948	50No_NW_SW_NW Sec. 14 Twp. 10 S. R. 21 East West
City/State/Zip: Louisville, CO 80027	1600 feet from S / circle one) Line of Section
Purchaser: NCRA	
Operator Contact Person: Mike Janeczko	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 303 ) 604-6888	(circle one) NE SE NW SW
Contractor: Name: Discovery Drilling Co., Inc.	Lease Name: Driscoll Well #: 8
License: 31548	Field Name: Cooper
Wellsite Geologist: Jim Musgrove	Producing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 2257' Kelly Bushing: 2265'
New Well Re-Entry Workover	Total Depth: 3920' Plug Back Total Depth:
OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 221.05 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1769' Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1769'
Operator:	feet depth to Surface w/ 375 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  4-16-07
DeepeningRe-perfConv. to Enhr./SWD	Chloride content 17,000 ppm Fluid volume 320 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No  Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
8/26/02         9/01/02         9/02/02           Spud Date or         Date Reached TD         Completion Date or	QuarterSecTwpS. REast West
Recompletion Date  Recompletion Date  Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, rer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING 5. Submit CP-111 form with all temporarily abandoned wells.
Signature: Complete and correct to the beat of my showledge.	KCC Office Use ONLY
Title: Engineering Tech/Accountant Plate: 9/22/05	Letter of Confidentiality Received
Subscribed and sworn to before the time and sworn to be to the time time.	If Denied, Yes Date:
20.05	Geologist Report Received
Notary Public Library Public P	UIC Distribution
Date Commission Expires:	
CARA S	

Operator Name: White	e Eagle Resourc	es Corp	-	Leas	e Name: _	Oriscoll	ons production and the state of production during a region of the first of the firs	Well #: _8	angunah nemanan make mereba	water-parameter-
Sec. 14 Twp. 10				Count	ty: Grah	iam		والمنافقة المنافزة المداورة المنافقة المنافزة المداورة المداورة المنافزة ال	union de annancia administra minimi del visibilità di di visibilità di con collegia di con collegia di	
INSTRUCTIONS: Sho tested, time tool open a temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rates	and shut- it gas to	in pressures, v surface test, al	whether s long with	shut-in pre	ssure reached	static level, hydros	itatic pressur	es, bottom	hole
Drill Stern Tests Taken  (Attach Additional Sheets)  Samples Sent to Geological Survey  Yes  No			the state of the s		og Format	ion (Top), Depth ar	nd Datum	hannel	Sample	
				Nam	9		Top Date		atum	
Cores Taken		- Commercial Commercia			RECEIVED					
List All E. Logs Run:					and the second s	SEP 2 6 2005				
					American description of the contraction of the cont		CC WICHI			
	manasas en ellevitannyndemenusvangeteten tekstepte	Carlo riging and an index for an abstract 12 ft basic during an	CASING			termed .	inglistensistentumenatorutenmeriakitmissuusistanunnutenmeri	nedeyyn am dadagid mullyfannan yn maladein a maederiada	elanderintskan elektriska overårbendesstiller forska	Amerikalischenkragendeltreidster (minter-renderscheiters), vo
Purpose of String	Size Hole	Siz	t all strings set-o e Casing	. We	eight	Setting	Type of	# Sacks		nd Percent
Surface Pipe	Drilled 12-1/4	8-5/8	(In O.D.)	23	s. / Ft.	Depth 221.05	Common	Used 150	Additives 2%Gel,3%CC	
Production	7-7/8	5-1/2	опшения	14	endinus trouspourendunk	3895	ASC	200	2%Gel	rkente ganitaren inneren meteran kenten kelente erinak
				DVT	Fool @	1769	60/40 Poz	375	6%Gel&	k1/4#FC/sk
van noormaalin kaleen kan na maalin na kan na maa da na orda oo	nnakananan maturan mat		ADDITIONAL	CEMENT	ING / SQL	ÆEZE RECOR		Lannananananananananan	ndramananan managaran	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sack	s Used	netionannan timer tentamanna sa	Type and Pe	ercent Additive	5	AND THE STREET STREET,
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Sel/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					rd	Depth			
4	3814-16			ina artikala kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalenda Kalendari kalendari						
TUBING RECORD	Size 2-7/8"	Sel At 3823.6	60	Packer	At	Liner Run	Yes No	Econological and extrapolation and a subdisplacement	derenjanista australian aktivista aktivista aktivista	which foreigns consistent a supplicited out
Date of First, Resumero	Production, SWD or E	ahr.	Producing Meth	rod	Flowing	ı 🗹 Pump	ning 🔲 Gas Lift	□ o⊪	ner (Explain)	veneraninye untuk hiterinakene katika asa garsa.
Estimated Production Per 24 Hours	Oil E	3bla.	Gas	Мег	Wate	terneting decreased and an article communication and an article communications and an article communications and article communications are also as a second communication and article communications are a second communication and article communication are a second communication and article communication are a second communication and article communication are a second co	Bbls. G	as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF C	OMPLETIC	N			Production Inte	erval			
Vented Sold (If vented, Sub	Used on Lease		Open Hole	Pe	rf. 🔲 C	Hually Comp.	Commingled			
							**************************************			

### RECEIVED SEP 2 6 2005 KCC WICHITA

### ALLIED CEMENTING CO., INC. 11638

Federal Tax I.D.# 48 /860 REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: RANGE CALLED OUT 7.00Fu DATE 8 - 21.02 LEASE DETSCH WELL# LOCATION CHURCH OF WOD OLD OR NEW (Circle one) CONTRACTOR STANDAME
TYPE OF JOB SAIDAME
HOLE SIZE 12 1/2 1/2 OWNER HOLE SIZE CASING SIZE T.D. CEMENT DEPTH 221 AMOUNT ORDERED \_\_\_\_\_ COM BELL 25 TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL DEPTH PRES. MAX COMMON POZMIX MINIMUM MEAS LINE CEMENT LEFT IN CSC. PERFS. SHOE JOINT GEL CHLORIDE DISPLACEMENT 13.B-7 Ŕ EQUIPMENT CEMENTER 1) UVCK PUMP TRUCK 3//5 HANDLING BULK TRUCK MILEAGE. # Z/3. BULK TRUCK MINE TOTAL DRIVER REMARKS: SERVICE COME OF DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE @ MILEAGE PLUG e%, Ġ TOTAL CHARGE TO: LANTETE EAGLE STREET\_ FLOAT EQUIPMENT STATE ZIP <u>@</u> To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or TOTAL . contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TOTAL CHARGE CONDITIONS" listed on the reverse side, IF PAID IN 30 DAYS lhoma SIGNATURE

PRINTED NAME

# ALLIED CEMENTING CO., INC. 11719 Federal Tax 1.D.# 45\_\_\_27860

RECEIVED SEP 2 6 2005 KCC WICHITA

RUSS		NSAS 676	65 ,		SER	AICE POINT	//
DATE / 2 - 2	SEC.	TWR 7:2	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE/De	WELL #	-	LOCATION // .	1350133		COUNTY	STATE
OLD OR NEW (Cit	rcle one)		10.				
CONTRACTOR /	2.00	s er er	1	OWNER			
TYPE OF JOB . S.	· Mr.	5 ( d ptm p					·
HOLE SIZE 7 ⅓ CASING SIZE 3	7	<u>T.D</u>	73 <b>9</b> 28	CEMENT			•
TUBING SIZE	<del></del>		PTH	AMOUNT OF	DERED	A. A.	<b>4</b>
DRILL PIPE			PTH	ء کرن ک	LIFEZ		
TOOL	13 5		<u> </u>				
PRES. MAX MEAS. LINE	harrier		NIMUM DEJOINT 4/. 54	POZMIX			
CEMENT LEFT IN	CSG.	w /. 0 /		GEL	***	@	,
Perfs,				CHLORIDE_		@	
DISPLACEMENT						@	
	EQU	IPMENT					
24.2 44. 245. AND D. W. W. W. C.	Apr. /	- D	<del></del>	According to the contract of t	***************************************		
	CEMENT HELPER		اسد رمیر،	-		@	
BULK TRUCK	BLFER		<u> </u>			ф	* ***
# 362 1	DRIVER	لمد ــــــــــــــــــــــــــــــــــــ	bear w	MILEAGE		-	
BULK TRUCK	ne wee	0				TOUTH A F	
# 21 <u>3</u> 1	DRIVER		Circ	-		IATOT	* *************************************
	REA	MARKS:			SERVICE		
PARENE 3.	ار فويم سو			DEPTH OF JO	)B	W.t.,	**************************************
Stor Of	#1 S	¥"		PUMPTRUCE	CHARGE		
			The state of the s	_ EXTRA FOOT	AGE	@	
	1/2/		and in bother it	_ MILEAGE			-
Our coluse	~ 50 bb	ر: وماليما كأ	· Fully my glybbly	- "			********************************
mus Grand	alus C	13. P. T				_ @	
plus did k	4/64	*			,	图:	
CHARGE TO: W	site F	/ n 4(2)				TOTAL	
	// fun L	ACA ( / )	C C C C C C C C C C C C C C C C C C C	-	V.	· .	
STREET	accest to a section of the	,		-	FLOAT EQU	IPMENT	
CITY	ST/	ATE	ZIP	S. Wenthelisa	Fuel		
	/-	.2-4-3	3-57	3- BALLES	<del> </del>	_ @ _ @	
•			12 52	1- Du toul		. @	*
			7.4 J Z.		- plus Avento		
To Allied Cement	ing Co., I	nc.		Thiplex	\$ 60.00	. @	
			enting equipment				
and furnish comer	iter and h	elper to a	ssist owner or			TOTAL	
contractor to do w done to satisfactio			e above work was	400-			
			i the "TERMS AND	TAX		•	
CONDITIONS" li				TOTAL CHAR	GE	· · · · · · · · · · · · · · · · · · ·	
		19	•	DISCOUNT _	The second secon	IF PA:	D IN 30 DAYS
e de	€ ], -			φ.,			- HINNE WALKE
signature 📝	وعصدتن كاربوبهر	1/07/20					
		. //		1	PRINTI	D NAME	
			•				
						•	

# 2/3

CITY.

## ALLIED CEMENTING CO., INC. Federal Tax I.D.# 46\_7860

RECEIVED SEP 2 6 2005 KCC WICHITA

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665			665		VICE POINT:		
DATE 9,2 - 2	SPC	TWP.	RANGE ,4/	CALLED OUT	ON LOCATION	TRATZ BOL	JOB FINISH
LEASE OF SCALL	WELL#	∆ .*	LOCATION ( P)	,		COUNTY	STATE
CONTRACTOR TYPE OF JOB 7		<u> </u>	DR'S "	OWNER		TO THE HALLOW PROPERTY.	,
TIPE OF TOP		<u> </u>	50 <b>5</b> 0 0	FIRST CRISTOR			- P

HOLE SIZE
CASING SIZE
TUBING SIZE AMOUNT ORDERED DEPTH 3.57 DEPTH DRILL PIPE TOOL / 7/ PRES. MAX DEPTH DEPTH MINIMUM COMMON MEAS, LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. GEL PERFS. CHLORIDE DISPLACEMENT @ EQUIPMENT 0 PUMP TRUCK CEMENTER 7577 # / 7 HELPER HANDLING **@** MILEAGE BULK TRUCK TOTAL

REMARKS:

SERVICE

	1	
D.U. tas 1 1769 1452	DEPTH OF JOB	
@ PSI TO OPPORTED	PUMP TRUCK CHARGE	
CHAT W/ 375M Const	EXTRA FOOTAGE @	
pump plus of 44 phls water	MILEAGE @	
101651 tout @ PET	PLUG@	
Gint did Gini	<u> </u>	
		· circumstant
		1 2
	TX	TAL
CHARGE TO: Chile Foole Res COM	,	, , ,
-	·	garage and the second
STREET	FLOAT FOURMENT	

ZIP.

STATE.

DRIVER

To Allied Cementing Co., Inc. You are hereby requested to rent comenting equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

TOTAL CHARGE . DISCOUNT -IF PAID IN 30 DAYS

PRINTED NAME