

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Swordfish
ORIGINAL

Operator: License # 32977
Name: Dorado Gas Resources, LLC
Address: 14550 E Easter Ave., Ste. 1000
City/State/Zip: Centennial, CO 80112
Purchaser: _____
Operator Contact Person: Steven Tedesco
Phone: (303) 277-7016
Contractor: Name: Gulick
License: 32854
Wellsite Geologist: None

RECEIVED
KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WICHITA, KS
JUN 16 2005

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. **KCC**
 Gas ENHR SIGW **JUN 16 2005**
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows: **CONFIDENTIAL**
Operator: _____

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>2/23/05</u>	<u>2/26/05</u>	<u>3/14/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 019-26668-00-00
County: Chautauqua
 NW NE NW Sec. 26 Twp. 34 S. R. 9 East West
660 feet from S **(N)** (circle one) Line of Section
1980 feet from **(E)** W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) **(NE)** SE NW SW
Lease Name: House Well #: 3-26


Field Name: _____
Producing Formation: Drywood, Rowe, AW, BW
Elevation: Ground: 1096 Kelly Bushing: _____
Total Depth: 706 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 55 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 2055
feet depth to surface w/ 220 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Exec. Asst. Date: 6/16/05
Subscribed and sworn to before me this 16th day of June
20 05.
Notary Public: [Signature]



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

✓

X

Operator Name: Dorado Gas Resources, LLC Lease Name: House Well #: 3-26
 Sec. 26 Twp. 34 S. 9 East West County: Chautauqua

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Pawnee	1589	
Summit	1676	
Cherokee/Excello	1702	
Bevier Coal	1727	
V Shale	1743	

**Dual Induction Resistivity
 Compensated Neutron Density**

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8-5/8	15	55	Class A	35	3% Caclz
Long String	7-7/8	4.5	13	2049	Pozmix	220	6% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity
	20

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.

CONSOLIDATED OIL WELL SERVICES, INC.

211 W. 14TH STREET, CHANUTE, KS 66720

620-431-9200 FAX 620-767-8676

TICKET NUMBER 2805

LOCATION Eureka

FOREMAN Brad Butler

CONFIDENTIAL

TREATMENT REPORT & FIELD TICKET
CEMENT

ORIGINAL

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
2-26-05	529	House # 3-26	26	3 1/2	9E	CO
CUSTOMER			TRUCK #	DRIVER	TRUCK #	DRIVER
Dorado Gas Resources, L.L.C.			446	Kick		
MAILING ADDRESS			439	Scott		
14550 E. Foster Ave. Ste 1000			442	Anthony		
CITY	STATE	ZIP CODE	434	Jim		
Centennial	CO.	80112				

JOB TYPE Logging HOLE SIZE 7 7/8" HOLE DEPTH 2055' CASING SIZE & WEIGHT 4 1/2"
 CASING DEPTH 2049' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13 lb SLURRY VOL 120 Bbl WATER gal/sk _____ CEMENT LEFT in CASING 0'
 DISPLACEMENT 33 Bbls DISPLACEMENT PSI 700 ~~PSI~~ 1150 Control Plug RATE _____

REMARKS: Safety Meeting: Request 4 1/2" casing break circulation with 10 Bbl. Fresh water.
 Mixed 200 SKS 60/40 Pozmix cement w/ 6% Gel, 1/2" Floccle at 13.0 lb PWSKAL Tailin with
 200 SKS O.W.C. cement w/ 10" PWSKAL KOL-SEAL 1/2" PWSKAL Floccle at 13.7 lb PWSKAL
 Shut down without pump & lines - Release Plug - Displace Plug with 33 Bbls water.
 Final pumping at 700 PSI - Pumped Plug to 1150 psi - wait 2 mins - Release Pressure
 Float Hold - close casing in with OPST
 Good cement returns to surface with 7 Bbl. slurry
 Job complete - Tear down

Thank you

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCTS	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	710.00	710.00
5406	80	MILEAGE	2.35	188.00
1131	220 SKS	60/40 Pozmix cement	7.30	1606.00
1118	11 SKS	Gel 6%	12.40	136.40
1107	2 SKS	Floccle 1/2" PWSKAL	40.00	80.00
1126	200 SKS	O.W.C. cement	11.35	2270.00
1110 A	40 SKS	KOL-SEAL 10" PWSKAL	15.75	630.00
1107	4 SKS	Floccle 1/2" PWSKAL	40.00	160.00
5407A	20.46 Miles	80 miles - Bulk Trucks	6.85	1391.28
5502C	6 11/16	50 Bbls VAC Truck	78.00	468.00
1123	315000 Gall	City water	11.50	3622.50
4464	1	4 1/2" Control Plug	35.00	35.00
		SALES TAX		318.38
		ESTIMATED TOTAL		8129.29

Ron [Signature]

195715

AUTHORIZATION

TITLE

DATE