

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344  
Name: Quest Cherokee Oilfield Service, LLC  
Address: 211 W. 14th Street  
City/State/Zip: Chanute, KS 66720  
Purchaser: Bluestem Pipeline, LLC  
Operator Contact Person: Richard Marlin  
Phone: (620) 431-9500  
Contractor: Name: Barton T. Lorenz  
License: 33286  
Wellsite Geologist: N/A

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>08/25/04</u>	<u>08/26/04</u>	<u>09/07/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-25837-00-00  
County: Wilson  
\_\_\_\_\_ sw ne Sec. 22' Twp. 29 S. R. 17  East  West  
2065 feet from S (N) (circle one) Line of Section  
2065 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Stitt, Stanley C. Well #: 22-2  
Field Name: Cherokee Basin CBM  
Producing Formation: Summit/Mulky  
Elevation: Ground: 922' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1122' Plug Back Total Depth: 1119.34'  
Amount of Surface Pipe Set and Cemented at 21'6" Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 1119.34'  
feet depth to \_\_\_\_\_ w/ 144 sx cmt.

Drilling Fluid Management Plan ALT #2 KGR 5/14/07  
(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: **RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
Operator Name: \_\_\_\_\_ APR 22 2005  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Head of Operations Date: 4/21/2005

Subscribed and sworn to before me this 21<sup>st</sup> day of April,  
20 05.

Notary Public: Jennifer R. Houston

Date Commission Expires: 7/30/05  
**JENNIFER R. HOUSTON**  
Notary Public - State of Kansas  
My Appt. Expires 7/30/05

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Quest Cherokee Oilfield Service, LLC Lease Name: Stitt, Stanley C. Well #: 22-2  
 Sec. 22' Twp. 29 S. R. 17  East  West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Comp Density/Neutron  
 Dual Induction  
 Gamma Ray/Neutron

Name	Top	Datum
Lenapah Lime	400'	+519'
Altamont Lime	438'	+481'
Pawnee Lime	553'	+366'
Oswego Lime	625'	+294'
Verdigris Lime	756'	+163'
Mississippi Lime	1081'	-162'

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	8-5/8"	24.75#	21'6"	"A"	6sx	
Production	6 3/4"	4 1/2"	10.5#	1119.34'	"A"	144sx	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 APR 22 2005  
 CONSERVATION DIVISION  
 WICHITA, KS

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
	Footage	Set/Type	Material	Depth
4	667'-671'		16,900# 20/40 sand	667'-671'
4	662'-665.5'		471 BBLs water	662'-665.5'

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8"	865.77'	N/A	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
10/12/04			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	N/A	0	44		

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)  
 METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  
 Production Interval:  Other (Specify) \_\_\_\_\_

CONSOLIDATED OIL WELL SERVICE INC.  
 211 W. 14TH STREET, CHANUTE, KS 66720  
 620-431-9210 OR 800-467-8676

TICKET NUMBER 1603  
 LOCATION Chanute  
 FOREMAN Todd A. Fiddle

TREATMENT REPORT & FIELD TICKET  
 CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-7-04	6628	Stitt #22-2	22	295	176	WV
CUSTOMER			TRUCK #			
Quest Cherokee LLC			255	Joe		
MAILING ADDRESS			206	Wes		
P.O. Box 100			140	Tim		
CITY	STATE	ZIP CODE	286	Travis		
Benedict	Kansas	66914				

JOB TYPE Long string HOLE SIZE 6-3/4 HOLE DEPTH 1122' CASING SIZE & WEIGHT 4 1/2-10.50  
 CASING DEPTH 1119' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 13.8 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 0  
 DISPLACEMENT 17.7 DISPLACEMENT PSI 500 MIX PSI 150 RATE \_\_\_\_\_

REMARKS: Circulate w/ fresh H<sub>2</sub>O. 2 gal ahead; run 10 bbl dye w/ 15 gal sodium silicate; cement until dye returns; flush pump, pump plug w/ KI water, set float shoe; wash 4 joints of casing; Circulate gel to surface

RECEIVED  
 KANSAS CORPORATION COMMISSION

APR 27 2005

(over 5\* gilsonite, 1/4\* flo seal)

CONSERVATION DIVISION  
 WICHITA KS

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1-well	PUMP CHARGE cement pump		639.00
5407	15 mi	MILEAGE minimum		225.00
1110	14 SK	gilsonite		284.00
1107	1 1/2 SK	flo seal		160.00
1118	2 SK	premium gel (ahead)		24.00
1215A	1 gal	KI		23.00
1111B	15 gal	sodium silicate		157.50
1123	5886 gal	KI water (140 bbl)		671.60
5501C	4 1/2 hr	Transport		578.00
5502C	4 1/2 hr	80 gal		351.00
1126	137 SK	over cement (144 SK total)		1673.40
1106	15 x 1	premium cement		35.25
			SALES TAX	139.75
			ESTIMATED TOTAL	4009.32

AUTHORIZATION \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

192509

## TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

## SERVICE CONDITIONS

**Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.**

**"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."**

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

(c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.

(d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.

(e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.

(f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.