

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344
Name: Quest Cherokee Oilfield Service, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Richard Marlin
Phone: (620) 431-9500
Contractor: Name: Barton T. Lorenz
License: 33286
Wellsite Geologist: Michael Ebers

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>08/16/04</u>	<u>08/17/04</u>	<u>09/03/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-25830-00-00
County: Wilson
_____ - se - se Sec. 25 Twp. 29 S. R. 16 East West
660 feet from S N (circle one) Line of Section
660' 1770 feet from E W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Streets Revocable Trust Well #: 25-1
Field Name: Cherokee Basin CBM
Producing Formation: Summit/Mulky
Elevation: Ground: 880' Kelly Bushing: _____
Total Depth: 1097' Plug Back Total Depth: 1092.78'
Amount of Surface Pipe Set and Cemented at 21.7' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1092.78'
feet depth to _____ w/ 142 _____ sx cmt.

Drilling Fluid Management Plan ALT #2 KGR 5/14/07
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite _____
Operator Name: _____ APR 22 2005
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. WICHITA, KS East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature: [Signature]

Title: Head of Operations Date: 4/21/2005

Subscribed and sworn to before me this 21st day of April, 2005.

Notary Public: Jennifer R. Houston

Date Commission Expires: 7/30/05



KCC Office Use ONLY

Letter of Confidentiality Received

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: Quest Cherokee Oilfield Service, LLC Lease Name: Streets Revocable Trust Well #: 25-1
 Sec. 25 Twp. 29 S. R. 16 East West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Comp Density/Neutron Dual Induction Gamma Ray/Neutron	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Lenapah Lime</td> <td>387'</td> <td>+493'</td> </tr> <tr> <td>Altamont Lime</td> <td>426 1/2'</td> <td>+453 1/2'</td> </tr> <tr> <td>Pawnee Lime</td> <td>548'</td> <td>+332'</td> </tr> <tr> <td>Oswego Lime</td> <td>620'</td> <td>+260'</td> </tr> <tr> <td>Verdigris Lime</td> <td>749'</td> <td>+131'</td> </tr> <tr> <td>Mississippi Lime</td> <td>1054'</td> <td>-174'</td> </tr> </table>	Name	Top	Datum	Lenapah Lime	387'	+493'	Altamont Lime	426 1/2'	+453 1/2'	Pawnee Lime	548'	+332'	Oswego Lime	620'	+260'	Verdigris Lime	749'	+131'	Mississippi Lime	1054'	-174'
Name	Top	Datum																				
Lenapah Lime	387'	+493'																				
Altamont Lime	426 1/2'	+453 1/2'																				
Pawnee Lime	548'	+332'																				
Oswego Lime	620'	+260'																				
Verdigris Lime	749'	+131'																				
Mississippi Lime	1054'	-174'																				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	8-5/8"	24.75#	21.7'	"A"	6sx	
Production	6 3/4"	4 1/2"	10.5#	1092.78'	"A"	142sx	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives

RECEIVED
 KANSAS CORPORATION COMMISSION
APR 22 2005
 CONSERVATION DIVISION
 WICHITA, KS

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	644'-648'	15,500# 20/40 Brady sand	644'-648'
4	660.5'-665'	432 BBLS water	660.5'-665'

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
Waiting on pipeline						
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

CONSOLIDATED OIL WELL SERVICE C.
 211 W. 14TH STREET, CHANUTE, KS 66720
 620-431-9210 OR 800-467-8676

TICKET NUMBER 1599
 LOCATION Chanute
 FOREMAN Todd A. Tindle

TREATMENT REPORT & FIELD TICKET
 CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-3-04	6628	Streets #25-1	25	295	18E	WL
CUSTOMER Quest Cherokee LLC			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS P.O. Box 100			255	John		
CITY Benedict			206	was Daniel		
STATE Kansas			139	TIM		
ZIP CODE 66714			286	TRAVIS		

JOB TYPE Long-string HOLE SIZE 6 3/4 HOLE DEPTH 1099' CASING SIZE & WEIGHT 4 1/2 - 10.50
 CASING DEPTH 1093' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.8 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING Ø
 DISPLACEMENT 17.3 DISPLACEMENT PSI 600 MIX PSI 250 RATE _____

REMARKS: Circulate w/ fresh H₂O; 2 gal ahead; run 9 bbl dye w/ 15 gal sodium silicate, cement until dye return, flush pump; pump plug w/ KCL water set float shoe; wash 7 joints of casing

RECEIVED
 KANSAS CORPORATION COMMISSION
 APR 22 2005
 CONSERVATION DIVISION
 WICHITA, KS

(owc; 5" gilsonite; 1/4" flo seal)

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1-well	PUMP CHARGE Cement pump		710.00
5407	21 mi	MILEAGE minimum		725.00
1110	14 SK	gilsonite		284.90
1107	1 1/2 SK	flo-seal		60.00
1118	2 SK	Premium gel (ahead)		14.00
1215A	1 gal	KCL		26.00
1111B	15 gal	sodium silicate		157.50
1123	4620 gal	KCL water (110 bbl)		53.10
5501C	3 hr	Transport		253.00
5502C	3 hr	80 Vac		234.00
1126	134 SK	owc cement (142 SK total)		1587.40
5406	21 mi	Equipment & mileage		49.35
			SALES TAX	136.60
			ESTIMATED TOTAL	3798.28

AUTHORIZATION _____ TITLE 1935601 DATE _____

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.