### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

## **ORIGINAL**

| Operator: License # 33344  Name: Quest Cherokee, LLC  Address: P O Box 100  City/State/Zip: Benedict, KS 66714  Purchaser: Bluestem Pipeline, LLC  Operator Contact Person: Douglas L. Lamb   | API No. 15 - 099-23466-00-00  |
|---|---|
| Name: Quest Cherokee, LLC   | County: LABETTE   |
| Address: P O Box 100  |   |
| City/State/Zip: Benedict, KS 66714  | 510 feet from S /(N) (circle one) Line of Section   |
| Purchaser: Bluestem Pipeline, LLC   | 660 feet from (E) W (circle one) Line of Section  |
| Operator Contact Person: Douglas L. Lamb  | Footages Calculated from Nearest Outside Section Corner:  |
| Phone: ( 620 ) 698-2250   | (circle one) (NE) SE NW SW  |
| Contractor: Name: WELL REFINED DRILLING COMPANY   | Lease Name: HINKLE, BEN E Well #: 30-1  |
| License: 33072  | Field Name: CHEROKEE BASIN CBM  |
| Wellsite Geologist: N/A   | Producing Formation: NOT YET COMPLETE   |
| Designate Type of Completion:   | Elevation: Ground: 848 Kelly Bushing:   |
| ✓ New Well Re-Entry Workover  | Total Depth: 824 Plug Back Total Depth: 805.20'   |
| Oil SWD SIOW Temp. Abd.   | Amount of Surface Pipe Set and Cemented at 21'6" Feet   |
| ✓ Gas ENHR SIGW   | Multiple Stage Cementing Collar Used?   |
| Dry Other (Core, WSW, Expl., Cathodic, etc)   | If yes, show depth setFeet  |
| If Workover/Re-entry: Old Well Info as follows:   | If Alternate II completion, cement circulated from 80.5.20'   |
| Operator:   |   |
| Well Name:  | feet depth to SURFACE w/ 103 sx cmt.  AUTIFWHM 3-6-07   |
| Original Comp. Date: Original Total Depth:  | Drilling Fluid Management Plan  |
| Deepening Re-perf Conv. to Enhr./SWD  | (Data must be collected from the Reserve Pit)   |
| Plug BackPlug Back Total Depth  | Chloride content ppm Fluid volume bbls  |
| Commingled Docket No.   | Dewatering method used  |
| Dual Completion Docket No   | Location of fluid disposal if hauled offsite:   |
| Other (SWD or Enhr.?) Docket No.  | Operator Name:  |
|   | Lease Name: License No.:  |
| 05-17-2004         05-18-2004         06-01-2004           Spud Date or         Date Reached TD         Completion Date or  | Quarter Sec TwpS. R East West   |
| Recompletion Date  Recompletion Date  Recompletion Date   | County: Docket No.:   |
| INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. | r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells. |
| herein are complete and correct to the best of my knowledge.  |   |
| Signature: Neuglas A Kemb   | KCC Office Use ONLY   |
| Title: Manager Date: 10/04/04   | Letter of Confidentiality Received  |
| Subscribed and sworn to before me thisday of  | If Denied, YesDate:   |
| 20 04 .   |   |
| 2001.   | Geologist Report Received   |
| Notary Public: Houston A JENNIFFR   | R. HOUSTON UIC Distribution   |
| Date Commission Expires: ( MAM 30 30)   | - Sisie of Kanage   |
| My Appt. Expires  | Web 30.2005   |

#### Side Two

# ORIGINAL

| Operator Name: Quest Cherokee, LLC   |  |  | Lease                            | Lease Name: HINKLE, BEN E Well #: 30-1  |  |                              |                          |   |  |  |
|--|--|--|----------------------------------|---|--|------------------------------|--------------------------|---|--|--|
| Sec30 Twp3   |  |  |                                  |   | : LABE                                   |                              |                          | *************************************** |  |  |
| INSTRUCTIONS: SI<br>tested, time tool open<br>temperature, fluid red<br>Electric Wireline Logo | n and closed, flowing<br>covery, and flow rate | g and shut<br>s if gas to  | in pressures,<br>surface test, a | whether sh<br>long with fi              | nut-in pro                               | essure reached               | static level, hyd        | rostatic pressure                       | s, bottom hole                           |  |
| Drill Stem Tests Take  |  | Ye   | es 🗸 No                          |   | <b>✓</b> L                               | .og Format                   | ion (Top), Depth         | and Datum                               | Sample                                   | )  |
| Samples Sent to Geological Survey ☐ Yes ✓ No   |  |  |                                  | Name<br>Lenapah Lime                    |  |                              | Top<br>ABSENT            | Datum<br>ABSEN                          | NT                                       |  |
| Cores Taken Yes V No   |  |  |                                  | 1                                       | mont Lime                                |                              | ABSENT                   | ABSEN                                   |  |  |
| Electric Log Run   |  | ✓ Ye   | s No                             |   |  | nee Lime                     |                          | 150'                                    | +690'                                    |  |
| (Submit Copy)  |  |  |                                  |   |  | ego Lime                     |                          | 223 1/ 2'                               | +608 1                                   | 12'  |
| List All E. Logs Run:  |  |  |                                  |   | 1  | •                            |                          | 383'                                    | +457'                                    | 12   |
| DUAL INDUCTION LOG<br>COMP. DENSITY NEUTRON LOG  |  |  |                                  |   |  |                              | +88'                     |   |  |  |
|  |  | Repo   |                                  | RECORD<br>conductor, su                 | ✓ Nurface, int                           | ew Used<br>ermediate, produc | stion, etc.              |   |  |  |
| Purpose of String  | Size Hole<br>Drilled                           |  | e Casing<br>(In O.D.)            | Weig<br>Lbs.                            |  | Setting<br>Depth             | Type of<br>Cement        | # Sacks<br>Used                         | Type and Pero                            |  |
| Surface  | 12 1/4   | 8-5/8"   |                                  | 24.75#                                  |  | 21.6                         | "A"                      | 5                                       | 7.00.00                                  |  |
| Production   | 6 3/4  | 4-1/2"   |                                  | 10.5#                                   |  | 805.20                       | "A"                      | 103                                     | - Anna Anna Anna Anna Anna Anna Anna Ann |  |
|  |  | The state of the s | ADDITIONAL                       | CEMENTIN                                | NG / SQI                                 | JEEZE RECOR                  | )                        |   |  | ~~~~   |
| Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone                   | Depth<br>Top Bottom                            | Type of Cement   |                                  |   | Used                                     | Type and Percent Additives   |                          |   |  |  |
| Shots Per Foot   |  |  | D - Bridge Plug                  |   |  |                              |                          | ent Squeeze Record                      |  |  |
| Specify Footage of Each Interval Perforated  |  |  |                                  | forated                                 | (Amount and Kind of Material Used) Depth |                              |                          |   | oth                                      |  |
|  | NONE- WAITIN                                   | G ON PI  | PELINE                           |   |  |                              | Br.                      |   |  |  |
|  |  |  |                                  |   |  |                              | , vece                   | IVEn                                    |  |  |
|  |  |  |                                  |   |  |                              | UCT 15                   | 200.                                    |  |  |
|  |  |  |                                  |   | т.                                       | /                            | (COLL                    | <u> </u>                                |  |  |
|  |  |  |                                  | *************************************** | •  |                              | RECE<br>OCT 15<br>CC WIC | HITA                                    |  | NEED TO THE OWNER OF THE OWNER |
| TUBING RECORD  | Size   | Set At   |                                  | Packer A                                | t  | Liner Run                    | Yes N                    |   |  |  |
| Date of First, Resumer   | d Production, SWD or E                         | înhr.  | Producing Met                    | hod                                     | Flowin                                   | g Pump                       | ng Gas                   | Lift Other                              | (Explain)                                |  |
| Estimated Production<br>Per 24 Hours   | Oil  | Bbls.  | Gas                              | Mcf                                     | Wat                                      | er E                         | Bbls.                    | Gas-Oil Ratio                           | Gravi                                    | ity  |
| Disposition of Gas   | METHOD OF (                                    | COMPLETIC  | N                                |   |  | Production Inte              | rval                     |   |  |  |
| Vented ✓ Sold  | Used on Lease                                  |  | Open Hole                        | ✓ Perf.                                 | . 🗀 ı                                    | Dually Comp.                 | Commingled               |   |  |  |

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 31554
LOCATION Chanute
FOREMAN Todd A Trade

### TREATMENT REPORT

## ORIGINAL

ISIP
15 MIN.
MAX RATE
MIN RATE

| DATE  | CUSTOMER #  | WELL NAME       | FORMATION |                 | TRUCK #                | DRIVER     | TRUCK #          | DRIVER    |
|---|---|-----------------|-----------|-----------------|------------------------|------------|------------------|-----------|
| 6-1-04  | 6628  | FINKLE #30      | 1         |                 | 255                    | John       |                  |           |
| SECTION   | TOWNSHIP  | RANGE           | COUNTY    |                 | 103                    | wes "      |                  |           |
| 30  | 345   | 196             | LB        |                 | 140                    | Tim        |                  |           |
| CUSTOMER  |   |                 |           | *               |                        |            |                  |           |
| Quest C   | Cherokee LL   | C               |           | 1               |                        |            |                  |           |
| MAILING ADDF                                    | RESS  |                 |           | 1               |                        |            |                  |           |
| P.O. Box  | 160   |                 |           | 5               |                        |            |                  |           |
| CITY  |   |                 |           |                 |                        |            |                  |           |
| P.O. Box<br>CITY<br>Benedict<br>STATE           | <u>.</u>  |                 |           | ,               |                        |            |                  | -         |
| STATE   | ana januari ni ni ni yekin jin musi kajalana koja mana egiska yin kilonoya kaji kijema kesti. | ZIP CODE        |           | 1               |                        |            |                  |           |
| Kansas  |   | 66714           |           | - ÷             |                        | TYPE OF T  | REATMENT         |           |
|   |   |                 |           | *               | [ ] SURFACE            | PIPE       | [ ] ACID BREA    | KDOWN     |
| TIME ARRIVED                                    | ON LOCATION   |                 |           | ] ;             | [#]PRODUCT             | TON CASING | [ ] ACID STIM    | ULATION   |
|   | WELL  | DATA            |           |                 | 1                      |            | [ ] ACID SPOT    |           |
| HOLE SIZE (                                     | 674   | PACKER DEPT     | Н         | ]               | []PLUG&A               | BANDON     | [ ]FRAC          |           |
| TOTAL DEPTH                                     | 1 824   | PERFORATION     | IS        |                 | [ ] PLUG BAC           | CK         | [ ] FRAC + NIT   | rogen     |
|   |   | SHOTS/FT        |           |                 | [ ] MISP. PUI          | MР         | [ ]              |           |
| CASING SIZE                                     | 41/2  | OPEN HOLE       |           | ] '             | [ ]OTHER               |            | [ ]              |           |
| CASING DEPT                                     | н 805   |                 |           |                 |                        |            | 3                |           |
| CASING WEIG                                     | HŢ  | TUBING SIZE     |           |                 |                        | PRESSURE I | LIMITATIONS      |           |
| CASING COND                                     | OITION  | TUBING DEPTH    | 1         |                 |                        |            | THEORETICAL      | INSTRUCT  |
|   |   | TUBING WEIGH    | HT.       | ]               | SURFACE PIPE           |            |                  |           |
|   |   | TUBING COND     | ITION     | ]               | ANNULUS LONG           | STRING     |                  |           |
| TREATMENT V                                     | MA Cement les   | ad in 12.5;     | Tail 13.8 |                 | TUBING                 |            |                  |           |
|   |   |                 |           | ₹<br>•          |                        |            |                  |           |
| INSTRUCTION                                     | PRIOR TO JOB  | Circulate a     | SHUESH A  | 120; 2,91       | el quead;              | run 5 bk   | be due with      | 5 gal soc |
| silicate  | Cement in   | til due ner     | fun; to   | lush pun        | el ghead;<br>np; pump, | olug w/KC  | 2 water.         | Set fle   |
| shoe  | · · · · · · · · · · · · · · · · · · ·   |                 |           |                 |                        |            |                  |           |
| AUTHO   | DRIZATION TO PE   | ROCEED          |           | TITLE           |                        |            | D                | ATE       |
| wier-indigeren Mannelon Mannelon (Arten Andrea) |   |                 |           |                 |                        | _          |                  |           |
| TIME  |   | DDUG            |           | LDDODDANIT      |                        |            |                  |           |
| TIME<br>AM / PM                                 | STAGE   | BBL'S<br>PUMPED | INJ RATE  | PROPPANT<br>PPG | SAND/STAGE             | PSI        |                  |           |
|   |   |                 |           |                 |                        |            | BREAKDOWN        | PRESSURE  |
|   |   |                 |           |                 | -                      |            | DISPLACEMEN      |           |
|   |   | <u> </u>        |           | :               |                        |            | MIX PRESSUR      | ·         |
| ******************************                  |   |                 |           |                 |                        |            | MIN PRESSUR      |           |
|   | 1   |                 |           |                 | I .                    |            | INNIN I TILLUUUT | -         |

#### TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer state be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

### **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.



## 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

# ORIGINAL

TICKET NUMBER 24359

LOCATION Chande

### **FIELD TICKET**

| 6-1-04 CL                               | JSTOMER ACCT # WELL N  |                                    | RGE COUNTY                | FORMATION       |
|---|--|------------------------------------|---------------------------|-----------------|
|   | rest Cherokee UC   | OWNER                              |                           |                 |
| 1                                       | s P.O. Box 100   | OPERATOR                           |                           |                 |
| CITY & STATE                            | enedict Lansas   | 66714 CONTRACTOR                   | -                         |                 |
| ACCOUNT<br>CODE                         | QUANTITY or UNITS  | DESCRIPTION OF SERVICES OR PRODUCT | UNIT:<br>PRICE            | TOTAL<br>AMOUNT |
| 5401                                    | 1-Well   | PUMP CHARGE Cement pump            |                           | 1007 SD         |
| 1110                                    | 10 sk  | gilsomite                          |                           | 104 00          |
| 1107                                    | 1 sk   | Flo-seal                           |                           | 14475           |
| 1118                                    | 24   | Premium gel (2 ahead)              |                           | 2 6010          |
| 12151                                   | 1 gal  | KCL                                |                           | 100             |
| 11118                                   | 15 gal   | sodium silicate                    |                           | 17000           |
| 10000                                   |  |                                    |                           | 124             |
|   |  | ∴.                                 |                           |                 |
|   |  | řek.                               |                           |                 |
|   |  |                                    |                           |                 |
|   |  |                                    |                           |                 |
| 1123                                    | 5040 gal   | city water (120 bbl)               |                           | 162             |
| 3                                       | No   | **=                                |                           |                 |
|   |  |                                    |                           |                 |
|   |  | RE RE                              | CEIVED<br>152004<br>CHITA |                 |
|   | The state of the s | no.                                | YEIVED                    |                 |
|   | 1  | OCT -                              | 150                       |                 |
|   |  | KCO                                | · 2004                    |                 |
| ن وسیر                                  |  | BLENDING & HANDLING                | 10c                       |                 |
| 5407                                    | 44 mi  | TON-MILES MINIMUM.                 | -111/A                    | 14022           |
|   |  |                                    |                           |                 |
| FFOLO                                   | 0 1  | MILEAGE                            |                           | on the said     |
| 5501C                                   | 3 hr   | WATER TRANSPORTS                   |                           | 240=            |
| 5502C                                   | 5/2hr  | VACUUM TRUCKS                      |                           | 4112            |
| *************************************** |  | FRAC SAND                          | 1                         |                 |
| 1121                                    | A see L  |                                    |                           |                 |
| 1126                                    | 975K   | CEMENTOWE (1035K                   | Total)                    | 10962           |
|   |  | OWC; 5 gilsonite; 14 flo-sea       | SALES TAX                 | 10259           |
| · · · · · · · · · · · · · · · · · · ·   |  | ouc; 5 gilsonite; 14 flo-sea       |                           |                 |
| Ravin 2790                              | 1  |                                    |                           | 7,1             |
|   |  | 21                                 | ESTIMATED TOTAL           | 3127            |

| CUSTOMER or AGENTS SIGNATURECIS  | FOREMAN Todal A Tivelle |
|----------------------------------|-------------------------|
| CUSTOMER or AGENT (PLEASE PRINT) | DATE                    |