

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33518  
Name: Coleman Production, LLC  
Address: Rt. 2 Box 119  
City/State/Zip: Stroud, OK 74079  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Jim Coleman  
Phone: ( 918 ) 968-5398  
Contractor: Name: Coleman Production, LLC  
License: 33518  
Wellsite Geologist: Darrell Valiquette

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

8-13-05	8-29-05	9-10-05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 171-20601-0000  
County: Scott  
SW NW SE NW Sec. 5 Twp. 17 S. R. 32  East  West  
1860 3358 feet from S (circle one) Line of Section  
1718 31041 feet from E (circle one) Line of Section  
KCC GPS  
Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW  
Lease Name: Adele Well #: 1

Field Name: Wildcat  
Producing Formation: none

Elevation: Ground: 2992 Kelly Bushing: 3000

Total Depth: 4759' Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 261 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set 1600 Feet

If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to n/a well plugged w/ \_\_\_\_\_ sx cmt.  
ALT II P&A WITH 3-16-07

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content 21,000 ppm Fluid volume 400 bbls  
Dewatering method used evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No: 2005

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

RECEIVED  
DEC 07 2005  
KCC WICHITA

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim A. Coleman  
Title: President Date: 12-1-05  
Subscribed and sworn to before me this 1st day of December,  
20 05.  
Notary Public: Erin Coleman  
Date Commission Expires: July 6, 2008



**KCC Office Use ONLY**  
NO Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

ORIGINAL

Operator Name: Coleman Production, LLC Lease Name: Adele Well #: 1  
 Sec. 5 Twp. 17 S. R. 32  East  West County: Scott

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

**Dual Induction, Comp. Porosity, Microlog**

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Kansas City - H	4187	
Kansas City - I	4225	
Kansas City - K	4277	
Pleasanton	4355	

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Casing	7 7/8"	4 1/2"	10.5	4436	asc 5# gilsonite	150	2% gel
Surface	12 1/4"	8 5/8"	24	261	common	180	3%cc-2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	4355-4363 CIBP set @ 4350	16 shots	RECEIVED DEC 07 2005 KCC WICHITA
2	4277-4281, 4284-4292, 4301-4311 CIBP set @ 4269	8, 16 & 20 shots (44 total)	
2	4187-4195, 4225-4229	28 shots	

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 20038

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>8-15-05</u>	SEC. <u>5</u>	TWP. <u>17S</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>1:00am</u>	JOB START <u>1:45am</u>	JOB FINISH <u>2:15am</u>
LEASE <u>Adole</u>		WELL # <u>1</u>	LOCATION <u>83-4 T4, 2E-1N-1/4</u>		COUNTY <u>Scott</u>	STATE <u>Kan</u>	
OLD OR NEW (Circle one)							

CONTRACTOR <u>Coleman Drilling Co</u>
TYPE OF JOB <u>Surface</u>
HOLE SIZE <u>12 1/4</u> T.D. <u>287'</u>
CASING SIZE <u>8 5/8</u> DEPTH <u>261'</u>
TUBING SIZE DEPTH
DRILL PIPE DEPTH
TOOL DEPTH
PRES. MAX MINIMUM
MEAS. LINE SHOE JOINT
CEMENT LEFT IN CSG. <u>15'</u>
PERFS.
DISPLACEMENT <u>15 3/4 BBL</u>

OWNER <u>Same</u>
CEMENT
AMOUNT ORDERED <u>180 SKS COMM</u>
<u>3% CC - 2% COI</u>

**EQUIPMENT**

PUMP TRUCK	CEMENTER <u>Walt</u>
# <u>191</u>	HELPER <u>Wayne</u>
BULK TRUCK	
# <u>218</u>	DRIVER <u>Mike</u>
BULK TRUCK	
#	DRIVER

COMMON	<u>180 SKS</u>	@	<u>10.00</u>	<u>1,800.00</u>
POZMIX		@		
GEL	<u>3 SKS</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE	<u>6 SKS</u>	@	<u>38.00</u>	<u>228.00</u>
ASC		@		
<b>RECEIVED</b>				
<u>DEC 07 2005</u>				
<b>KCC WICHITA</b>				
HANDLING	<u>185 SKS</u>	@	<u>1.60</u>	<u>302.00</u>
MILEAGE	<u>64 per SK/mile</u>			<u>453.00</u>
<b>TOTAL</b>				<u>2,826.00</u>

**REMARKS:**

Cement Drill Core  
core 5 BBL to Pit  
R of well  
28" 1049 Thank You

**SERVICE**

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>690.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>40 miles</u>	@ <u>5.00</u> <u>200.00</u>
MANIFOLD	@
<b>TOTAL</b> <u>890.00</u>	

CHARGE TO: Coleman Production  
STREET St 2, Box 119  
CITY Stroud STATE OK ZIP 74079

**PLUG & FLOAT EQUIPMENT**

<u>8 5/8</u>	
<u>1- Surface Plug</u>	@ <u>55.00</u>
	@
	@
	@
<b>TOTAL</b> <u>55.00</u>	

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX	<u>133.88</u>
TOTAL CHARGE	<u>13,751.00</u>
DISCOUNT	<u>-375.12</u>
<b>Total = 13,509.98</b>	
IF PAID IN 30 DAYS	

SIGNATURE \_\_\_\_\_

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

21633

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>1-30-05</u>	SEC. <u>5</u>	TWP. <u>17S</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>6:30 AM</u>	JOB START <u>12:30 AM</u>	JOB FINISH <u>1:00 AM</u>
LEASE <u>A/E 12</u>	WELL # <u>1</u>	LOCATION <u>SCOTT CITY 8N-2E-1N-34W</u>		COUNTY <u>SLOTT</u>	STATE <u>Ks</u>		
OLD OR NEW (Circle one) <u>NEW</u>				S IN		RECEIVED	

CONTRACTOR COLEMAN PRODUCTION LLC. OWNER SAVIX

TYPE OF JOB PRODUCTION STRENGTH

HOLE SIZE 7 7/8" T.D. 4659'

CASING SIZE 4 1/2" DEPTH 4436'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL HORT COLLAR DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 70 1/2 BBL

CEMENT AMOUNT ORDERED

150 SKS ASC 5" GILSONITE 286 GAL

500 GAL WFR-2

COMMON	@		
POZMIX	@		
GEL <u>3 SKS</u>	@	<u>14 1/2</u>	<u>42 1/2</u>
CHLORIDE	@		
ASC <u>150 SKS</u>	@	<u>11 1/2</u>	<u>1747 1/2</u>
	@		
<u>GILSONITE 750"</u>	@	<u>1.60</u>	<u>450.00</u>
	@		
<u>WFR-2 500 GAL</u>	@	<u>1 1/2</u>	<u>500 1/2</u>
	@		
	@		
HANDLING <u>168 SKS</u>	@	<u>1.60</u>	<u>268.80</u>
MILEAGE <u>64 PER SKL</u>	MILE	<u>4.03</u>	<u>257.92</u>
TOTAL			<u>3411 1/2</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY

# 191 HELPER WAYNE

BULK TRUCK

# 777 DRIVER LOUNEC

BULK TRUCK

# DRIVER

REMARKS:

150 SKS 5" GILSONITE 286 GAL WASH

TRUCK & LINES DISPLACE 70 1/2

BBL WATER.

TRUCK LANDED AT 1400 PSI.

PLANT HELD

THANK YOU

CHARGE TO: COLEMAN OEL CO TOOLS

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB 4436'

PUMP TRUCK CHARGE 1320 1/2

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 40 MI @ 5 1/2 200 1/2

MANIFOLD @ \_\_\_\_\_

TOTAL 1520 1/2

PLUG & FLOAT EQUIPMENT

4 1/2

<u>1- AFH FLOAT SHO</u>	@	<u>200 1/2</u>
<u>3- CENTRALIZERS</u>	@	<u>45 1/2</u>
<u>1- HORT COLLAR</u>	@	<u>1600 1/2</u>
<u>1- RUBBER PLUG</u>	@	<u>48 1/2</u>
TOTAL		<u>1983 1/2</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE \_\_\_\_\_

CK #1054

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

21665

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

DATE <u>7-10-05</u>	SEC. <u>5</u>	TWP. <u>17S</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>8:45 AM</u>	JOB START <u>1:00 PM</u>	JOB FINISH <u>5:30 PM</u>
LEASE <u>1/212</u>	WELL # <u>1</u>	LOCATION <u>SCOTT CITY 8N-2E-1W-40</u>		COUNTY <u>SCOTT</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)		<u>5 FN10</u>					

RECEIVED

CONTRACTOR \_\_\_\_\_  
 TYPE OF JOB PLUG NEW WELL  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 4 1/2" DEPTH 1730'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER SAIME  
 CEMENT KCC WICHITA  
 AMOUNT ORDERED 270 SKS 60/40 2 68 GEL  
USED 240 SKS 60/40 2 68 GEL  
 COMMON 144 SKS @ 10 1/2 1440 1/2  
 POZMIX 96 SKS @ 4 3/8 451 3/8  
 GEL 12 SKS @ 14 1/2 168 1/2  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING 284 SKS @ 1 1/2 454 1/2  
 MILEAGE 60 PER SK / MILE 691 1/2  
 TOTAL 3195 1/2

**EQUIPMENT**

PUMP TRUCK CEMENTER TERRY  
 # 234 HELPER JIM  
 BULK TRUCK  
 # 394 DRIVER MIKE  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

MIX 100 SKS CEMENT AT 1730'  
MIX 50 SKS CEMENT AT 850'  
MIX 50 SKS CEMENT AT 290'  
MIX 15 SKS CEMENT AT 40'  
MIX 15 SKS RAT HOLE  
MIX 10 SKS MUSE HOLE

THANK YOU

CHARGE TO: COLEMAN OEL  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB 1730'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 600 1/2  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 40 MI @ 5 1/2 200 1/2  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 800 1/2

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

CK#7569

TAX \_\_\_\_\_  
 TOTAL CHARGE 3995 1/2  
 DISCOUNT 399 52 IF PAID IN 30 DAYS  
AFTER DISC. 3595 68  
 \_\_\_\_\_  
 PRINTED NAME

SIGNATURE \_\_\_\_\_