For KCC Use: Effective Date: District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date September 1, 2007				
month day year	•	East		
,	sec wps. H 1	Nest		
DPERATOR: License# 4567 V	Total			
Name: D.E. Exploration, Inc.	teet from [✓] E / [_] W Line of Section	n		
Address: P.O. Box 128	is SECTIONRegularIrregular?			
City/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)			
Contact Person, Douglas G. Evans	County: Miami			
hone: (785) 883-4057	Lease Name: Jerry Hoehn Well #: 6			
8509	Field Name: Paola Rantoul			
ONTRACTOR: License# 8509 lame: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?	No		
ame: Evans chergy bevelopment, inc.	Target Formation(s): Squirrel			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'			
	Ground Surface Elevation: n/a feet	MSL		
One Charges Startes And Startes And Startes	Water well within one-quarter mile: Yes ✓	No		
Gas Storage Pool Ext. ✓ Air Rotary		No.		
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+-			
Seismic;# of Holes Other	Depth to bottom of usable water: 200'			
Other	Curfosa Bina bu Altomata:			
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'			
Operator:	Length of Conductor Pipe required: none			
Well Name:	Projected Total Depth: 900'			
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel			
	Water Source for Drilling Operations:			
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other			
Yes, true vertical depth:	DWR Permit #:			
ottom Hole Location:	(Note: Apply for Permit with DWR [])			
CC DKT #:	Will Cores be taken? Yes ▼	No		
	If Yes, proposed zone:			
AFFI	DAVIT			
ne undersigned hereby affirms that the drilling, completion and eventual ple	ugging of this well will comply with K.S.A. 55 et. seq.			
is agreed that the following minimum requirements will be met:				
4. Motify the convenien district office refer to consider of con-	\cdot			
 Notify the appropriate district office prior to spudding of well; 				
2. A copy of the approved notice of intent to drill shall be posted on each				
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set 	t by circulating cement to the top; in all cases surface pipe shall be set			
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 	If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.			
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di 	t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to pluggin	ng;		
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 	It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to pluggin ged or production casing is cemented in;	-		
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in 	It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to pluggir ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement	nting		
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in 	It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to pluggin ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date	nting		
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and the placement is necessary prior to plugging ged or production casing is cemented in; and the plugged of spud date within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing	nting		
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing imp knowledge and belief.	nting		
A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing imp knowledge and belief.	nting		
A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the sales. August 27, 2007 Signature of Operator or Agent.	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing imp knowledge and belief.	nting		
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the sate: August 27, 2007 Signature of Operator or Agent. For KCC Use ONLY	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is increased in the surface of plug length and placement is necessary prior to plugging ged or production casing is cemented in; and the surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the sate: August 27, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DODO	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is increased in the surface of plug length and placement is necessary prior to plugging ged or production casing is cemented in; and placement in the surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Agent Agent	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of ate: August 27, 2007 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DDDO	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is increases any prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement on the plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of ate: August 27, 2007 Signature of Operator or Agent For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - 0000 Conductor pipe required YOVE feet	It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the part of the conductor pipe required. For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DODO Conductor pipe required 100 feet per Alt. 12	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and placement in the form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the part of the conductor pipe required. For KCC Use ONLY API # 15 - 121 - 28491-000 Conductor pipe required. Minimum surface pipe required. Approved by: Latter S-27-07	the by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the part of the conductor pipe required. For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DODO Conductor pipe required 100 feet per Alt. 12	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and placement is necessary prior to plugging ged or production casing is cemented in; and it is completed in the surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. **Title: Agent** **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of state: August 27, 2007 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DDDD Conductor pipe required 100 feet per Alt. 12 Approved by: Latt. 8-27-07	the by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	nting		
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diese. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of state: August 27, 2007 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 121 - 28 4 9 1 - DODO Conductor pipe required York feet per Alt. 12 Approved by: With 8 27-07 This authorization expires: 2-27-0P	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and placement is necessary prior to plugging ged or production casing is cemented in; and it is completed in the surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. **Title: Agent** **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	nting &		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

AUS 2 7 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 161-28491-0000	Location of Well: County: Miami
Operator: D.E. Exploration, Inc.	4620 feet from N / S Line of Section
Lease: Jerry Hoehn	1540 feet from F E / W Line of Section
Well Number: 6	Sec. 25 Twp. 16 S. R. 21
Field: Paola Rantoul	Is Section: ✓ Regular or ☐ Irregular
Number of Acres attributable to well:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	•			•
	•	•		•
_		-		•
		ļ		
•		-	•	
		i		
	-	•	•	•
		.		
1				
•		•	•	•
+				
		, , , , , , , ,		
	•		•	•
	•	-		
		• '	•	
		·	•	
				_
			•	•
	•	.		
1				
1				
_		_		
1				
		.	•	
_		.		-
1				
1	• • • • • •			
1 -	•	. 1		
1	-	1		
1 .	•	• 1	•	•
1 .				
1				
-				
1			_	_
1	•	•	-	-
1 .	•		-	
1		•		
		:		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.		License Number: 4567			
Operator Address: P.O. Box 128, Wellsville, KS 66092					
Contact Person: Douglas G. Evans		Phone Number: (785) 883 - 4057			
Lease Name & Well No.: Jerry Hoehn #6		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>E2 E2 NW NE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 25 _{Twp.} 16 _{R.} 21		
Settling Pit	If Existing, date constructed:		Feet from ☐ North / ✓ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: 120 (bbls)		1540 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)			Miami County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	Nio	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	native clay		
Pit dimensions (all but working pits):	0 Length (fe	et) 10	Width (feet) N/A: Steel Pits		
	om ground level to de		(feet)		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.			
			ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Dri		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of materi		terial utilized in drilling/workover: drilling mud			
		orking pits to be utilized: 2			
Barrels of fluid produced daily: Abandonment		nent procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
August 27, 2007 Date D					
KCC OFFICE USE ONLY					
Date Received: 8/21/07 Permit Number: Permit Date: 8/27/07 Lease Inspection: Yes \ No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION