

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

Expected Spud Date	Spot ✓ East
month day year	SW NE SE Sec. 36 Twp. 25 S. R. 10 West
OPERATOR: License# 32702	1650 feet from N / 🗸 S Line of Section
Name: Nutter Oil, Inc.	Teet from V E / W Line of Section
	Is SECTIONRegularIrregular?
City/State/Zip: Eureka, KS 67045	(Note: Locate well on the Section Plat on reverse side)
Contact Person, TIM Guilck	County: Greenwood
Phone: (620) 583-4306	Lease Name: May Well #: 18
32701	Field Name: Eureka
CONTRACTOR: License# 32701 Name: C&G Drilling	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Mississippian 990'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990' Ground Surface Elevation: 1/4 feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation; n/a feet MSL Water well within one-quarter mile: Yes ✓ No ,
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'
Seismic;# of Holes Other	Depth to bottom of usable water: 80'
Other	Ourfree Blacky Alternates 1 7 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Weil Name:	Projected Total Depth: 2,000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations: •
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR (1)
KCC DKT #:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e	each drilling rig;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plant. 	the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either ple If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. Il be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple if an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: August 27, 2007	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intended from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent:	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intended from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: No. 10 of the County Appl # 15 - 073 - 240 59 - 0000	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O73 - 240 59 - DODD Conductor pipe required feet	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intended from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 073 - 240 59 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing is the plugged. In all cases, NOTIFY district office prior to any cementing. It is agent Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 073 - 240 59 - 0000 Conductor pipe required feet Minimum surface pipe required feet feet per Alt. 2	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 073 - 240 59 - 0000 Conductor pipe required	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. If the prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 27, 2007 Signature of Operator or Agent: November 15 - 073 - 240 59 - 0000 For KCC Use ONLY API # 15 - 073 - 240 59 - 0000 Conductor pipe required feet Minimum surface pipe required feet feet per Alt. 2 Approved by: 1888 - 27007	the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67892 S CORPORATIO

AUG 27 2007

CONSERVATION DIVISION
WICHITA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 073-24059-0000	Location of Well: County: Greenwood
Operator: Kutter Oil, Inc.	1650 feet from N / J S Line of Section
Lease: May	990 feet from 🗸 E / W Line of Section
Well Number: 18	Sec. <u>36</u> Twp. <u>25</u> S. R. <u>10</u> ✓ East West
Field: Eureka Number of Acres attributable to well:	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage:SW NE SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•	
			. ,	
	•	·	• ,	. •
	• •	. 1	•	• • •
		·		
		,		
	: :		•	: :
	: :		-	
		. '	•	• •
		•		• •
			•	· • · · ·
		·	•	. 0-:
	·			
	• •	:	•	• •
		•	· · · · · ·	•
			-	•
	• •		•	
	•		•	·

EXAMPLE	
 	1980
	3390'
SEWARD CO.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kutter Oil, Inc.			License Number: 32702	
Operator Address: 303 S. High, Eureka, KS 67045				
Contact Person: Tim Gulick		Phone Number: (620) 583 -4306		
Lease Name & Well No.: May #18		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_SW _ NE _ SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 1wp. 25 R. 10	
Settling Pit	If Existing, date constructed:		1650 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	100	(bbls)	Greenwood	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗜	No	Chloride concentration: mg/l	
	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
is the bottom below ground level? Yes No	Yes V	No	native clay	
Pit dimensions (all but working pits):	60 Length (fe	net) 10		
	rom ground level to de		(feet)	
material, thickness and installation procedure		ппет инедпку, п	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallon Source of information		west fresh waterfeet. mation:		
		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: drilling mud	
Number of producing wells on lease:		ł	arking pits to be utilized: 4	
Does the slope from the tank battery allow all spilled fluids to		procedure: air dry and backfill be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and belief.	
August 27, 2007 Date D				
KCC OFFICE USE ONLY				
Date Received: 8/27/07 Permit Number: Permit Date: 8/27/07 Lease Inspection: Yes [] No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION