For KCC	Use:		8-25-07
Effective	Date	:	0-000/
District #		_4	<u> </u>

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1		She 's	2223		500
"S" P December 2002	M <sub>e</sub> , in	<b>a</b> )		4	ľa a
Form must be Typed	:		Π		•
December 2002 Four must be Typed Four must be Signed		2 M Market			
II blanks must be Filled	A				

F	* CORRECTED FOOTAGES
Expected Spud Date August 27, 2007  month day year	1 Spot Eas
• •	##5E ## NW Sec. 28 Twp. 26 S. R. 13 ▼ Wes
OPERATOR: License# 31725	# 2310' feet from V N / S Line of Section
Name: Shelby Resources LLC	iest non
Address: P.O. Box 1213	ls SECTIONRegularIrregular?
City/State/Zip: Hays, Kansas 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Brian Karlin	County: Pratt
Phone: 785-623-3290	Lease Name: Pattinson Unit Well #: 1-28
CONTRACTOR: License# 5142	Field Name: Chance
CONTRACTOR: License# 3142.  Name: Sterling Drilling Company	Is this a Prorated / Spaced Field?
varie:	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	XNearest Lease or unit boundary: 35⁴
Oil / Enh Rec Infield / Mud Rotary	Ground Surface Elevation: 1943 feet MS
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: ✓ Yes N
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 70'
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 860' pending
Operator:	Length of Conductor Pipe required: +/- 280'
Well Name:	Projected Total Depth: +/- 4550'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
f Yes, true vertical depth:	Well Farm Pond Other
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: 7  **WA8: SW-SU-NE 2175 FML, 2525 FBL NLUB: 115
	FIDAMIT AND A BUILD SET
aration of unititation attached to original tiling. AFI	FIDAVIII TE: SE-SENW 2310 ML AVERANGAGE MODES
and the undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
the differentiation recently amining that the disting, completion and eventual	progging of this wan will comply with N.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	plugging of this well will comply with K.S.A. 55 et. seq.  AUG 2 7 2007
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	AUG 2 7 2007
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> a	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION  set by circulating cement to the top; in all cases surface pipe, what he set in
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> notice of the approved notice of intent to drill <i>shall be</i> notice of the approved notice of intent to drill <i>shall be</i> not	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> </ol>	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation.  district office on plug length and placement is necessary prior to plugging;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved in the shall be notified before well is either plus the shall be appropriate district office will be notified before well is either plus the shall be approved in the shall be approved	AUG 2 7 2007  ach drilling rig;  conservation purision the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	AUG 2 7 2007  ach drilling rig;  conservation plusion  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  thed from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	AUG 2 7 2007  ach drilling rig;  conservation pursion the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved in the shall be appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the shall be caused on the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.</li> </ol>	AUG 2 7 2007  ach drilling rig;  conservation plusion the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing, be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be an all the shall be an all the shall be an appropriate district office will be notified before well is either plue of the appropriate district office will be notified before well is either plue of the appropriate district office will be notified before well be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plue of the shall be cemer.	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	AUG 2 7 2007  ach drilling rig;  conservation plusion the underlying formation. district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the case of the spud date.  Signature of Operator or Agent:  Date: 8-24-2007  Signature of Operator or Agent:	AUG 2 / 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Operations Manager
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the production of the plant.  Signature of Operator or Agent:  Signature of Operator or Agent:	AUG 2 7 2007  ach drilling rig;  conservation plysion the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operations Manager
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill all unconsolidated materials plus a minimum of 20 feet into the drill all unconsolidated materials plus a minimum of 20 feet into the drill all unconsolidated materials plus a minimum of 20 feet into the drill all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a specified below <i>shall be</i> posted on the specified	AUG 2 7 2007  ach drilling rig;  conservation plysion the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet into the well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the certified services. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 151 - 22 280 0000  Conductor pipe required 100 per to the materials will be met:	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall be replaced to the well shall be completed within 30 days of the spud date or the well shall be replaced.  Signature of Operator or Agent:  **Dread **Section**  **Conductor pipe required**  **Dread **Test **Dread **Test **Tes	AUS 2 7 2007  ach drilling rig;  conservation plusion the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best coate:  8-24-2007  Signature of Operator or Agent:  When the statement of the per Alt 1 Approved by:  Supposed by:  Supposed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate of supposed posted on etc.  1. Approved by:  Supposed that the following minimum requirements will be notified before to determine the posted on etc.  Supposed to suppose the properties of the posted on etc.  Supposed to suppose the properties of the properties	AUG 2 7 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ed.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state of the spud state of the well shall hereby certify that the statements made herein are true and to the best of the spud state of the well shall hereby certify that the statements made herein are true and to the best of the spud state of the spud	Aug 2 / 2007  ach drilling rig;  CONSERVATION DIVISION the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved of the spud all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the statement of the production pipe shall be composed of the spud date of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 151-22 280 0000  Conductor pipe required 1000000000000000000000000000000000000	ach drilling rig;  CONSERVATION DIVISION the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; all cases within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud date of the well shall be completed.  For KCC Use ONLY  API # 15 -   5   - 22 280 0000  Conductor pipe required	AUG 2 7 2007  ach drilling rig;  conservation plysion the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing. be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15				Location of Well: County: Praft		
Operator: Shelby Resources LLC						
Lease: Pattinson Unit				2310' feet from ✓ N / S Line of Section 2605' feet from E / ✓ W Line of Section		
Well Number: 1-28 Field: Chance				Sec28Twp26 S. R13 East		
Number of Acres attributable to	well:			Is Section: 🗸 Regular or 🔲 Irregular		
QTR / QTR / QTR of acreage:	SW	_ <del>SW</del>	HE'	# Cooking to Instantial Act NA		
-	SE	SE	MW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	att County	
	: : :	
		2310
	2605'	
	• • •	<u> </u>
	• • • • • • • • • • • • • • • • • • • •	
		• • • • • • • • • • • • • • • • • • • •

EXAMPLE	
	· · <del>[ ]</del> · · · ·
	1980
	-10
•	.   .
:	. 3390' .
	,
•	
•	
·	
SEWARD CO.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

AUG 2 7 2007

HO GET/AL

KANSAS COMPUGACIOA COMMISSION

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections: DIVISION 4 sections, etc. 900 800 KB
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Shelby Resources,	LLC	License Number: 31725			
Operator Address: P.O. Box 1213, Hays, Kansas 67601					
Contact Person: Brian Karlin		Phone Number: ( 785 ) 623	3 <sup>-</sup> 3290		
Lease Name & Well No.: Pattinson U	nit #1-28	Pit Location (QQQQ):	16 <i>1</i>		
Type of Pit:	Pit is:		approx. 8W 3W A		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 26 R. 13	_ East ✓ West	
Settling Pit	If Existing, date c	onstructed:	2310' Feet from ✓ Nort	h / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2605' Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)	3000 (bbis)		Pratt	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
			(For Emergency Pits and		
is the bottom below ground level?  Yes No	Artificial Liner?  Yes ✓	No	How is the pit lined if a plastic line Native and chemical I		
8	30' Length (fe	aet) 80'	<u> </u>	N/A: Steel Pits	
i it dimensions (all but working pile).	com ground level to de	301)	Width (feet)	MA: Steel Fits	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and nctuding any special monitoring.	determining	
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water30feet. Source of information:			
(3 ( ) feet Depth of water well	145 feet	measu	red well owner ele	ectric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: chemical drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: 3  Abandonment procedure: Allow cuttings to dry and then backfill.			
Barrels of fluid produced daily:	Abandonment	procedure:			
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	SPECKLED ASSESSMENT OF SPECKLES ON SAN				
8-24-2007 Date		Bri	an Yalin' ignature of Applicant or Agent	AUG 2.7.2007	
	КСС	OFFICE USE O	NLY	WICH RAFES C	
Date Received: 2/21/07 Permit Num	ber:	Perm	it Date: 8/27/c7 Lease Ins	pection: VYes No	