For KCC Use:	9-2-07
Effective Date:	
ECA2 Voc	de

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Soud Date	Spot East	
Expected Spud Date Sept. 5,2007 month day year	NV NV + TS OS TX =	
arion /	feet from ! N / I S Line of Section	
OPERATOR: License# 6798	1055 teet from E / XW Line of Section	
Name: Nordmeyer Oil Inc.	Is SECTION X Regularirregular?	
Address: 753 Coyoto Road		
City/State/Zip: Toronto, Konsas 66777	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Harry Wordmeyer	Obunity.	
Phone: 620 637 - 2441	Lease Name.	
CONTRACTOR: License# 30567	lole Name,	
Name: Rig 6 Drilling Co.	Is this a Prorated / Spaced Field? Yes No Target Formation(s): Bartlesville	
	Nearest Lease or unit boundary: 1055 ft.	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: NA feet MSL	
XIOil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile: Yes XINo	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
IOWVO Disposa: Wildcat Cable	Depth to bottom of fresh water: 125 ft	
Seismic; # of Holes Other	Depth to bottom of usable water: 1547+ 225+	
Other	Depth to boltom or deathe water.	
	Surface Pipe by Alternate: 1 X 2 Length of Surface Pipe Planned to be set: 10 ft	
If OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:		
Well Name:	Projected Total Depth: 1470 ft	
Original Completion Date:Original Total Depth:	Formation at Total Depth: She To	
Directional, Deviated or Horizontal wellbore? Yes X No	Water Source for Drilling Operations:	
	Well A Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?	
KCC DKT #:		
	If Yes, proposed zone:	
Oil + bas Locase Descriptions Attached. AFFIII	Feb. 1	12 5 0%
	DAVIT	13 8 0 -
The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT	\$\\\$0\\
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district of intent to drill shall be nosted on each	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION The drilling rig; Th	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the distriction.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION with the drilling rig; by circulating cement to the top; in all cases surface pipe shall be	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be seen the construction of the construc	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the standard of the district office will be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugger and all tensor and the district office will be notified before well is either plugger and all tensor and the district office will be notified before shall be cemented.	payor and this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be seen and play of the confice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and trom below any usable water to surface within 120 days of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the state of the state of the prior and the state of the st	paying of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard of the self-standard intention of the self-standard of the self-standard intention of the self-standard of the self-standard intention of the self-standard of th	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION with the construction of	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the state of the prior of the prior of the posted on each and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION the drilling rig; the py circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the state of the prior of the prior of the posted on each and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION the drilling rig; the py circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard of the self-standard intention of the self-standard of the self-standard intention of the self-standard of the self-standard intention of the self-standard of th	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: Downer Title:	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the state of the prior of the prior of the posted on each and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be see e underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Nowledge and belief. Title: Title:	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the appropriate district of the specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. The appropriate district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the Date: **Date: **Supplementaries** **Date: **Supplementaries** **Date: *	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be sep e underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the appropriate district of the specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. The appropriate district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the Date: **Date: **Supplementaries** **Date: **Supplementaries** **Date: *	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION the drilling rig; the polycirculating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; did from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district office and the district office and the district office will be notified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: **Date:**	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION the drilling rig; the polycirculating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; yed or production casing is cemented in; did from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be notified before well is either plugged. I hereby certify that the statements made herein are true and to the best of Date; Society Completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be completed within 30 days of the spud date or the well shall be completed. The production pipe shall be set that the district office will be notified before well is either plug.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; de from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 nours prior to workover or re-entry;	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district office prior and the district office will be notified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT Lagging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pipe shall be seen and be shall be shal	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be notified before well is either plugged. I hereby certify that the statements made herein are true and to the best of Date; Sophial D Signature of Operator or Agent: House of Conductor pipe required feet Minimum surface pipe required feet Approved by: With 3-24-07	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION the drilling rig; the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through a proportiate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by: Life through the proportion of the life through the prior of the life through the prior of through the prior of through through the prior of through the prior of through the prior of through through the prior of through the prior of through through through through the prior of through throu	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION the drilling rig; the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133.891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the spurd date or shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order through the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the bate; 1. Por KCC Use ONLY API # 15 - O73 - 2400 - ODD Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: **Lat 8-28-07** **The approve approved to specified below shall be posted on each shall be posted	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION with drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: **DAVING** **Price District** **Price Completion Form ACO-1 within 120 days of spud date; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to filed proration orders; **Notify appropriate district office 48 nours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water. **If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
The undersigned hereby affirms that the drilling, completion and eventual pix is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state with the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be increased that the statements made herein are true and to the best of Date; September 15 Date; September 16 Date; September 16 Date; September 17 Date; Signature of Operator or Agent: House of Minimum surface pipe required feet Minimum surface pipe required feet feet feet feet feet feet feet fe	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION WIGHTANS by circulating cement to the top; in all cases surface pipe shall be sept e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. **Notify appropriate district office 48 nours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through all unconsolidated materials plus a minimum of 20 feet into the life through a proportiate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by: Life through the proportion of the life through the prior of the life through the prior of through the prior of through through the prior of through the prior of through the prior of through through the prior of through the prior of through through through through the prior of through throu	DAVIT agging of this well will comply with K.S.A. 55 et. seq. AUG 2 7 2007 CONSERVATION DIVISION with drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: **DAVING** **Price District** **Price Completion Form ACO-1 within 120 days of spud date; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to filed proration orders; **Notify appropriate district office 48 nours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water. **If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 1	5 - <u>0 /</u>	3-	٠,٠	7000	ruc	<u>. </u>		Lo	cation of Well:	feet from IN / S Line of So	ection
Operator										teet from E / W Line of S	
											Wes
Well Num	ber:					<u> </u>		_ Se	ec	Twp S. R East	
Field:					. <u></u>		<u> </u>	– Is	Section:	Regular or Irregular	
Number o	f Acres a	ttribu	table i	owell:_				_			
QTR / QT	R / QTR	of ac	eage:			·				regular, locate well from nearest corner bound used: NE NW SE SW	dary.
			•					PLAT		promoted or appaced wells)	
			(Show lo	cation of: Sh	the well a ow footal	ind shade a se to the ne	ttributable arest leas	acreage for pi e or unit bound	ororated or spaced wells.) odary line.)	
					(31)	ow iooia	je to the he	arest leas	c or arm boarn	,,	
					·				· · · · · ·		
		•	•	•			•				
				•	•	i					
					-	:	•				
		•									
	į			· ,							
	!						•				
						•				EXAMPLE	
		•			·. <u> </u>	-		<u> </u>			
	:			•	•		•			0 1980	
	į.							-			
	-						-			nnon'.	
		٠							İ	3390	
										3390	
		•					· · · · ·		-		

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Nordmayer Oi	l Inc.	License Number: 은건요요					
Operator Address: 753 Coyote	- Road Toror	nto,Kansa	es 86777				
Contact Person: Herry Nordme		Phone Number: (380) 637-3441					
Lease Name & Well No.: Porlin	Well# 15	Pit Location (QQQQ):					
Type of Pit:	Pit is:	<u> </u>					
Emergency Pit Burn Pit	Proposed	Existing	Sec. 1 Twp. C R. 1 East West				
Settling Pit Drilling Pit	If Existing, date co	onstructed:	Feet from X North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No.	Chloride concentration:mg/f				
			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	S ia	How is the pit lined if a plastic liner is not used? Pit will be due in clay silt soi				
X Yes No	Yes 🗘		TITE WILL DO NOTE: THE CENTY OF THE				
Pit dimensions (all but working pits):	Length (fe	eet) <u> </u>	Width (feet) N/A: Steel Pits				
Depth f	rom ground level to de	eepest point:	4 (feet)				
			AUG 2 7 2007				
Distance to nearest water well within one-mi	e of pit		Depth to shallowest fresh waterfeet.				
Feet Depth of water well _	feet		uredwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: N		Source of information: measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: O					
							Number of wo
		Barrels of fluid produced daily:		Abandonment procedure: Pits will be emptied and eilled with soil that was dum out.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above sta	ements are true and	correct to the be-	st of my knowledge and belief.				
Sept 24,2007		740	Signature of Applicant or Agent				
	ксс	OFFICE USE C	DNLY				
8/22/2		Parr	nit Date: 8/27/07 Lease Inspection: Yes (No				