For KCC Use:

Effective Date:

District #

SGA? | X| Yes | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot ✓ East
Expected Spud Date September 01, 2007 month day year	NW SE SE Sec. 26 Twp. 33S S. R. 16 West
33635	1000 feet from N / V S Line of Section
OPERATOR: License# 33635 Name: EnergyQuest Management, LLC	875 feet from ✓ E / W Line of Section
Address: 15425 N. Freeway, Suite 230	Is SECTION Regulartrregular?
City/State/Zip: Houston, Texas 77090	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jeff Stevenson	County: Montgomery
Phone: 281-875-6200	Lease Name: Felts Well #: 26-1
	Field Name: Jefferson/Sycamore
CONTRACTOR: License# 5675 Name: McPherson Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Riverton/Weir/Mulky Target Formation(s):
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 740 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic;# of Holes [_] Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20' + EST
Operator:	Length of Conductor Pipe required: Norte
Well Name:	Projected Total Depth: 1050
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi Lime
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other City
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	If Yes, proposed zone:
A CCI	DAV/IT
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED KANSAS CORPORATION COMMISSION h drilling rig; AUG 3 1 2007
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED KANSAS CORPORATION COMMISSION h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED KANSAS CORPORATION COMMISSION h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	ugging of this well will comply with K.S.A. 55 et. seqRECEIVED KANSAS CORPORATION COMMISSION h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessary (CHITCK, NS plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cemented.	Aug 3 1 2007 In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessally (CHTOX, NS plugging; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all the surface properties district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Aug 3 1 2007 th drilling rig; the underlying formation. Strict office on plug length and placement is necessaryichtor, the plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	Aug 3 1 2007 th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set e underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessary(CHTCA, RE plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the surface casing order must be completed within 30 days of the spud date or the well shall the surface of the surface	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set In underlying formation. CONSERVATION DIVISION Strict office on plug length and placement is necessaryichter, the plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard of the shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard of the shall be deferred to the shall be deferred to the shall be completed within 30 days of the spud date or the well shall the shal	Aug 3 1 2007 th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set e underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessary(CHTCA, RE plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of th	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set In underlying formation. CONSERVATION DIVISION Strict office on plug length and placement is necessary (CHTO), RS plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be the statements made herein are true and to the best of the plants of the spud date. Signature of Operator or Agent:	AUG 3 1 2007 In drilling rig; AUG 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessaryichter, as plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate appropriate district office will be notified before well is either plug for the appropriate appropr	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set In underlying formation. CONSERVATION DIVISION Strict office on plug length and placement is necessary (CHTO), RS plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the statements are through all unconsolidated materials plus a minimum of 20 feet into the statements district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the statements of the statement of the statements of the s	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation. CONSERVATION DIVISION Strict office on plug length and placement is necessaryichton, the plugging; ged or production casing is cemented in; at from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessally (CHTOX, NS plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation. CONSERVATION DIVISION Strict office on plug length and placement is necessallyichter, its plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Date: 08/22/2007	AUG 3 1 2007 In drilling rig; AUG 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessaryichter, the plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the appropriate district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appr	Aug 3 1 2007 In drilling rig; Aug 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. CONSERVATION DIVISION strict office on plug length and placement is necessary/(https://www.ns.plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the search of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be approved by that the statements made herein are true and to the best of the spud shall be conductor pipe required feet feet feet Minimum surface pipe required feet feet feet feet feet feet feet fe	AUG 3 1 2007 In drilling rig; AUG 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary/chrox, resplugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the details. It is dry hole, an agreement between the operator and the decent of the state of the spudding order of the spuddate or the well is either plug. It an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the statements made herein are true and to the best of the spuddate of the well shall be conductor pipe required feet feet Minimum surface pipe required feet feet feet feet feet feet feet fe	AUG 3 1 2007 In drilling rig; AUG 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary/chrox, resplugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing for plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the december of the appropriate district office will be notified before well is either plug december of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the entry of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the place of the spud date or Agent. For KCC Use ONLY API # 15 - 125 - 3/4/34 - 0000 Conductor pipe required feet per Alt. (2) Approved by: 12 - 31 - 07 This authorization expires: 2 - 29 - 08	AUG 3 1 2007 In drilling rig; AUG 3 1 2007 It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary/(CHTC), its plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-3/434-DDD Operator: EnergyQuest Management, LLC	Location of Well: County: Montgomery	
	1000 feet from N / ✓ S Line of Section	
Lease: Felts	875 feet from 🗸 E / W Line of Section	
Well Number: 26-1 Field: Jefferson/Sycamore	Sec. 26 Twp. 33S S. R. 16 ✓ East Wes	
Number of Acres attributable to well: QTR / QTR of acreage: NW - SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	
PLA (Show location of the well and shade attribute (Show footage to the nearest I	able acreage for prorated or spaced wells.)	
	RECEIVED	
	KANSAS CORPORATION COMMISSION	
	AUG 3 1 2007	
	CONSERVATION DIVISION WITH THE MEDIT OF THE	
	EXAMPLE : :	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

875

1000

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EnergyQuest Management, LLC		License Number: 33635		
Operator Address: 15425 N. Freeway, Suite 230				
Contact Person: Jeff Stevenson		Phone Number: (281) 875 - 6200		
Lease Name & Well No.: Felts 26-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW _ SE _ SE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 26 Twp. 33S R. 16 ✓ East ☐ West	
Settling Pit	If Existing, date constructed:		1000 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			875 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? 나Yes 🗸		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Ves No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
v res No	Yes ✓	INO	Native Clays	
Pit dimensions (all but working pits): 80 Length (feet) 9 Width (feet) N/A: Steel Pits				
Depth fro	om ground level to de	eepest point: 6	(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining the procedure for periodic maintenance and determining the periodic maintenance and determini		dures for periodic maintenance and determined to the determined to		
material, thickness and installation procedure		liner integrity, ii		
			AUG 3 1 2007	
			CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile of pit Depth to shalld Source of info		west fresh water		
			redwell owner electric logKDWR	
		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		Type of materia	ıl utilized in drilling/workover: City Water	
		king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry & Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
$\bigcap \mathcal{O} \mathcal{O}$				
8/22/2007		June	<u>) </u>	
Date		10 ,) s	ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 8/31/C 7 Permit Num	ber:	Permi	t Date: $\sqrt{3\ell/c7}$ Lease Inspection: Yes [No	