## For KCC Use: Effective Date Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 5, 2007	Spot East
month, day year	S2SW SW NW Sec. 12 Twp. 21 S. R. 13 West
OPERATOR: License# 33640	2420 feet from N / S Line of Section 330 feet from E / V W Line of Section
Haas Petroleum, LLC	Is SECTION Regular irregular?
Address: 800 West 47th, Suite 409	-
City/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Mark L. Haas	County: Coffey  Lease Name: Hodges Well #: 1
Phone: (816) 531-5922	Field Name: Hatch NE
CONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?
Name: SKYY Drilling	Target Formation(s): Arbuckle
Trumo.	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
O/WO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pine by Alternate:   1   1   2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 2,300'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
• • •	RECEIVED  KANSAS CORPORATION COMMISSION  Regging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual p	933
It is agreed that the following minimum requirements will be met:	AUG 3 1 2007
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> </ol>	-
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	the underlying formation.  district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all the form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of	the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of 20. If the well is district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to the plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the surface of the well shall be the statements of the spud date or the well shall be the statements of the spud date or the well shall be the statements of the spud date or the well shall be the statements of the spud date or the well shall be the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the spud date	he underlying formation.  ilistrict office on plug length and placement is necessary prior to plugging;  iged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 031-22327-0000  Conductor pipe required 1000 feet per Alt. 12	he underlying formation.  ilistrict office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 031-22327-0000  Conductor pipe required 1000 feet Minimum surface pipe required 1600 feet per Alt. 1200 feet per	istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cernented in; ged or production casing is cernented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the second	he underlying formation.  ilistrict office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the second	he underlying formation.  histrict office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet into the second	he underlying formation.  ilistrict office on plug length and placement is necessary prior to plugging;  iged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 031-22327-0000	Location of Well: County: Coffey
Operator: Haas Petroleum, LLC	2420feet from ✓ N / S Line of Section
Lease: Hodges	330 feet from ☐ E / ✔ W Line of Section
Well Number: 1 Field: Hatch NE	Sec. 12 Twp. 21 S. R. 13 VEast Wes
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: S2SW - SW - NW	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				•
• ,			•	•
•				•
				•
	· ·			•
			•	•
 . • • • .		 		
• .			•	•
		•	•	-
	•	 		•
		 •	•	•
• •	•	 •	•	
 		 		•
 		 		: : : : : :
 		 		: : : : : :
 		 		: : : : : : :



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Haas Petroleum, L	LC		License Number: 33640			
Operator Address: 800 West 47th,	Suite 409, Ka	ansas City,	, MO 64112			
Contact Person: Mark L. Haas			Phone Number: ( 816 ) 531 - 5922			
Lease Name & Well No.: Hodges #1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		S2SWSWNW			
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		Sec. 12 Twp. 21 R.	13 Fast West		
Settling Pit			2420	North / South Line of Section		
Workover Pit Haul-Off Pit			330	East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Coffey			
		No		County		
Is the pit located in a Sensitive Ground Water	Alea?   165	j 140		Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic	c liner is not used?		
✓ Yes No	Yes 🗸	No	native clay			
Pit dimensions (all but working pits):	l5 Length (fe	et) 8	Width (feet)	N/A: Steel Pits		
Depth fi	rom ground level to de	epest point: 3	(feet)	RECEIVED		
				CONSERVATION DIVISION WICHITA, KS		
		Depth to shallo Source of infor	west fresh water	feet.		
		meası	aredwell owner	electric logKDWR		
Emergency, Settling and Burn Pits ONLY: Drill		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: native clay				
Number of producing wells on lease:		Number of working pits to be utilized: 2				
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must	be closed within 365 days of sp	oud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.			
August 31, 2007  Date  Nonna Manda  Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
6/ / 5			0/2/12			
Date Received: $\frac{8/3!/c?}{}$ Permit Num	ıber:	Perm	it Date: $\frac{8/3t/c7}{}$ Leas	e Inspection: Yes 💽 No		