For KCC Use: SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date September 5, 2007	
Expected Spud Date	Spot   ✓ East
month day year	<u>W2NW</u> <u>NE</u> <u>SE</u> <u>Sec. 13</u> <u>Twp. 20</u> S. R. 20 West
03113	2970 feet from N / S Line of Section
OPERATOR: License# 03113  Name: Christian L. Martin dba Martin Oil Properties	1155 feet from 🗸 E / W Line of Section
6421 Avondale Drive Suite 212	Is SECTION Regutar Irregular?
Address: Oklahoma City, OK 73116 City/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Chris Martin	County: Anderson
Phone: (405) 810-0900	Lease Name: Morgan Well #: 10-1
	Field Name: Garnett Shoestring
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field? / Yes V No
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
	Ground Surface Elevation: n/a feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'
Seismic;# of Holes Other	Depth to bottom of usable water: 125'
Other	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 900'
Original Completion Date:Original Total Depth:	Formation at lotal Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken? ☐Yes ✓ No
KCC DKT #:	
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED KANSAS CORPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plants	igging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	ALIC 2 1 2007
	AUG 3 1 2007
1. Notify the appropriate district office prior to spudding of well;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i></li> </ol>	h drilling rig;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	h drilling rig; by circulating cement to the top; in all cases surface pipe street be used on wiCHITA, KS
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the discounting the surface of the surface of</li></ol>	h drilling rig; by circulating cement to the top; in all cases surface pipe that be set on e underlying formation. WiCHITA, KS strict office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement</li> </ol>	h drilling rig; by circulating cement to the top; in all cases surface pipe with the wide of the top; in all cases surface pipe with the wide of the control
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	th drilling rig; by circulating cement to the top; in all cases surface pipe with the property of the conservation of the cons
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to</li> </ol>	h drilling rig; by circulating cement to the top; in all cases surface pipe of the second with
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	h drilling rig; by circulating cement to the top; in all cases surface pipe of the second with
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the content
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to</li> </ol>	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the content
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of</li> </ol>	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the content
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the Date:    August 31, 2007	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.     The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left that the statements made herein are true and to the best of Date:    August 31, 2007	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the best of the post of the spud date of the best of the best of the post of the spud state.  For KCC Use ONLY  API # 15 - DO3 - 24451 - OD3 - AMALA.	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the condition of the cond
1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DO3 - 24451 - OOC 1000 - 10	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the pipe of
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:    August 31, 2007	th drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:    August 31, 2007	th drilling rig; by circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating to plug length and placement is necessary prior to plugging;  By circulation casing is cemented in;  By circulation casing is cemented in;  By circulation casing is cemented in;  By circulation 120 days of spud date.  By circulation cases, NOTIFY district office prior to any cementing.  By circulation prior to any cementing.  By circulation 120 days of spud date.  By circulation cases, NOTIFY district office prior to any cementing.  By circulation 120 days of spud date.  By circulation 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DO3 - 24451 ODD  Conductor pipe required  Minimum surface pipe required  Approved by:  Minimum surface pipe required	h drilling rig; by circulating cement to the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the production of the top; in all cases surface pipe with the pipe of t
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:    August 31, 2007	th drilling rig; by circulating cement to the top; in all cases surface pipe with the price of the underlying formation.  It is the underlying formation.  It is production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It is 3,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  It is a prior to plugging.  It is a prior to plugging.  It is a prior to plugging is a prior to any cementing.  It is a prior to plugging.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in an ALTERNATE is COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DO3 - D4451 - OCC  Conductor pipe required  Approved by:  Minimum surface pipe requir	th drilling rig; by circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to the top; in all cases pipe.  By circulating cement to the top; in all cases pipe.  By circulating cement to the top; in all cases pipe.  By circulating cement in the top; in all cases pipe.  By circulating cement to pipe.  By circulating cement to the top; in all cases pipe.  By circulating cement to pipe.  By circulating cement to pipe.  By circulating cement to the top; in all cases surface pipe.  By circulating cement to pipe.  By circulat
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DO3 - 24451 ODD  Conductor pipe required  Minimum surface pipe required  Approved by:  Minimum surface pipe required	th drilling rig; by circulating cement to the top; in all cases surface pipe with the price of the underlying formation.  It is the underlying formation.  It is the underlying formation.  It is perfect office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  It is a great, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  It is a great and belief.  It is a great and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24451-0000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	•
Lease: Morgan	2970feet from
Well Number: 10-T Field: Garnett Shoestring	Sec. 13 Twp. 20 S. R. 20 ✓ East West
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

_	_				 														_								
ļ																:											
			•						•							٠							-				
							-						١.						•					•	•		
																							•				
			•													•							•				
-	٠	•							•	•	•	•	•	•	٠		•	•	٠					,	•	٠	•
			•													:				•			•				
			:																								
٠.	•	٠		٠		•		•		•	٠		١.	•				•			-	•				•	•
					:															:							
													l			٠				•			•				
1					•																						
$\vdash$	_				 																1						
Г			•		 -	_			•														•				
					 :				•				l			•					•						
					 :				•							•				· · ·							
				•	 :						•					•							•				-
•				•	 :						•					•							•		•	-	
				•	 :						•					•							•				
•					 						•					•							•				
•					 						•					• • • • • • • • • • • • • • • • • • • •											
					 						•					• • • • • • • • • • • • • • • • • • • •	•										
					 						•					• • • • • • • • • • • • • • • • • • • •	•										
					 						•					• • • • • • • • • • • • • • • • • • • •	•										



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Christian L. Martin	dba Martin Oil	License Number: 03113							
Operator Address: 6421 Avondale Drive, Suite 212, Oklahoma City, OK 73116									
Contact Person: Chris Martin		Phone Number: ( 405 ) 810 - 0900							
Lease Name & Well No.: Morgan 10-	Γ	Pit Location (QQQQ):							
Type of Pit:	Pit is:	<u> W2 . NW . NE . SE</u>							
Emergency Pit Burn Pit	Proposed	Existing	Sec. 13 <sub>Twp.</sub> 20 R. 20						
Settling Pit	If Existing, date or	onstructed:	2970 Feet from 🗸 North / 🗌 South Line of Section						
Workover Pit Haul-Off Pit	Pit capacity:		1155 Feet from ✓ East / West Line of Section						
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson County						
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l						
to the better below ground lovel?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?						
is the bottom below ground level?  Yes No	Yes V	No	native clay						
Pit dimensions (all but working pits):	0 Length (fe	net) 10							
	om ground level to de	_	(feet)						
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	Aug 3 1 2007  CONSERVATION DIVISION						
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:						
feet Depth of water well	feet	measu	redwell owner electric logKDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:							
Producing Formation:		Type of material utilized in drilling/workover: drilling mud							
Number of producing wells on lease:		Number of working pits to be utilized: 1							
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill							
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must I	Il pits must be closed within 365 days of spud date.						
I hereby certify that the above state	ements are true and o	correct to the best	t of my knowledge and belief.						
August 31, 2007  Date	Q.	nna	Ihanda ignature of Applicant or Agent						
	КСС	OFFICE USE O	NLY						
Date Received: 8 31 67 Permit Num	ber:	ift Date: 3 C7 Lease Inspection: Yes No							