For KCC Use: 9-5-07

Effective Date: 3

District # No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date September 5, 2007 month day year	Spot
03113	2805 feet from VN / S Line of Section
OPERATOR: License# 03113 Name: Christian L. Martin dba Martin Oil Properties	2805 feet from VE / W Line of Section
CADA Assemble Driver Cuite 242	Is SECTION Regularirregular?
Address:	
JNV/31818/AIQ	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Chris Martin	County: Anderson
Phone: (405) 810-0900	Lease Name: Morgan Well #: 1-iW
CONTRACTOR: License# 8509	Field Name: Garnett Shoestring
lame: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field? Yes ✓ No
Hallio,	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 50'
Other	Depth to bottom of usable water: 125
	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 900'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AEE	IDAVIT RECEIVED
AT L	MAYII VANAAA
The undersigned hereby affirms that the drilling, completion and eventual n	MANSAS CORPORATION COMMUNICATION
	lugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	Lugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007
	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007 ch drilling rig; by circulating cement to the top; in all cases SUNASSIAND WILLIAM SUBMER TO SUNASSIAND WILLIAM SUBMER AUG 3 1 2007
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007 ch drilling rig; by circulating cement to the top; in all cases sumate with the sum of the su
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the contents of the second	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007 ch drilling rig; by circulating cement to the top; in all cases sumace with a will be underlying formation. Wichita, KS listrict office on plug length and placement is necessary prior to plugging;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007 ch drilling rig; the by circulating cement to the top; in all cases sum account with the complete the underlying formation. listrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the companient of	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surface within Kichita, KS listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the companient of th	lugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2007 The drilling rig; The by circulating cement to the top; in all cases sufface with the underlying formation. Signification on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; is defined below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the companies of the c	AUG 3 1 2007 ch drilling rig; by by circulating cement to the top; in all cases sunace with Michita, KS listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the well shall be completed within 30 days of the spud date or the well shall be the surface of the	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it be underlying formation. It by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to any cementing. It is a surface prior to any cementing. It is a surface prior to any cementing. It is a surface prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the composition of the state of the set of the s	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to plugging; it be underlying formation. It by circulating cement to the top; in all cases surface prior to plugging; it by circulating cement to the top; in all cases surface prior to any cementing. It is a surface prior to any cementing. It is a surface prior to any cementing. It is a surface prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the well shall be completed within 30 days of the spud date or the well shall be the surface of the	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surface within to plugging; in the underlying formation. listrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface of the surfa	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases sured with Michita, KS he underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: August 31, 2007 Signature of Operator or Agent: For KCC Use ONLY	AUG 3 1 2007 ch drilling rig; ch by circulating cement to the top; in all cases surface within August to plugging; in the underlying formation. listrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; iged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the continuous of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the continuous of the surface through all unconsolidated materials plus a minimum of 20 feet into the continuous of the surface through the continuous of the surface through the composition of the continuous of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the continuous of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the continuous of the continuous of the continuous of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the continuous of the cont	AUG 3 1 2007 ch drilling rig; th by circulating cement to the top; in all cases surface with a plugging; with the underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the comp	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases sures with the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the composition of the statement of the set of the well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the composition of the production of the plugible. For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet per Alt.	AUG 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surece within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to to the total set in the	AUG 3 1 2007 ch drilling rig; th by circulating cement to the top; in all cases sum of the underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Internt to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the certification. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - 24454-000 Conductor pipe required	AUG 3 1 2007 ch drilling rig; th by circulating cement to the top; in all cases sum of the underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Internt to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe shall be cement of the well is district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the surface pipe required the provided of th	Aug 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases sured with Michita, KS he underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to fleid proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the co 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the suggestion of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - O 4454-OOO Conductor pipe required	AUG 3 1 2007 ch drilling rig; th by circulating cement to the top; in all cases surface with a complete to the underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to fleld proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe shall be cement of the well is district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the surface pipe required the provided of th	Aug 3 1 2007 ch drilling rig; of by circulating cement to the top; in all cases surece within August of plugging; ged or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API NO. 15 - 003-24454-0000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	2805 feet from N / S Line of Section
Lease: Morgan	2805 feet from F E / W Line of Section
Well Number: 1-fW	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Field: Garnett Shoestring	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NENE - NE - SW	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	•	•
	•			* *
		·		
-	• •		•	: :
		·		• • • • • • • • • • • • • • • • • • • •
			•	•
	· •		•	
		. P		• •
 		·		· · · · · · · · · · · · · · · · · · ·
:				
			•	
	•	:	•	•
!			•	



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Christian L. Martin dba Martin Oil Properties		License Number: 03113	
Operator Address: 6421 Avondale Drive, Suite 212, Oklah		oma City, OK 73116	
Contact Person: Chris Martin		Phone Number: (405) 810 - 0900	
Lease Name & Well No.: Morgan 1-IW		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE SW
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 20 R. 20
Settling Pit	If Existing, date constructed:		2805 Feet from 🗸 North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2805 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Ves No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
V res No	Yes ✓	NO	native clay
Pit dimensions (all but working pits):	Length (fe	et)10	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de		(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	dures for periodic maintenance and determiniTCEIVED cluding any special monitoring. KANSAS CORPORATION COMMISSI
			AUG 3 1 2007
Distance to nearest water well within one-mik	e of pit		AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet.
Distance to nearest water well within one-mile		Source of infor	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet.
	feet	Source of infor	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation:
feet Depth of water well	feet	Source of informeasu	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: redwell owner electric logKDWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasu Drilling, Work Type of materia	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY:
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informers. ———— measu Drilling, Worke Type of materia Number of wor	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud
feet Depth of water well	feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 1
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: air dry and backfill se closed within 365 days of spud date.
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet	Source of informers. Drilling, Work: Type of materia Number of wor Abandonment Drill pits must i	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: air dry and backfill se closed within 365 days of spud date.
feet Depth of water well_ Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state August 31, 2007	spilled fluids to	Source of informers. Drilling, Work: Type of materia Number of wor Abandonment Drill pits must i	AUG 3 1 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 1 procedure: air dry and backfill se closed within 365 days of spud date. of my knowledge and belief. All and all gnature of Applicant or Agent





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.