For KCC Use: Effective Date: District # SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

expected Spud Date September 5, 2007  month day year	NWNW - NE - SE Sec. 13 Two. 20 S. R. 20 West
PERATOR: License# 03113	2805 feet from ✓ N / S Line of Section
ame: Christian L. Martin dba Martin Oil Properties	1155 feet from F E / W Line of Section
Idress: 6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?
ty/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Chris Martin	County: Anderson
none: (405) 810-0900	Lease Name: Morgan Well #: 9-T
	Field Name: Garnett Shoestring
ONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
me. Evans Energy Development, Inc.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'
✓ Oil Enh Rec ✓ Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ Ng
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 50'
Other	Depth to bottom of usable water: 125'
	Surface Pipe by Alternate: 1 2
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 900'  Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	701matori at 10tal Deptil.
ectional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
· — —	Well Farm Pond Other X
/es, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR )
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFI	RECEIVED
	RECEIVED KANSAS CORPORATION COMMIS
e undersigned hereby affirms that the drilling, completion and eventual	RECEIVED  KANSAS CORPORATION COMMIS  plugging of this well will comply with K.S.A. 55 et. seq.
e undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  KANSAS CORPORATION COMMIS  Plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007
e undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e:  3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet beto 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	RECEIVED KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig; bet by circulating cement to the top; in all cases surface properties on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.
e undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cerner  Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	PIDAVIT  RECEIVED  KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  set by circulating cement to the top; in all cases surface piper to plugging;  district office on plug length and placement is necessary prior to plugging;  legged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
se undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pluce.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud date or the well shall be cereby certify that the statements made herein are true and to the best of the spud date or the well shall be the post of the spud date or the well shall be the spud date or the well shall be the post of the spud date or the spud date or the post of the spud date or the spud date or the spud date or the spud date or the spud	RECEIVED KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig; bet by circulating cement to the top; in all cases surface prior to plugging; the underlying formation.  district office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
se undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cerner  Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	PIDAVIT  RECEIVED  KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  set by circulating cement to the top; in all cases surface piper and placement is necessary prior to plugging;  district office on plug length and placement is necessary prior to plugging;  legged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pluce.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the spud state of the spectrum.	RECEIVED KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig; bet by circulating cement to the top; in all cases surface properties of the underlying formation.  district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best sate: August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007  ach drilling rig; but by circulating cement to the top; in all cases surface provided to the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent
se undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on et.  3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best sate:  August 31, 2007  Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007  ach drilling rig; set by circulating cement to the top; in all cases surface by Cartagory Properties on the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.  In all cases, NOTIFY district office prior to any cementing. The plugged in all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:
se undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the formation of the strict office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best state: August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 244 SOOOD	RECEIVED KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007  ach drilling rig; but by circulating cement to the top; in all cases surface provided to the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  In all cases, NOTIFY district office prior to any cementing.  If the plugged. In all cases, NOTIFY district office prior to any cementing.  If the plugged in all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e.  3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best state:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  Conductor pipe required feet	PIDAVIT  RECEIVED  KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  ach drilling rig;  ach drilling rig;  ach drilling rig;  ach drilling rement to the top; in all cases surface pile remember to plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best state: August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  Conductor pipe required	PIDAVIT  RECEIVED  KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  ach drilling rig;  ach drilling rig;  ach drilling rig;  ach drilling rement to the top; in all cases surface pile remember to plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the spud state of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statement of the spud date or the statement of the spud date or the well shall be received at the statement of the spud date or the surface of the spud date or the statement of the spud date or the spud date or the spud date or the surface of the spud date or the	RECEIVED KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  set by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the case of the case
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best sate:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  For MCC Use ONLY  API # 15 - OO3 - 24450-0000  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  Feet Minimum surface pipe required	RECEIVED KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007  ach drilling rig; but by circulating cement to the top; in all cases surface plugging of the underlying formation.  district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  It be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the spud state of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statements of the spud date or the well shall be received at the statement of the spud date or the statement of the spud date or the well shall be received at the statement of the spud date or the surface of the spud date or the statement of the spud date or the spud date or the spud date or the surface of the spud date or the	PIDAVIT  RECEIVED  KANSAS CORPORATION COMMIS  AUG 3 1 2007  ach drilling rig;  Bet by circulating cement to the top; in all cases surface DISERVATION CIVISION the underlying formation.  district office on plug length and placement is necessary prior to pluggling;  legged or production casing is cemented in;  Intel from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  In the file completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best sate:  August 31, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24450-0000  Conductor pipe required	RECEIVED KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007  ach drilling rig; but by circulating cement to the top; in all cases surface provided to the underlying formation.  district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  If this permit has expired (See: authorized expiration date) please  RECEIVED KANSAS CORPORATION COMMIS  AUG 3 1 2007  AUG 4 AUG 3 1 2007  AUG 4

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24450-0000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	
Lease: Morgan	
Well Number: 9-T	Sec. 13 Twp. 20 S. R. 20 V East Wes
Field: Garnett Shoestring	<u> </u>
Number of Acres attributable to well:	Is Section:    Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•					
					•	
					•	
	•		•	•	•	•
				_		_
				-	•	-
	•	•	•	•	•	•
1	-		•	•		•
	_		_	_		•
			•	-		
	•	•	•	•	•	
1	•		•		•	•
	•	•				
	•		•	•	•	•
ĺ	•	•		•	•	•
	•			•	- 1	•
	•				; <b>b</b>	•
	•	•			; <b>b</b>	*
	•				: <b>p</b>	*
	•	•			; <b>b</b>	*
				:		
				:	; <b>b</b>	
		•				· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Christian L. Martin dba Martin Oil Properties			License Number: 03113		
Operator Address: 6421 Avondale Drive, Suite 212, Oklahoma City, OK 73116					
Contact Person: Chris Martin			Phone Number: ( 405 ) 810 - 0900		
Lease Name & Well No.: Morgan 9-T			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NW NE SE		
Ernergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 20 R. 20		
Settling Pit	If Existing, date constructed:		2805 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Anderson County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes   ✓	No	How is the pit lined if a plastic liner is not used?		
<u> </u>			native clay		
Pit dimensions (all but working pits):	0 Length (fe	eet)10	Width (feet)N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point: $5$	(feet)		
			AUG 3 1 2007  CONSERVATION DIVISION WICHITA, KS		
		Depth to shallo Source of infor	west fresh waterfeet.		
feet Depth of water wellfeet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:	;	Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of 6			ype of material utilized in drilling/workover: drilling mud		
, ,			rking pits to be utilized: 1		
Barrels of fluid produced daily: Ab			Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
August 31, 2007  Date  Wanna handa  Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: \$\size\0.7 Permit Num	nber:	<del>Perm</del>	it Date: 8/31/c7 Lease Inspection: Yes A No		