Effective Date: SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

SW NW SW Sec. 33 Twp. 33S S. R. 16	License# 33635  License# 43635  yQuest Management, LLC 25 N. Freeway, Suite 230	SW Sec. 33 Twp. 33S S. R. 16 West
1380   feet from	yQuest Management, LLC 25 N. Freeway, Suite 230	<u> </u>
Name: EnergyQuest Management, LtC Address: 15425 N. Freeway, Suite 230 City/State/Zip; Houston, Texas 77090 Contact Person: Jeff Stevenson Contract Person: Jeff Stevenson Verson: Jeff Stevenson Verson: Jeff Stevenson Verso	yQuest Management, LLC 25 N. Freeway, Suite 230	1380 feet from N / V S Line of Section
Name: Life grown, Suite 230  City/State/zip: Houston, Texas 77090  Contact Person; Jeff Stevenson  Phone: 281-875-6200  CONTRACTOR: License# 5675  Name: McPherson Orliling  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  OWWO Disposal Widdat Cable  Seismic; # of Holes Other  Other  Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore? Yes Ives, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pipe shaff-the set by circulating cement to the top; in all cases surface pip	25 N. Freeway, Suite 230	feet from E / W Line of Section
City/State/Zip: Houston, Texas 77090 Contact Person: Jeff Stevenson Contact Person: Jeff Stevenson Contract Person: Jeff Steve	to 14. I feeway, Cane 200	·
Contact Person: Jeff Stevenson Phone: 281-875-6200  Contribution: Jefferson/Sycamore Set 1-875-6200  Contribution: Jefferson/Sycamore Is this a Prorated / Spaced Field?  Target Formation(s): Riverton/Weir/Mulky Nearest Lease or unit boundary: 330  Ground Surface Elevation: 810  Fee Water well within one-quarter mile: Yes Own Disposal Wildcat Cable Other Other Other Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Other Other Other Original Completion Date: Original Total Depth: Original Total Depth: Meer Source for Drilling Operations:  Well Ame: Original Completion Date: Original Total Depth: Meer Source for Drilling Operations:  Were Source fo	Houston Texas 77090	•
Lease Name: Wright (Olfeld)   Well #: 33-1 (3	Leff Stevenson	
Field Name: Jefferson/Sycamore  Is this a Prorated / Spaced Field?  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  OND	n: Jen Stevenson	County: Mortgoniery
Self-strict	75-0200	Lease Name: Wilght (Oldheid) Well #: 00-1 (00-2)
Name: MICFINESON Drilling  Well Drilled For: Well Class: Type Equipment:  Oil	5675	
Oil	erson Drilling	Target Formation(s): Riverton/Weir/Mulky
Ground Surface Elevation: #10	rilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Water well within one-quarter mile:    Value		Ground Surface Elevation: 810 feet MSL
OWO Disposal Wildcat Cable  Seismic;# of Holes Other  Other		Water well within one-quarter mile:
Seismic; # of Holes Other  Other Other Depth to bottom of tresh water: 150  Depth to bottom of usable water: 150  Surface Pipe by Alternate: 1 20  Length of Surface Pipe Planned to be set: 20' + EST  Length of Surface Pipe Planned to be set: 20' + EST  Length of Conductor Pipe required: None  Projected Total Depth: 1200  Formation at Total Depth: Mississippi Lime  Water Source for Drilling Operations:  Well Farm Pond Other City  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone: RECENT  KANSAS CORPORATIO  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be posted on each drilling cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be		Public water supply well within one mile:
Depth to bottom of usable water: 150    Other		Depth to bottom of fresh water: 150
Surface Pipe by Alternate: 1  2  20' + EST    Composition   Length of Surface Pipe Planned to be set: 20' + EST	;# of Holes Other	
FOWWO: old well information as follows:    Coperator:		
Operator:  Well Name: Original Completion Date: Original Total Depth: Original Total Depth		Length of Surface Pine Planned to be set, 20' + E\$T
Well Name:  Original Completion Date:  Original Total Depth:  Original Total Depth:  Original Total Depth:  Original Total Depth:  Formation at Total Depth:  Water Source for Drilling Operations:  Well Farm Pond Other City  DWR Permit #:  (Note: Apply for Permit with DWR )  Well Cores be taken?  If Yes, proposed zone:  RECENTANSAS CORPORATION  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe and the case sur		Length of Conductor Pine required. None
Original Completion Date:Original Total Depth:Formation at Total Depth:Mississippi Lime   Water Source for Drilling Operations:		
Original Completion Date: Original Total Depth: Water Source for Drilling Operations:  Directional, Deviated or Horizontal wellbore? Yes Vo Water Source for Drilling Operations:  (Note: Apply for Permit with DWR )  Yes		
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  RECEIN  KANSAS CORPORATION  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe share by set and the set are surface pipe share by set and the set are surface pipe share by set and the set are surface pipe share by surface pipe share by set are surface pipe share by surfac	ompletion Date:Original Total Depth:	Tomation at Total Doping
f Yes, true vertical depth:    DWR Permit #:	wisted or Hadrontol walthers?	Water Source for Drilling Operations:
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>sharr bit set</i>	<del></del>	
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>sharrbitse</i>		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shart bit</i> set		, <u> </u>
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shart be set</i>		Will Cores be taken?Yes ✓ No
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>share bit</i> set.		If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shart bit</i> set.	AFFII	KANCAC CODDOGATION OF
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shart be set</i> .		
<ul> <li>2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set.</li> </ul>		agging of this well will comply with K.S.A. 55 et. seq.  AUG 3 1 2007
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing</li> </ol>	of the approved notice of intent to drill <b>shall be</b> posted on each nimum amount of surface pipe as specified below <b>shall be set</b> all unconsolidated materials plus a minimum of 20 feet into the ell is dry hole, an agreement between the operator and the dispropriate district office will be notified before well is either plugg. TERNATE II COMPLETION, production pipe shall be cemente uant to Appendix "B" - Eastern Kansas surface casing order #	t by circulating cement to the top; in all cases surface pipe shall be sets e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
hereby certify that the statements made herein are true and to the best of my knowledge and belief.	y that the statements made herein are true and to the best of	my knowledge and belief.
Date: 8/22/07 Signature of Operator or Agent:	Signature of Operator or Agent:	
The second secon	110	Remember to:
For KCC Use ONLY  API # 15 - 125 - 31436 -0000  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;	se ONLY	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Conductor pipe required 10 feet    Minimum surface pipe required 10 feet    Minimum surface pipe required 10 feet per Alt.    File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry    Submit plugging report (CP-4) after plugging is completed;	ippe required Nore feet feet per Alt. 1/2	- Submit plugging report (CP-4) after plugging is completed;
Conductor pipe required 10 feet   Minimum surface pipe required 10 feet per Alt.   Approved by: 18-31-07    File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry   Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	125-3/436-0000  pipe required None feet feet per Alt. 1(2)  y: 1448-31-07	- Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
Conductor pipe required 10 feet  Minimum surface pipe required 20 feet per Alt. 12  Approved by: 18-31-07  This authorization expires: 2-2908  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	125-3/436-0000  pipe required North feet feet per Alt. 1/2  y: 1448-31-07  reation expires: 2-29-08	- Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
Conductor pipe required	125-3/436-0000  pipe required North feet feet per Alt. 1/2  y: 1448-31-07  reation expires: 2-29-08	<ul> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
Conductor pipe required 10 feet  Minimum surface pipe required 10 feet per Alt. 12  Approved by: 10 8-31-07  This authorization expires: 2 2 9 08  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ipe required North feet  Inface pipe required 30 feet per Alt. 12  y: Furth 8-31-07  reation expires: 2-29-08  zation void if drilling not started within 6 months of approval date.)	- Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  - Well Not Drilled - Permit Expired

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31436 - COOD	Location of Well: County: Montgomery
Operator: EnergyQuest Management, LLC	1380feet fromN / 🗸 S Line of Section
Lease: Wright (Oldfield)	330 feet from E / V W Line of Section
Well Number: 33-1 (33-2)	Sec. 33 Twp. 33S S. R. 16
Field: Jefferson/Sycamore	,
Number of Acres attributable to well:  QTR / QTR of acreage: SW - NW - SW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		-	•			
	•	•				
	•		•	.		
• • •	• • •					
,						
	•		•	.		
] .			•			
1 .						
				١,		
				١.		
				]		
l • • • •				l • • • .		
l .				1.		
l .				1.		
l .						
····						
1 -	•	•	•	-	•	•
'		•	•	. •	•	•
		•	•		•	•
				l		
		•	•		•	•
220 -						
330 0			·	·		
				• • •		
-		•	•		•	•
1.			•		•	•
[ ]·		•	•		•	•
				• • •		
] -		•		-	•	
ļ .		•	•		•	•
1380						•
130	oU .	•	•		•	•

RECEIVED KANSAS CORPORATION COMMISSION

AUG 3 1 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: EnergyQuest Management, LLC			License Number: 33635		
Operator Address: 15425 N. Freeway, Suite 230					
Contact Person: Jeff Stevenson			Phone Number: ( 281 ) 875 - 6200		
Lease Name & Well No.: Wright (Oldfield) 33-1 (33-2)			Pit Location (QQQQ):		
Type of Pit:	Pit is:	,	<u>sw</u> . <u>NW</u> . <u>sw</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 <sub>Twp.</sub> 33S <sub>R.</sub> 16		
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		1380 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			330 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Montgomery County		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area?	′_•No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes  No	☐ Yes ✓	No	Native Clays		
Pit dimensions (all but working pits): 30 Length (feet) 9		Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point: 6 (feet)					
If the pit is lined give a brief description of the liner Describe proc material, thickness and installation procedure.			edures for periodic maintenance and determining COMMISSION necluding any special monitoring CANSAS CORPORATION COMMISSION		
			AUG 3 1 2007		
			CONSERVATION DIVISION WICHITA, KS		
Source of i					
feet Depth of water well	50 feet	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: City Water			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: Air Dry & Backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
08/22/2007 Date			ignature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
Date Received: 8/31/07 Permit Num	it Date: $\frac{\mathcal{E}/3i/c7}{\sqrt{2}}$ Lease Inspection: Yes $\chi$ No				