For KCC Use: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year	NWNE . NW - SE Sec. 24 Twp. 16 S. R. 21 West
OPERATOR: License# 32272	2475 feet from N / S Line of Section
OPERATOR: License# 52272 Name: Captain's Oil, Inc.	1960feet from/ E /W Line of Section
20205 Cold Water Board	Is SECTIONRegularIrregular?
Address:	Otation Diet on the Continu Diet on severe pirits)
Uity/State/ZIP:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Bob Eberhart	County: Miami Lease Name: Cayot Well #: 1-07
Phone: (913) 837-2823	Decis Pentaul
4339	ried name.
CONTRACTOR: License# 4339 Name: Dale E. Jackson Production Company	Is this a Prorated / Spaced Field?
Name: Date E. Sackson Production Company	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'
	Ground Surface Elevation: n/afeet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+-
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pine by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set:
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 800'
Well Name:	Continue
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrei
Directional, Devlated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Nate: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:RECEIVED
4 55	A CONTRACT OF THE PROPERTY OF
	DATI
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq
	CED II 6 2007
It is agreed that the following minimum requirements will be met:	SEP 0 5 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	SEP 0 5 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear	SEP U 5 2007 ch drilling rig: CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	SEP U 5 2007 ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface when the set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	SEP U 5 2007 ch drilling rig; CONSERVATION DIVISION th by circulating cement to the top; in all cases surface when the set one underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description.	SEP U 5 2007 ch drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surface where the set ne underlying formation. Instrict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the descriptions. The appropriate district office will be notified before well is either plug	CONSERVATION DIVISION of the control
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the description of the surface of the plug of the propriate district office will be notified before well is either plug of the plug of the propriate district office will be notified before well is either plug of the plug of the propriate district office will be notified before well is either plug of the plug of	CONSERVATION DIVISION of the control
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface propriate district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION CONSERVATION DIVISION of by circulating cement to the top; in all cases surface where the set ne underlying formation. In this construction is the set of
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug that a LTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Ch drilling rig; CONSERVATION DIVISION by by circulating cement to the top; in all cases surface of the set ne underlying formation. In this property of the set ne underlying formation. In this property of the set ne underlying formation. In this property of the set ne underlying formation. In this property of the set ne underlying formation. In this property of the set of the
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the second of the second	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set ne underlying formation. In this production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate will be notified before well is either plug to the appropriate will be notified before well is either plug to the appropriate will be notified before well is either plug to the appropriate will be notified before well in the appropriate will be notified be appropriate will be notified before well in the appropriate will	Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface of the set ne underlying formation. Identifying formation is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug that a LTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set of the underlying formation. In this production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the plug to the plug to the appropriate district office will be notified before well is either plug to the pl	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set ne underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface construction. Signature of Operator or Agent: For KCC Use ONLY	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set of the underlying formation. Identicated office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the set o	CONSERVATION DIVISION of the drilling rig; CONSERVATION DIVISION of the by circulating cement to the top; in all cases surface where the enderlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set on the well is either plug and the set of the set of the support of the set of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the set of	CONSERVATION DIVISION of the drilling rig; CONSERVATION DIVISION of the by circulating cement to the top; in all cases surface of the set the underlying formation. instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall inhereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121-28496-0000 Conductor pipe required NONE feet	CONSERVATION DIVISION of the drilling rig; CONSERVATION DIVISION of the by circulating cement to the top; in all cases surface of the set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the decomposition of the specified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported to the best of the best of the spud date or the well shall be completed within 30 days of the spud date or the well shall be reported to the best of the best of the best of the properties of the properti	ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set ne underlying formation. histrict office on plug length and placement is necessary prior to plugging; higed or production casing is cemented in; hed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing he plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall inhereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121-28496-0000 Conductor pipe required NONE feet	CONSERVATION DIVISION of the drilling rig; CONSERVATION DIVISION of the constitution of the top; in all cases surface where the set the underlying formation. Identication of the constitution of the constitution of the set the underlying formation. Identication of the constitution of th
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the decomposition of the specified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported to the best of the best of the spud date or the well shall be completed within 30 days of the spud date or the well shall be reported to the best of the best of the best of the properties of the properti	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface where the set the underlying formation. Identication of the set is underlying formation casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified before well is either plug to the well is dry hole, an agreement between the operator and the construction of the surface well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing order and the surface plug to the statements of Operator or Agent: For KCC Use ONLY	CONSERVATION DIVISION of the by circulating cement to the top; in all cases surface where the past ne underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the surface plus and the surface district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 4 9 0 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12 Approved by: 12 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to pluggling; upged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the specified district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified of the specified date or the well shall hereby certified before well is either plug to the specified of the specified date or the well shall be seented to the specified of the specified date or the specified date or the well shall be seented to the specified of the specified date or the well shall be seented to the specified of the specified of the specified date or the specified of the specified date or the specified of the specified date or the specified of the specified of the specified of the specified date or the specified date or the specified of the specified date or the specified of the specified date or the specified date o	Conservation division In the property of the

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28496-000	Location of Well: County: Miami	
Operator: Captain's Oil, Inc.	2475 feet from N / S Line of Section	
Lease: Cayot	1960 feet from JE / W Line of Section	
Well Number: 1-07	Sec. 24 Twp. 16 S. R. 21 ✓ East Wes	
Field: Paola Rantoul		
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NWNE - NW - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		· · · · · · · · · · · · · · · · · · ·
 · · · · · · · · · · · · · · · · · · ·		
 	·	
	:	
	. I	
	•	
 · · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
 	·	·
	•	
	:	• • •



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Captain's Oil, Inc.		License Number: 32272			
Operator Address: 30805 Cold Water Road, Louisburg, KS 66053					
Contact Person: Bob Eberhart		Phone Number: (913) 837 -2823			
Lease Name & Well No.: Cayot 1-07			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NE NW SE]	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 24 Twp. 16 R. 21		
Settling Pit	If Existing, date or	onstructed:	2475 Feet from North / ✓ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1960 Feet from 🗸 East / West Line of Section	İ	
(If WP Supply API No. or Year Drilled)	, ,	(bbls)	Miami County		
Is the pit located in a Sensitive Ground Water	Area? Yes √.	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?	•	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	-	
✓ Yes No	Yes V	No	native clay		
Pit dimensions (all but working pits):	30 Length (fe	eet) 15	Width (feet) N/A: Steel Pits	1	
, (rom ground level to de	_	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner Integrity, is	edures for periodic maintenance and determining RECEIVED nctuding any special monitoring. SEP 0.5 2007 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mik	e of pit	Depth to shallo Source of infor	west fresh water	5	
1		measu	uredwell owner electric log KDWR	1	
Emergency, Settling and Burn Pits ONLY: Dri			Drilling, Workover and Haul-Off Pits ONLY:		
f I			al utilized in drilling/workover: drilling mud	28496	
I			Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: suck out and backfill	8	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must	be closed within 365 days of spud date.	38	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.		
September 5, 2007 Date					
KCC OFFICE USE ONLY					
Date Received: 9/5/c7 Permit Number: Permit Date: 9/5/c7 Lease Inspection: Yes [] No					