For KCC Use: Effective Date: .. District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date September 10, 2007	Spot
month day year	C NW NE Sec. 24 Twp. 31 S. R. 31 West
30931	660 feet from \sqrt{N} N / S Line of Section
OPERATOR: License# 30931 Name: Daystar Petroleum, Inc.	1980feet from ✓ E / W Line of Section
Address: PO Box 360	Is SECTION ✓ RegularIrregular?
Address: Valley Center/KS/67147 City/State/Zip:	
Contact Person: Matt Osborn	(Note: Locate well on the Section Plat on reverse side) County: Seward
Phone: 316-755-3492	Lease Name: Clawson Well #: A #1-24
	Field Name: Thirty one SW
CONTRACTOR: License# 30684	Is this a Prorated / Spaced Field?
Name: Abertrombie LFO G & F Resources, Inc.	Target Formation(s): Lansing/Kansas City, Morrow, Mississippian,
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660' West
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2790 feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal V Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 620
Other	Depth to bottom of usable water: 640
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'
Operator:	Length of Conductor Pipe required: None Projected Total Depth: 6000
Well Name:	
Original Completion Date:Original Total Depth:	Formation at rotal Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
0	
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	CED 0 / com
 Notify the appropriate district office prior to spudding of well; 	SEP 0 4 2007
2. A copy of the approved notice of intent to drill shall be posted on ea	ch drilling rig;
	et by circulating cement to the top; in all cases suffets Երխել ան փելերք he underlying formation. WiCHITA, KS
through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the control of the second state of the	listrict office on plug length and placement is necessary <i>prior to plugging;</i>
5. The appropriate district office will be notified before well is either plug	
	red from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best-o	
Q170/0-	
Date: $8/30/07$ Signature of Operator or Agent: Mul	Title: Operations Manager
Date: $8/30/07$ Signature of Operator or Agent:	
Date: 8/30/07 Signature of Operator or Agent: 100	Title: Operations Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
Date: 8/30/07 Signature of Operator or Agent: 100 For KCC Use ONLY API # 15 - 175-22105-0000	Title: Operations langer Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Date: 8/30/07 Signature of Operator or Agent: 100	Title: Operations languer Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15 - 175 - 22 10 5 - 000 Conductor pipe required None feet	Title: Operations lanager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 175 - 22 105 - 2000 Conductor pipe required	Title: Operations lanager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15 - 175 - 22105 - Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. (1) Approved by: 1950 - 1950	Title:
For KCC Use ONLY API # 15 - 175-22105-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 1 X Approved by: 4507 This authorization expires: 3-5-08	Title:
For KCC Use ONLY API # 15 - 175 - 22105 - DOOD Conductor pipe required feet Minimum surface pipe required feet per Alt. (1) Approved by: Last 9-507	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY API # 15 - 175 - 22105 - DOOD Conductor pipe required	Title: Operations langer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY API # 15 - 175 - 22105 - DOOD Conductor pipe required None feet per Alt. 1) Approved by: 4507 This authorization expires: 3-508	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Seward

Operator: Daystar Petrol	eum, Inc.		660	feet from V N / S Line of Section
Lease: Clawson			1980	feet from 🗸 E / 🔲 W Line of Section
Well Number: A #1-24			Sec24	Twp. 31 S. R. 31 East West
Field: Thirty one SW	 	· ··· · · · · · · · · · · · · · ·		
N			Is Section:	Regular or Irregular
Number of Acres attribu	_	, NW , NE		
QTR / QTR / QTR of ac	reage:	- 11111 - 1111	If Section is in	regular, locate well from nearest corner boundary.
			Section corner (used: NE NW SE SW
			PLAT	
	(Show locate	ion of the well and shade a		prorated or spaced wells.)
	(2	(Show footage to the ne		
		Ÿ		
	· · · · · · · · · · · · · · · · · · ·			
•		<u>[</u>		
				980 KANSAS CORPORATION COMMISSION
		· · · · · · · · · · · · · · · ·		980 KANSAS CORPORATION COMMISSION
				SEP 0 4 2007
				3L1 0 1 2007
·				CONSERVATION DIVISION
,	: :		: ;	WICHITA, KS
•				
		JH .	: :	EXAMPLE
•				
:		:		
				1980
•			,	
-		,		
				3390' ·
			• , •	
				SEWARD CO.
		1 .		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

API No. 15 - 175-22105-0200

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Daystar Petroleum, Inc.			License Number: 30931		
Operator Address: PO Box 360 Valley Center, KS 67147					
Contact Person: Matt Osborn			Phone Number: (316) 755 ~ 3492		
Lease Name & Well No.: Clawson A #1-24			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit	✓ Proposed ☐ Existing		Sec. 24 Twp. 31 R. 31 East 🗸 West		
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	800	(bbls)	Seward County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🔽	Νο	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	Mud Solids		
Pit dimensions (all but working pits):					
Depth from ground level to deepest point: 6(feet)					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and periodic maintenance a			
			SEP 0 4 2007		
Distance to nearest water well within one-mile	e of pit		SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet.		
Distance to nearest water well within one-mile		Depth to shallo Source of infor measu	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation:		
15m1	550feet	Source of infor	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation:		
1500 feet Depth of water well	feet	Source of infor measu Drilling, Works	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR		
1500 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasu Drilling, Worke Type of materia Number of worl	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None		
Emergency, Settling and Burn Pits ONLY: Producing Formation:	550 feet	Source of informeasu Drilling, Worke Type of materia Number of worl	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: Buttilized in drilling/workover:		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	550 feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	550 feet	Drilling, Worke Type of materia Number of work Abandonment Drill pits must b	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None procedure: Air dry and backfill oe closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	550 feet	Drilling, Worke Type of materia Number of work Abandonment Drill pits must b	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None procedure: Air dry and backfill oe closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	550 feet	Source of informeasu Drilling, Worker Type of materia Number of work Abandonment Drill pits must become to the best	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None procedure: Air dry and backfill oe closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment Drill pits must be correct to the best	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: None procedure: Air dry and backfill oe closed within 365 days of spud date. of my knowledge and belief.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	spilled fluids to	Source of informeasu Drilling, Worker Type of materia Number of work Abandonment Drill pits must become to the best	SEP 0 4 2007 CONSERVATION DIVISION WICHITA, KS west fresh water 250 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: procedure: Air dry and backfill oe closed within 365 days of spud date. of my knowledge and belief.		