For KCC Use: SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date 8-31-07	Spot East
month day year	<u>SW</u> - <u>NE</u> Sec. 10 Twp. 28 S. R. 5 ✓ West
ODED 1700 1 5214 V	1980 feet from \sqrt{N} S Line of Section
OPERATOR: License#	1980 feet from \sqrt{E} W Line of Section
301 S. Market	Is SECTION ✓ RegularIrregular?
Wichita KS 67202	
Uity/State/Zip:	(Note: Locate well on the Section Plat on reverse side) County: Kingman
316 265 5611	2.40
Phone:	Lease Name:
CONTRACTOR: License#5929	rielo Name:
Name: Duke Drilling Co., Inc.	Is this a Prorated / Spaced Field? Yes / No Target Formation(s): Mississippian
	sen
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of diff boundary.
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 1414' feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4100°
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kinderhook
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFC	IDAVIT KAUD. RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p	WINSAS CORDER LIVED
It is agreed that the following minimum requirements will be met:	lagging of this well will comply with R.O.A. 33 Et. Seq. STATION COMMISSION
	AUG 2 7 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	- 100 Z / 2007
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface nine as specified below shall be set.	ch drilling rig; et by circulating cement to the top; in all cases surface of the latest the set with the underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into t	be underlying formation.
·	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
	ted from below any usable water to surface within 120 days of spud date.
, ,,	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and to the boost of	f my knowledge and belief.
8/27/2	y Sakurullut Title: Jay G. Schweikert, Operations Engineer
Date: $O(3)/1$ Signature of Operator or Agent: A	Title: vay o. surveixer, operations Engineer
	Remember to:
For KCC Use QNLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 095-22115-000	- File Completion Form ACO-1 within 120 days of spud date;
Mont	File acreage attribution plat according to field proration orders;
Solisson pipe regalites	 Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required	- Submit plugging report (CP-4) after plugging is completed;
Approved by: full 9-5-07	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 3-5-08	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
,	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 095-22115-0000	Location of Well: County: Kingman
Operator: Lario Oil & Gas Company	
Lease: Fearey	1980 feet from VN/S Line of Section 1980 feet from VE/W Line of Section
Well Number:3-10	Sec10 Twp28 S. R5
Field: Broadway	to Continue TO Decides on To broader
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW _ NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas	Company	License Number: 5214	
Operator Address: 301 S. Marke	t, Wichita, KS 67202		
Contact Person: Jay G. Schweikert		Phone Number: (316) 265 - 5611	
Lease Name & Well No.: Fearey #3		Pit Location (QQQQ):	
Type of Pit:	Pit is:	SW _ NE	
Emergency Pit Burn Pit	Proposed Existing	Sec. 10 Twp. 28 R. 5 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:	1980 Feet from 🗸 North / 🗍 South Line of Sec	tion
Workover Pit Haul-Off Pit		1980	
(If WP Supply API No. or Year Drilled)	Pit capacity: 7100 (bbls)	Kingman	
Is the pit located in a Sensitive Ground Water	r Area? Yes 🗸 No	Chloride concentration: m (For Emergency Pits and Settling Pits only)	3 /I
is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓ No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):1	00 Length (feet)100	Width (feet) N/A: Steel Pits	
Depth f	from ground level to deepest point:	4	
If the pit is lined give a brief description of the material, thickness and installation procedure	1	edures for periodic maintenance and determining RECEI ncluding any special monitoring. KANSAS CORPORAT	ON C
, , ,	1	AUG 2 7	200 200 201
material, thickness and installation procedure	e. liner integrity, i	AUG 2 7 CONSERVATIO WICHITA west fresh water	200 200 201
material, thickness and installation procedure Distance to nearest water well within one-mil	e. liner integrity, i e of pit Depth to shallo Source of info	AUG 2 7 CONSERVATIO WICHITA west fresh water	200 200 N DIV
material, thickness and installation procedure Distance to nearest water well within one-mil	e. liner integrity, i e of pit Depth to shallo Source of information and shallong s	AUG 2 7 CONSERVATIO WICHITA mation:	200 200 N DIV
material, thickness and installation procedure Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e. liner integrity, i le of pit Depth to shallo Source of informease . Drilling, Work	AUG 2.7 CONSERVATION WICHITA Tradion: Lived well owner electric log KANSAS CORPORATION WANSAS CORPORA	200 200 N DIV
material, thickness and installation procedure Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e. liner integrity, i be of pit Depth to shallo Source of information 34 feet measurement Drilling, Work Type of materi	AUG 2 7 CONSERVATION WICHITA West fresh water	200 200 N DIV
Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e. liner integrity, i be of pit Depth to shallo Source of information 34 feet measurement Drilling, Work Type of materi	AUG 2.7 CONSERVATION WICHITY West fresh water	200 200 N DIV
Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al	e. liner integrity, i le of pit Depth to shallo Source of informease 34 feet mease Drilling, Work Type of materi Number of work Abandonment	AUG 2 7 CONSERVATION WICHITA West fresh water	200 200 N DIV
Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit?	e. liner integrity, i le of pit Depth to shallo Source of informease 34 feet mease Drilling, Work Type of materi Number of work Abandonment	AUG 2 7 CONSERVATION WICHITA West fresh water	200 200 N DIV
Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	e. liner integrity, i Depth to shallo Source of information and feet measures. Drilling, Work Type of materi Number of work Abandonment Ill spilled fluids to Drill pits must rements are true and correct to the besence.	AUG 2 7 CONSERVATION WICHITA West fresh water	200 200 N DIV
Distance to nearest water well within one-mil 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit?	e. liner integrity, i Depth to shalls Source of information 34 feet measurement. Drilling, Work Type of materion Number of work Abandonment. Ill spilled fluids to Drill pits must rements are true and correct to the bes	AUG 2 7 CONSERVATION WICHITA West fresh water	200 C



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 4, 2007

Mr. Jay G. Schweikert Lario Oil & Gas Company 301 S. Market Wichita, KS 67202

Re: Drilling Pit Application

Fearey Lease Well No. 3-10 NE/4 Sec. 10-28S-05W Kingman County, Kansas

Dear Mr. Schweikert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **all pits must be lined with bentonite**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File