For KCC Use:		9-10-07	
Effective	Date: _	7,00,	
District #		<u> </u>	
0040		TV) No.	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

pected Spud Date August 31, 2007	Spot	√ East
month day year	W1/2 SE Sec. 33 Twp. 319	S. R. 18 West
9313	660 feet from N	
ERATOR: License# 9313 Page 13		/ W Line of Section
543∆ 22000 Road	ls SECTIONRegularirregular?	
//State/Zip: Cherryvale, Kansas 67335-8515	(Note: Locate well on the Section Plat of	on reverse side)
ntact Person: James D. Lorenz	County: Labette	
nact Person	Lease Name: Johnson	Well #: L-9
. /	Field Name: Dartnell	
NTRACTOR: License# 33374	Is this a Prorated / Spaced Field?	Yes No
ne: L & S Well Service, LLC	Target Formation(s): Bartlesville	
To Soviement	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 850'	feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes VNo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes Vo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200+	
Other	Outros Blacks Albamatar	
SARACO: and well information as follows:	Length of Surface Pipe Planned to be set: 20 of	8 5/8"
WWO: old well information as follows: Operator:	Length of Conductor Pipe required: n/a	
Well Name:	Projected Total Depth: 1000'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
ectional, Deviated or Horizontal wellbore?	Well Farm Pond Other XX	
es, true vertical depth:	DWR Permit #:	
Itom Hole Location:	(Note: Apply for Permit with DV	NA 🔲)
C DKT #:	Will Cores be taken?	Yes ✓ No
C DKT #:		
	If Yes, proposed zone:	RECEIVED
AFF	If Yes, proposed zone:KAN	RECEIVED ISAS CORPORATION COMMI
AFF e undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:KAN	RECEIVED ISAS CORPORATION COMMISSION.
AFF e undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:KAN	RECEIVED ISAS CORPORATION COMMIS
ne undersigned hereby affirms that the drilling, completion and eventual pairs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT KAN blugging of this well will comply with K.S.A. 55 et. se	RECEIVED USAS CORPORATION COMMIS USAS AUG 2 8 2007
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate of intent to drill shall be posted on each	If Yes, proposed zone: FIDAVIT Solugging of this well will comply with K.S.A. 55 et. seach drilling rig;	RECEIVED USAS CORPORATION COMMIS OPT. AUG 2 8 2007 CONSERVATION DIVISION
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone:	RECEIVED ISAS CORPORATION COMMISSION AUG 2 8 2007 CONSERVATION DIVISION TO THE PROPERTY OF TH
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FIDAVIT KAN blugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surfithe underlying formation. district office on plug length and placement is nece	RECEIVED ISAS CORPORATION COMMISSION AUG 2 8 2007 CONSERVATION DIVISION TO THE PROPERTY OF TH
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into- 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FIDAVIT KAN blugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surfitte underlying formation. district office on plug length and placement is neces leged or production casing is cemented in;	RECEIVED ISAS CORPORATION COMMISSION AUG 2 8 2007 CONSERVATION DIVISION face pipes April by set insany prior to plugging;
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluse. If an ALTERNATE IL COMPLETION production pipe shall be cemer	If Yes, proposed zone: FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is nece agged or production casing is cemented in; and of from below any usable water to surface within	RECEIVED ISAS CORPORATION COMMIS PQ. AUG 2 8 2007 CONSERVATION DIVISION face pipe/Athait be set Issary prior to plugging; 120 days of spud date.
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is nece legged or production casing is cemented in; and from below any usable water to surface within r #133,891-C, which applies to the KCC District 3 a	RECEIVED ISAS CORPORATION COMMIT POPULATION DIVISION FACE PROPAGAINST DE SET POSSERVATION DIVISION FACE PROPAGAINST DIVISION FACE PR
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; wet by circulating cement to the top; in all cases surfithe underlying formation. district office on plug length and placement is nece agged or production casing is cemented in; attention below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office	RECEIVED ISAS CORPORATION COMMIT POPULATION DIVISION FACE PROPAGAINST DE SET POSSERVATION DIVISION FACE PROPAGAINST DIVISION FACE PR
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or nursuant to Appendix "B" - Eastern Kansas surface casing order	FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; wet by circulating cement to the top; in all cases surfithe underlying formation. district office on plug length and placement is nece agged or production casing is cemented in; attention below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office	RECEIVED ISAS CORPORATION COMMIS PQ. AUG 2 8 2007 CONSERVATION DIVISION face pipe/ahalit be set Inssary prior to plugging; 120 days of spud date. Increa, alternate II cementing
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surf the underlying formation. district office on plug length and placement is nece tagged or production casing is cemented in; anted from below any usable water to surface within ar #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office of my knowledge and belief.	RECEIVED ISAS CORPORATION COMMIS PQ. AUG 2 8 2007 CONSERVATION DIVISION face pipe/ahalit be set Inssary prior to plugging; 120 days of spud date. Increa, alternate II cementing
AFF e undersigned hereby affirms that the drilling, completion and eventual p s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surfitte underlying formation. district office on plug length and placement is neces legged or production casing is cemented in; and the from below any usable water to surface within ar #133,891-C, which applies to the KCC District 3 at be plugged. In all cases, NOTIFY district office of my knowledge and belief.	RECEIVED ISAS CORPORATION COMMIS PQ. AUG 2 8 2007 CONSERVATION DIVISION face pipe/ahalit be set Inssary prior to plugging; 120 days of spud date. Increa, alternate II cementing
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT KAN clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; bet by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is neces legged or production casing is cemented in; and from below any usable water to surface within ar #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: Remember to:	RECEIVED ISAS CORPORATION COMMIT POPULATION DIVISION FACE PROPERTY OF SEAT
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong of the strict office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the strength of the streng	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is neces legged or production casing is cemented in; attend from below any usable water to surface within attend from below any usable water to surface within attend from below any usable water to surface within attendation and cases, NOTIFY district office of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intention	RECEIVED ISAS CORPORATION COMMINED. AUG 2 8 2007 CONSERVATION DIVISION face pipe Ashelf by set Issary prior to plugging; 120 days of spud date. area, alternate II cementin prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the complete of the	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surfathe underlying formation. district office on plug length and placement is neces legged or production casing is cemented in; attend from below any usable water to surface within attend from below any usable water to surface within attendary and the form the form the form the form and the file of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intention File Completion Form ACO-1 within 120 days of	RECEIVED ISAS CORPORATION COMMIT POPULATION DIVISION FACE PROPERTY OF SEAT
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the strong of the appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the strong of th	If Yes, proposed zone: CIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surface underlying formation. district office on plug length and placement is necesory legged or production casing is cemented in; anted from below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intention File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field	RECEIVED ISAS CORPORATION COMMIT INTERPORT OF THE ISAS CORPORATION COMMIT INTERPORT OF THE ISAS COMMITTED AND ISAS C
e undersigned hereby affirms that the drilling, completion and eventual personal substitution of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall be substituted and the substitute of the substitute of the substitute of the well is dry hole, an agreement between the operator and the substitute of the substit	If Yes, proposed zone: CIDAVIT Clugging of this well will comply with K.S.A. 55 et. seach drilling rig; Such drilling rig;	RECEIVED ISAS CORPORATION COMMIT POPULATION DIVISION FACE PROPERTY OF SEAT
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong and the second strong and second	If Yes, proposed zone: FIDAVIT KAN Dlugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surfite underlying formation. district office on plug length and placement is nece leading or production casing is cemented in; Intel from below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intensity of the KCC District office are age attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is	RECEIVED ISAS CORPORATION COMMITTED ISAS CORPORATION COMMITTED ISAS CORPORATION DIVISION ISAS PRIOR TO PRIVATE
e undersigned hereby affirms that the drilling, completion and eventual personal support of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the strength of the appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statement of the complete of the complete that the statement of the complete of the complete that the statement of the complete of	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surfitte underlying formation. district office on plug length and placement is neces gged or production casing is cemented in; Intel from below any usable water to surface within If #133,891-C, which applies to the KCC District 3 at It be plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Inten- File Completion Form ACO-1 within 120 days of Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or inj	RECEIVED ISAS CORPORATION COMMINED. AUG 2 8 2007 CONSERVATION DIVISION face pipe Ashelf be set Insary prior to plugging; 120 days of spud date, area, alternate II cementin prior to any cementing. It to Drill; of spud date; proration orders; to workover or re-entry; is completed; ecting salt water.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best after the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2422 2 0000 Conductor pipe required	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is nece agged or production casing is cemented in; anted from below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intenting File acreage attribution plat according to field Notify appropriate district office 48 hours prior submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injuried.	RECEIVED ISAS CORPORATION COMMIT INTERPORT OF THE ISAS CORPORATION DIVISION ISAS CONSERVATION DIVISION ISAS PROPERTY OF THE ISAS PROPER
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the st	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; ach drilling rig;	RECEIVED ISAS CORPORATION COMMISSION AUG 2 8 2007 CONSERVATION DIVISION face pipe Amenit by set Issary prior to plugging; I20 days of spud date. In a spud date. In a spud date; It to Drill; In f spud date; It to workover or re-entry; It is completed; In a spud date. In a spud date. It is workover or re-entry; It is completed; In a spud date. In a
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best after the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2422 2 0000 Conductor pipe required	FIDAVIT KAN Clugging of this well will comply with K.S.A. 55 et. se ach drilling rig; Let by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is nece agged or production casing is cemented in; anted from below any usable water to surface within a #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intenting File acreage attribution plat according to field Notify appropriate district office 48 hours prior submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injuried.	RECEIVED ISAS CORPORATION COMMISSION AUG 2 8 2007 CONSERVATION DIVISION face pipe Amenit by set Issary prior to plugging; I20 days of spud date. In a spud date. In a spud date; It to Drill; In f spud date; It to workover or re-entry; It is completed; In a spud date. In a spud date. It is workover or re-entry; It is completed; In a spud date. In a

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

660 feet from N / ✓ S Line of Section 990 feet from ✓ E / W Line of Section Sec. 33 Twp. 31S S. R. 18 ✓ East We Is Section: ✓ Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW RECEIVED
Sec. 33 Twp. 31S S. R. 18
Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Section corner used: NE NW SE SW
Section corner used: NE NW SE SW
KANSAS CORPORATION COMM
PLAT SEP 0 4 2007
ributable acreage for prorated or spaced wells.) rest lease or unit boundary line.) CONSERVATION DIVISION WICHITA, KS
RECEIVED
KANSAS CORPORATION COMMISSION
AUG 2 8 2007
William Canadam Con
· ·
·
EXAMPLE
. LANVIII CE
·
1980
10
3390'
990' F.E.L.
60' F.S.L. SEWARD CO.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

Form CDP-1 April 2004

SEP 0 4 2007 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: James D. Lorenz		License Number:			
Operator Address: 543A 22000 Ro	ad Cherryval	67335-8515			
Contact Person: James D. Lorenz			Phone Number: (620) 328 - 4433		
Lease Name & Well No.: Johnson #L-	.9		Pit Location (QQQQ):		
Type of Pit:	Pit is:	u-a	W1/2 _ W1/2 _ SE _ SE		
Emergency Pit Bum Pit	✓ Proposed Existing		Sec. 33 _{Twp.} 31S _{R.} 18		
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			990 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bblo)	Lahotte		
	1603	(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	'j∙ N ó	Chloride concentration:mg/lmg/lmg/lmg/lmg/lmg/lmg/lmg/l		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Native Mud		
Pit dimensions (all but working pits):	BO Length (fe	et) 30	Width (feet)N/A: Steel Pits		
	om ground level to de		(feet)		
material, thickness and installation procedure NATIVE MUD	.		ncluding any special monitoring. I the pit, it will be pumped out and taken to al well		
Distance to nearest water well within one-mil	e of pit	Depth to shallowest fresh waterfeet. Source of information:			
/ n/a feet Depth of water well	feet	<u> </u>	uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow at flow into the pit? Yes No	l spilled fluids to	Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	at of my knowledge and belief.		
8/23/07 Date		Velin (Signature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 9/4/67 Permit Nur	nhar.	Dore	nit Date: 9/4/07 Lease Inspection: Yes 📢 No		