For KCC Use:

Effective Date:

District #

SGA? Yes M No

## Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 11, 2007	Spot
month day year	<u>SW</u> - <u>NE</u> <u>Sec. 36</u> Twp. <u>27</u> S. R. <u>19</u> West
OPERATOR: License# 33344	1980 Feet from N / S Line of Section
Name. Quest Cherokee LLC	1980feet from/ E /W Line of Section
9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Martin	County: Neosho
Phone: (405) 463-6880	Lease Name: Corbett, Lewis D. Well #: 36-3
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1025 feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:  Yes   No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of west water:
✓ Other Coalbed Methane	
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300  Cherokee Coals
Original Completion Date:Original Total Depth:	Tornation at rotal Deptili
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 📋)
MAA DIT II.	
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual place.	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  agging of this well will comply with NSAS COSPORATION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with NSAS COST OR SEQUENCE COMMISSION  SEP 0 6 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with NSAS COST GRATION COMMISSION  SEP 0 6 2007  In drilling rig;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply what second or commission  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION OF WHITE Name to be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with SAS COST GRATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COLVENDATION be set to underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with SAS COST OR SEQUENCE COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION OF WICHITA, KS  e underlying formation.  Strict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the search all unconsolidated materials plus a minimum of 20 feet into the search and the search appropriate district office will be notified before well is either pluge.  5. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  PAVIT  RECEIVED  Logging of this well will comply with NSAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COLVESTION COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard intention of the sta	If Yes, proposed zone:  DAVIT  RECEIVED  agging of this well will comply with NSAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATIONALY ISLENS half be set e underlying formation.  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the searc	DAVIT  RECEIVED  Legging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  The drilling rig; The by circulating cement to the top; in SONSERVATION CALVES ON SAID COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and for production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard intention of the sta	DAVIT  RECEIVED  Legging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  The drilling rig; The by circulating cement to the top; in SONSERVATION CALVES ON SAID COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and for production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specified district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the specified before the well shall be completed within 30 days of the spud date or the well shall be the specified before the well shall be set of the spud date or the well shall be the specified before the well shall be set of the spud date or the well shall be set of the spud date or the well shall be the specified before the spud date or the well shall be set of the spud date or the well shall be	DAVIT  RECEIVED  agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The proposed zone:  RECEIVED  RECEIVED  RECEIVED  SEP 0 6 2007  The drilling rig; The proposed zone:  SEP 0 6 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the searc	DAVIT  RECEIVED  Legging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  The drilling rig; The by circulating cement to the top; in SONSERVATION CALVES ON SAID COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and for production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specified district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the specified before the well shall be completed within 30 days of the spud date or the well shall be the specified before the well shall be set of the spud date or the well shall be the specified before the well shall be set of the spud date or the well shall be set of the spud date or the well shall be the specified before the spud date or the well shall be set of the spud date or the well shall be	DAVIT  RECEIVED  agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The proposed zone:  RECEIVED  RECEIVED  RECEIVED  SEP 0 6 2007  The drilling rig; The proposed zone:  SEP 0 6 2007
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements are the spud that the stat	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Service of fice on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  It 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the post of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements are the spud that the stat	DAVIT  RECEIVED  Logging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office will be notified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plants of the post of the post of the post of the spud that the statements made herein are true and to the best of the plants.  For KCC Use ONLY  API # 15 - 133-27152-000	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Service of the set
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be also the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the plants. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-27152-0000  Conductor pipe required 1000000000000000000000000000000000000	DAVIT  RECEIVED  Logging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Service of the set of the se
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion. The appropriate district office will be notified before well is either plugion.  I hereby certify that the statements made herein are true and to the best of the plugion. The appropriate district office will be notified before well is either plugion.  For KCC Use ONLY  API # 15 - 133 - 271.52 - DOOD  Conductor pipe required	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be also the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the plants. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-27152-0000  Conductor pipe required 1000000000000000000000000000000000000	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all the well is dry hole, an agreement between the operator and the dientification of the sether plugion of the sether plugion of the spurious surface casing order amust be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plugion of the spud date or the well shall be set in the statements of the spud date or the well shall be set in the statements made herein are true and to the best of the spud date or the well shall be set in the statements of the spud date or the well shall be set in the statements made herein are true and to the best of the spud date or the well shall be set in the statements of the spud date or the well shall be set into the set in the statements of the spud date or the well shall be set into the set in the set in the set in the statements of the spud date or the set in the	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; If by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Service of the set
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the state of a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be also be completed. I hereby certify that the statements made herein are true and to the best of the plants.  For KCC Use ONLY  API # 15 - 133-27152-000  Conductor pipe required	DAVIT  RECEIVED  Logging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all the well is dry hole, an agreement between the operator and the dientification of the sether plugion of the sether plugion of the spurious surface casing order amust be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plugion of the spud date or the well shall be set in the statements of the spud date or the well shall be set in the statements made herein are true and to the best of the spud date or the well shall be set in the statements of the spud date or the well shall be set in the statements made herein are true and to the best of the spud date or the well shall be set in the statements of the spud date or the well shall be set into the set in the statements of the spud date or the well shall be set into the set in the set in the set in the statements of the spud date or the set in the	DAVIT  RECEIVED  Agging of this well will comply with SAS COSPORATION COMMISSION  SEP 0 6 2007  In drilling rig; If by circulating cement to the top; in SONSERVATION COMMISSION  WICHITA, KS  Service of the set
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the state of a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be also be completed. I hereby certify that the statements made herein are true and to the best of the plants.  For KCC Use ONLY  API # 15 - 133-27152-000  Conductor pipe required	DAVIT  RECEIVED  Legging of this well will comply what second procession commission  SEP 0 6 2007  In drilling rig; It by circulating cement to the top; in conservation driving formation.  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  Had 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27152-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from V N / S Line of Section
Lease: Corbett, Lewis D.	1980 feet from VE / W Line of Section
Well Number: 36-3	Sec. 36 Twp. 27 S. R. 19 VEast Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: SW _ NE NE	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## RECEIVED KANSAS CORPORATION COMMISSION

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 0 6 2007 April 2004 Form must be Typed

Form CDP-1

# **APPLICATION FOR SURFACE PIT**

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

		Jiiii D 2,011041	·
Operator Name: Quest Cherokee LI	Operator Name: Quest Cherokee LLC		License Number: 33344
Operator Address: 9520 North May	/ Avenue, Sui	ite 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880	
Lease Name & Well No.: Corbett, Lewis D. #36-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 27 R. 19 🗸 East 🗌 West
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section
(If WP Supply API No. or Year Drilled)	300 (bbls)		Neosho County
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l
110	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Is the bottom below ground level?  Yes  No	Yes 🗸	No	Thow is the pit inied if a plactic line is not dood.
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet) N/A: Steel Pits
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation lasting approx 3 days			
Distance to nearest water well within one-mile of pit  Depth to shallo Source of inform		west fresh waterfeet. mation:	
		measu	ured well owner electric log KDWR
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
		rking pits to be utilized: One procedure: Air Dry, Back Fill and Cover	
		procedure: 711 219, Eddit III and Sovie	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above stat	ements are true and	correct to the bes	et of my knowledge and belief.
9/5/07 P. Aand Marla Date Signature of Applicant or Agent			
KCC OFFICE USE ONLY			
Date Received: 9/6/07 Permit Number: Permit Date: 9/6/07 Lease Inspection: Yes 🕻 No			