For KCC Use:	9-11-07	
Effective Date	3-11-U)	
District #	3	
SGA?	es 🏋 No	

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	-
Expected Spud Date September 11, 2007 month day year	Spot SW SE Sec. 1 Twp. 28 S. R. 19 Wes
33344	660 feet from N / V S Line of Section
OPERATOR: License# 33344	1980 feet from VE / W Line of Section
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: 9220 Notati May Avende, odile 500 City/State/Zip: Oklahoma City, Oklahoma 73120	
City/State/Zip:	(<i>Note:</i> Locate well on the Section Plat on reverse side) County: Neosho
Contact Person: Richard Marlin Phone: (405) 463-6880	Lease Name: Daniels Rev Trust Well #: 1-6
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 952 feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Donth to hottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 1 2
If OVERLOOD II and information on following	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Van turn continue domains	
ir res, true vertical deptiti:	DWR Permit #:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR]
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ N If Yes, proposed zone:
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ N If Yes, proposed zone:
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓N If Yes, proposed zone: ☐ RECEIVED RECUED RECEIVED RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ N If Yes, proposed zone: □ RECEIVED SEP 0 6 2007 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Significant of the surface of the surface pipe shall be set to be underlying formation. Significant of the surface of the surface pipe shall be set to be underlying formation. Significant of the surface of the surface pipe shall be set to be underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone: IDAVIT Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: IDAVIT Inugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 Ch drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: September 4, 2007 Signature of Operator or Agent: For KCC Use ONLY	(Note: Apply for Permit with DWR Yes New Yes Yes New Yes Yes New Yes Yes Yes New Yes Yes
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: September 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27/58-DDD	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to Neurotyping formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into televation of the well is dry hole, an agreement between the operator and the center of the surface of the spudding order with a proportion of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall in hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the surface of the well shall in hereby certify that the statements made herein are true and to the best of the surface of the su	(Note: Apply for Permit with DWR Yes New Yes Yes New Yes Yes New Yes Yes Yes New Yes Yes
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: September 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27/58-DDD	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to conservation Division district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: September 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to conservation Division district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface pipe as surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the surface pipe required feet per Alt. For KCC Use ONLY API # 15 - 133 - 27/58-0000 Conductor pipe required feet per Alt. 120 Approved by: Lett 9-6-07	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to be considered to the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into technique of the well is dry hole, an agreement between the operator and the center of the well is district office will be notified before well is either plug to the superior of t	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iugging of this well will comply with K. RANSAS CORPORATION COMMISSION SEP 0 6 2007 ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. District office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface pipe as surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the surface pipe required feet per Alt. For KCC Use ONLY API # 15 - 133 - 27/58-0000 Conductor pipe required feet per Alt. 120 Approved by: Lett 9-6-07	(Note: Apply for Permit with DWR) Will Cores be taken? Yes New New New Yes Yes New Yes New Yes Yes New Yes New Yes New Yes
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second state of the surface pipe as specified below shall be second through all unconsolidated materials plus a minimum of 20 feet into to the second state of the surface pipe as specified before well is either plus to the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the surface pipe required to the surface pipe required feet per Alt. For KCC Use ONLY API # 15 - 133 - 27/58-000 Conductor pipe required feet per Alt. Minimum surface pipe required feet per Alt. Approved by: Letter 9-6-07 This authorization expires: 3-6-08	(Note: Apply for Permit with DWR) Will Cores be taken? Yes New York If Yes, proposed zone:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27158-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from N / V S Line of Section
Lease:Daniels Rev Trust	feet from 🗸 E / 🗌 W Line of Section
Well Number: 1-6	Sec. 1 Twp. 28 S. R. 19 East West
Field: Cherokee Basin CBM	<u> </u>
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: 📝 Regular or 🗌 Irregular
QIN / QIN / QIN OI acreage.	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

***************************************	-							1
		•	•		•	•	•	
	•	•	•	ļ	•	•	•	
		•	•	İ	•	•	•	
								İ
				1				i
	•		•	1	•	•	•	
	•	•	•		•	•	٠.	1
			•	1	•		•	1
• •								
			•		-	•	•	
					•	•	-	
							•	
				1				
			i					
		•						EXAMPLE
				1 —				
	•	•	•		•	•	•	
	•	•	•		•	•	•	
	•	•	•		•	•	•	
	, .					• •		198
	•				•	•	•	↓
					•			
					•		-	
								3390'
						•	-	
			•	1		•	-	· ·
		-				-		
				1				1980
	. • •	• • •				,		
					ł			
					1	•		OFWARD CO.
			/T3	_	/			SEWARD CO.
			te the spot		<u> </u>			1

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Quest Cherokee LL	_C	License Number: 33344			
Operator Address: 9520 North May	Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120		
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Daniels Rev	Trust #1-6		Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 Twp. 28 R. 19 ✓ East West		
Settling Pit	If Existing, date or	onstructed:	660 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
· ·			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet)N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	10 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	edures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days		
			west fresh waterfeet.		
N/A feet Depth of water well	feet	Source of infor measu	rredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
1			at utilized in dritting/workover: Air Dritted		
Number of producing wells on lease: Nu			king pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must I	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
September 4, 2007 Date	*	, gard	ignature/of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 9/6/07 Permit Num	ber:	Perm	it Date: <u>9/6/07</u> Lease Inspection: Yes 1 No		