For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 12, 2007	Spot ✓ East
month day year	NE _ SW Sec. 25 Twp. 27 S. R. 19 West
OPERATOR: License#	1650 Feet from N / S Line of Section
Name: Quest Cherokee LLC	2130 feet from E / V W Line of Section
9520 North May Avenue, Suite 300	!s SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6881	Lease Name: Lamons, Jay D. Well #: 25-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes VNo
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 510
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 968 feet MSL
Oil Enh Rec 🗸 Infield — Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes
Seismic:# of Holes Other	Some farmer
✓ Other Coalbed Methane	Depth to bottom of usable water.
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Charaksa Casla
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
· —	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A 55 et se CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	DAVIT ugging of this well will comply with K.S.A. S.S. et see CEIVED ugging of this well will comply with K.S.A. S.S. et see CEIVED sh drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION istrict office on plug length and placement is necessary photos plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. S.S. et see CEIVED ugging of this well will comply with K.S.A. S.S. et see CEIVED sh drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION istrict office on plug length and placement is necessary photos plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	DAVIT ugging of this well will comply with K.S.A. S.S. et see CEIVED ugging of this well will comply with K.S.A. S.S. et see CEIVED sh drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION istrict office on plug length and placement is necessary photos plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the defense of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of	DAVIT ugging of this well will comply with K.S.A. S.S. CORPORATION COMMISSION SEP 0 6 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set conservation division will be underlying formation. istrict office on plug length and placement is necessary photos plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the description of the set of the se	DAVIT ugging of this well will comply with K.S.A. 55 et sectoreD which drilling rig; the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	DAVIT ugging of this well will comply with K.S.A. S.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the description of the set of the se	DAVIT ugging of this well will comply with K.S.A. SEP 0 6 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set conservation Division is trict office on plug length and placement is necessary pho to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of t	DAVIT ugging of this well will comply with K.S.A 55 place CRPORATION COMMISSION SEP 0 6 2007 the drilling rig; the underlying formation. istrict office on plug length and placement is necessary processory plugging; ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Title: VP** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	DAVIT ugging of this well will comply with K.S.A. S. S. S. S. S. CORPORATION COMMISSION SEP 0 6 2007 the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set conservation division istrict office on plug length and placement is necessary photon to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-133-27151-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Lamons, Jay D.	1650
Well Number: 25-1	Sec. 25 Twp. 27 S. R. 19 VEast West
Field: Cherokee Basin CBM Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

SEP 0 6 2007

Form CDP-1 April 2004 Form must be Typed

OIL & GAS CONSERVATION APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6881		
Lease Name & Well No.: Lamons, Jay	v D. #25-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE SW	
Emergency Pit Burn Pit	√ Proposed	Existing	Sec. 25 _{Twp.} 27 _{R.} 19	
Settling Pit	If Existing, date constructed:		1650 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		2130 Feet from East / ✓ West Line of Section Neosho County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Mo	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)				
material, thickness and installation procedure	j.		ncluding any special monitoring. Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit Depth to shallo Source of information in the shallon of		l l		
			ıredwell owner electric log KDWR	
		_	over and Haul-Off Pits ONLY:	
			al utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Number of Barrels of fluid produced daily: Abandonm		Abandonment	umber of working pits to be utilized: One pandonment procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
September 5, 2007 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 9/6/a7 Permit Num	nber:	Perm	it Date: 9/6/67 Lease Inspection: Yes Vo	