#### For KCC Use: Effective Date: District # SGA? Yes X No

# Kansas Corporation Commission Oil & Gas Conservation Division

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Expected Spud Date September 19, 2007	Spot East
month day year	<u>~SE NW Sec. 29 Twp. 23 S. R. 19                                 </u>
OPERATOR: License# 6569	3225feet from N / V S Line of Section
Name: Carmen Schmitt Inc.	3350feet from 🗸 E /W Line of Section
Address: PO Box 47	Is SECTION <u>✓ Regular</u> Irregular?
City/State/Zip: Great Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jacob Porter	County: Edwards
Phone: 620-793-5100	Lease Name: Lippoldt Well #: 2
	Field Name: unknown
CONTRACTOR: License# 33549	Is this a Prorated / Spaced Field?
Name: Landmark Drilling, LLC	Target Formation(s): LkC
W 10 W 15	Nearest Lease or unit boundary: 585' South
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: -2220 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes [_] Other	Depth to bottom of usable water: 300'
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320
Operator:	Length of Conductor Pipe required: -0-
Well Name:	Projected Total Depth: 4900'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	₩ [✓] Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🖊 )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT KANSAS CORPORATION OF
The undersigned hereby affirms that the drilling, completion and eventual pl	- COMMISSION
It is agreed that the following minimum requirements will be met:	SEP 0 6 2007
• • • • • • • • • • • • • • • • • • • •	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	ch drilling rig:
3. The minimum amount of surface pipe as specified below <b>shall be se</b>	t by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation.
	istrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Annendix "B" - Fastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall t	pe plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	
	1 -2
Date: September 5, 2007 Signature of Operator or Agent:	& L Porles Title: Operations Manager
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 047-21560-0000	- File Completion Form ACO-1 within 120 days of spud date;
A/000	- File acreage attribution plat according to field proration orders;
	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 320 feet per Alt 1	- Submit plugging report (CP-4) after plugging is completed;
Approved by: [449-6-07	<ul> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>
This authorization expires: 3-6-08	
(This authorization youd if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.  Well Not Drilled - Permit Expired
(This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent:	check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 047-21560-0000	Location of Well: County: Edwards
Operator: Carmen Schmitt Inc.	·
Lease: Lippoldt	feet from N / S Line of Section  3350 feet from F E / W Line of Section
Well Number: 2	Sec29 Twp23 S. R19 East
Field: unknown	<del></del> -
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  - SE . NW	Is Section:    Regular or    Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			,				
1							
1	,		•				1
1							,
1							- 1
							. (
1			į				
			ı				[
1							
1							
1							!
1			t				
1							
1			1				
1							
1			l.				F
ł .							1
		•					•
1		•			'	•	.
į					•	•	. !
I			,				
1		\	1				
1		)	(				
)		· ',	,~			•	
ı			r .				. !
1		ì	1-1-1				
		<u>``</u>	ACS I				
	- ,	,	D-				i
			Ĺ				. !
1			/				,
			<i>j</i>				
1							
1							
			1				i i
							.
1							1
							i
1							
1							
			1				
ļ						•	
							·
							·
	·			· · ·			· · · · · · ·
	·			· · ·			· · · · · · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·	·			· · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·	·			· · ·
	·		· · · ·	·			· · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·	·			· · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·	·			· · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·	·			· · ·
	· · · · · · · · · · · · · · · · · · ·						· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·						· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·						
	· · · · · · · · · · · · · · · · · · ·						
	· · · · · · · · · · · · · · · · · · ·						

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 6 2007



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.		License Number: 6569			
Operator Address: PO Box 47, Gre	eat Bend, KS	67530			
Contact Person: Jacob Porter			Phone Number: ( 620 ) 793 - 5100		
Lease Name & Well No.: Lippoldt #2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 23s R. 19 East  West		
Settling Pit	If Existing, date constructed:		3225 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			3350 Feet from 🗸 East / West Line of Se		
(If WP Supply API No. or Year Drilled)	Pit capacity: 1500	(bbls)	Edwards		
Is the pit located in a Sensitive Ground Water	L		Chloride concentration:		
is the pit located in a densitive Ground visitor	7.10a; [ ] 103 <b>[</b> ]		(For Emergency Pits and Settling Pits only)	'9''	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	F 1 - 4, 13	
✓ Yes  No	Yes ✓	No	natural clays and bentonite		
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and dREGEIMED and an approximation commission of the	N	
		visual insp	ection SEP 0 6 2007		
			OLI 0 0 2007		
			CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	CONSERVATION DIVISION WICHITA, KS west fresh water 30feet.		
Distance to nearest water well within one-mile  2560 feet Depth of water well	·	Source of infor	CONSERVATION DIVISION WICHITA, KS west fresh water 30feet.	₹	
	162feet	Source of infor	CONSERVATION DIVISION WICHITA, KS  west fresh water 30 feet. mation:	₹	
	162feet	Source of informeasu	CONSERVATION DIVISION WICHITA, KS  west fresh water 30feet. mation:  ired well owner electric log KDWF	₹	
	162feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	CONSERVATION DIVISION WICHITA, KS  west fresh water 30	<b>3</b>	
	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	CONSERVATION DIVISION WICHITA, KS  west fresh water 30	<u> </u>	
	162 feet	Drilling, Work  Type of materia  Number of wor  Abandonment	CONSERVATION DIVISION WICHITA, KS  west fresh water 30	₹ 	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must l	CONSERVATION DIVISION WICHITA, KS  west fresh water 30		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must l	CONSERVATION DIVISION WICHITA, KS  west fresh water 30	-	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must is  correct to the bes	CONSERVATION DIVISION WICHITA, KS  west fresh water 30	<b>\</b>	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must is  correct to the bes	CONSERVATION DIVISION WICHITA, KS  west fresh water 30		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  September 5, 2007	162 feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must is  correct to the bes	CONSERVATION DIVISION WICHITA, KS  west fresh water 30		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  September 5, 2007  Date	162 feet  I spilled fluids to  ements are true and o	Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must is  correct to the besites  According to the besites of t	CONSERVATION DIVISION WICHITA, KS  west fresh water 30		