For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 12, 2007	Spot ✓ East
month day year	NE _ SE Sec. 20 Twp. 27 S. R. 19 West
OPERATOR: License# 33344	1980 feet from N / V S Line of Section 711 feet from V E / W Line of Section
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTIONRegular Irregular?
Address: S320 Notal Integration City Oklahoma 73120 City/State/Zip:	
City/State/Zip: Sklationa only ontariona 1912	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin Phone: (405) 463-6881	County: Neosho Lease Name: McGregor, Leah Well #: 20-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 31 711 per pperator 9-601
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 950 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200/50
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 \(\sqrt{2} \)
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals -
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
NOO DIN III.	If Yes, proposed zone:
	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et Sed RPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	CED 0 C 2007
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each 	SEP 0 6 2007
3. The minimum amount of surface pipe as specified below shall be se	CONORD III
	t by circulating cement to the top; in all cases ዓብ የጨማ ልቦር እንስካተና የሚ
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation. WICHITA, KS
4. If the well is dry hole, an agreement between the operator and the d	e underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug	te underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cementer 	the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
 If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	istrict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	istrict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	wichita, ks istrict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	istrict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	the underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: September 5, 2007	istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27/50-0000	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the later of the spud da	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the later of the spud da	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the spud date or the well shall be in the later of the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the shall be in the spud date or the well shall be in the shall be in	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the later of the spud date or the well shall be in the spud date or the well shall be in the later of the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the shall be in the spud date or the well shall be in the shall be in	re underlying formation. WICHITA, KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	re underlying formation. Wichita, Ks istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-271500000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section
Lease: McGregor, Leah	711 feet from 🗸 E / W Line of Section
Well Number: 20-1	Sec. 20 Twp. 27 S. R. 19 VEast Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					 	·	
	· ·		· ·				
•	• •		•		, , ,	•	
	•				· · · · · · · · · · · · · · · · · · ·	•	EXAMPLE
•	· 	•	· ·	0-	<u>-</u>		LAAIWIF LE.
						711	10
			· · ·				. 3390, .
					 	· ·	
•	•	•					SEWARD CO.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION CED 1 C 2007 -

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION INICHITA, KS

Operator Name: Quest Cherokee LI	_C	License Number: 33344			
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120		
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6881		
Lease Name & Well No.: McGregor, I	_eah #20-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NESE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 20 Twp. 27 R. 19 ✓ East West		
Settling Pit	If Existing, date of	onstructed:	1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		711 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): Depth f If the pit is lined give a brief description of the material, thickness and installation procedure.	rom ground level to de	Describe proce	40		
Distance to nearest water well within one-mil NA feet Depth of water well	·	Source of infor	owest fresh waterfeet. rmation: ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.		
September 5, 2007 Date	R	Land:	Signature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
,					
Date Received: 9/6/67 Permit Nur	nher.	Perm	if Date: 9/4/67 Lease Inspection: Yes No		